

SEQ ID NO:	Method	Predicted beginning	Predicted end nucleotide	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine,
1	· .	nucleotide	location	I=Isoleucine, K=Lysine, L=Leucine, M=Methionine,
		location corresponding	corresponding to last amino	N=Asp/ragine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine,
		to first amino	acid residue of	X=Unknown, *=Stop codon, /=possible nucleotide deletion,
	·	acid residue of	peptide	\=possible nucleotide insertion
		peptide sequence	sequence	
		sequence		LSRKAVSDMLTACKQASFHPDVSDEVRTRALRF
				GTECTLGYLDLLEHVLVILQKPTPELKQQLAAFS
	,	.		KRVAGAVTELIQAAEAMKGTEWVDPEDPTVIAE
				TELLGAAASIEAAAKKLEQLKPRAKPKQADETL
			ł	DFEEQILEAAKSIAAATSALVKSASAAQRELVAQ
				GKVGSIPANAADDGQWSQGLISAARMVAAATSS
				LCEAANASVQGHASEEKLISSAKQVAASTAQLL
				VACKVKADQDSEAMRRLQAAGNAVKRASDNL
	1		j	VRAAQKAAFGKADDDDVVVKTKFVGGIAQIIAA QEEMLKKERELEEARKKLAQIRQQQYKFLPTEL
		,		REDEG
3441	A	3	1584	NSARGGVGVRGARAMATVQEKAAALNLSALHS
			1551	PAHRPPGFSVAQKPFGATYVWSSIINTLQTQVEV
]		J	KKRRHRLKRHNDCFVGSEAVDVIFSHLIQNKYF
		}		GDVDIPRAKVVRVCQALMDYKVFEAVPTKVFG
				KDKKPTFEDSSCSLYRFTTIPNQDSQLGKENKLY
				SPARYADALFKSSDIRSASLEDLWENLSLKPANS
				PHVNISTTLSPQVINEVWQEETIGRLLQLVDLPLL
				DSLLKQQEAVPKIPQPKRQSTMVNSSNYLDRGIL
				KAYSDSQEDEWLSAAIDCLEYLPDQMVVEISRSF
				PEQPDRTDLVKELLFDAIGRYYSSREPLLNHLSD
				VHNGIAELLVNGKTEIALEATQLLLKLLDFQNRE EFRRLLYFMAVAANPSEFKLQKESDNRMVVKRI
				FSKAIVDNKNLSKGKTDLLVLFL\MDHQKDVFKI
ì			İ	PGTL\HKIVS\VK\LMAIQNGRDPNRDAGYIYCQRI
				DQRDYSNITEKTTIDELLYLLKTLDEDSKLSAKE
				KKK\LLGQFYKCHPDIFIEHFGD
3442	A	160	822	SPASGHCRLNGAAVAMFGCLVAGRLVQTAAQQ
1		Ì		VAEDKFVFDLPDYESINHVVVFMLGTIPFPEGMG
				GSVYFSYPDSNGMPVWQLLGFVTNGKPSAIFKIS
				GLKSGEGSQHPFGAMNIVRTPSVAQIGISVELLDS
ļ.				MAQQTPVGNAAVSSVDSFTQFTQKMLDNFYNF ASSFAVSQ/VPDDTQ/RPSEMFIPANVVLKWYENF
	1	ł		ORRTSTEPSLLENIIWIKINF
3443	A	3	1373	SWHVRRRWLEATMAGGMKVAVSPAVGPGPWG
55			1 -2.7	SGVGGGGTVRLLLILSGCLVYGTAETDVNVVML
		1		QESQVCEKRASQQFCYTNVLIPQWHDIWTRIQIR
			İ	VNSSRLVRVTQVENEEKLKELEQFSIWNFFSSFL
	1	}	}	KEKLNDTYVNVGLYSTKTCLKVEIIEKDTKYSVI
				VIRRFDPKLFLVFLLGLMLFFCGDLLSRSQIFYYS
				TGMTVGIVASL\LIIIFILSKFMPKKSPIYVILVGGW
				SFSLYLIQLVFKNLQEIWRCYWQYLLSYVLTVGF
		1	ļ	MSFAVCYKYGPLENERSINLLTWTLQLMGLCFM YSGIQIPHIALAIIIIALCTKNLEHPIQWLYITCRKV
				CKGAEKPVPPRLLTEEEYRIQGEVETRKALEELR
				EFCNSPDCSAWKTVSRIQSPKRFADFVEGSSHLT
	1			PNEVSVHEQEYGLGSIIAQDEIYEEASSEEEDSYS
	1		J	RCPAITQNNFLT
3444	A	566	1718	KGLERTCCAMEESDSEKTTEKENLGPRMDPPLG
	1			EPG\GSLGWVLPNTAMKKKVLLMGKSGSGKTS
				MRSIIFANYIARDTRRLGATILDRIHSLQINSSLST
				YSLVDSVGNTKTFDVEHSHVRFLGNLVLNLWDC
1	[[GGQDTFMENYFTSQRDNIFRNVEVLIYVFDVESR
				ELEKDMHYYQSCLEAILQNSPDAKIFCLVHKMD
		<u> </u>	1	LVQEDQRDLIFKEREEDLRRLSRPLECSCFRTSIW

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				DETLYKAWSSIVYQLIPNVQQLEMNLRNFAEIIE ADEVLLFERATFLVISHYQCKEQRDAHRFEKISNI IKQFKLSCSKLAASFQSMEVRNSNFAAFIDIFTSN TYVMVVMSDPSIPSAATLINIRNARKHFEKLERV DGPKQCLLMR
3445	A	566	1718	KGLERTCCAMEESDSEKTTEKENLGPRMDPPLG EPG\GSLGWVLPNTAMKKKVLLMGKSGSGKTS MRSIIFANYIARDTRRLGATILDRIHSLQINSSLST YSLVDSVGNTKTFDVEHSHVRFLGNLVLNLWDC GGQDTFMENYFTSQRDNIFRNVEVLIYVFDVESR ELEKDMHYYQSCLEAILQNSPDAKIFCLVHKMD LVQEDQRDLIFKEREEDLRRLSRPLECSCFRTSIW DETLYKAWSSIVYQLIPNVQQLEMNLRNFAEIIE ADEVLLFERATFLVISHYQCKEQRDAHRFEKISNI IKQFKLSCSKLAASFQSMEVRNSNFAAFIDIFTSN TYVMVVMSDPSIPSAATLINIRNARKHFEKLERV DGPKQCLLMR
3446	A	566	1718	KGLERTCCAMEESDSEKTTEKENLGPRMDPPLG EPG\GSLGWVLPNTAMKKKVLLMGKSGSGKTS MRSIIFANYIARDTRRLGATILDRIHSLQINSSLST YSLVDSVGNTKTFDVEHSHVRFLGNLVLNLWDC GGQDTFMENYFTSQRDNIFRNVEVLIYVFDVESR ELEKDMHYYQSCLEAILQNSPDAKIFCLVHKMD LVQEDQRDLIFKEREEDLRRLSRPLECSCFRTSIW DETLYKAWSSIVYQLIPNVQQLEMNLRNFAEIIE ADEVLLFERATFLVISHYQCKEQRDAHRFEKISNI IKQFKLSCSKLAASFQSMEVRNSNFAAFIDIFTSN TYVMVVMSDPSIPSAATLINIRNARKHFEKLERV DGPKQCLLMR
3447	A		2930	VLLGPLWDKLSTADHPVIVTMASKRKSTTPCMIP VKTVVLQDASMEAQPAETLPEGPQQDLPPEASA ASSEAAQNPSSTDGSTLANGHRSTLDGYLYSCK YCDFRSHDMTQFVGHMNSEHTDFNKDPTFVCSG CSFLAKTPEGLSLHNATCHSGEASFVWNVAKPD NHVVVEQSIPESTSTPDLAGEPSAEGADGQAEIIIT KTPIMKIMKGKAEAKKIHTLKENVPSQPVGEALP KLSTGEMEVREGDHSFINGAVPVRQASASSAKN PHAANGPLIGTVPVLPAGIAQFLSLQQQPPVHAQ HHVHQPLPTAKALPKVMIPLSSIPTYSAAMDSNS FLKNSFHKFPYPTKAELCYLTVVTKYPEEQLKIW FTAQRLKQGISWSPEEIEDARKKMFNTVIQSVPQ PTITVLNTPLVASAGNVQHLIQAALPGHVVGQPE GTGGGLLVTQPLMANGLQATSSPLPLTVTSVPK QPGVAPINTVCSNTTSAVKVVNAAQSLLTACPSI TSQAFLDASIYKNKKSHEQLSALKGSFCRNQFPG QSEVEHLTKVTGLSTREVRKWFSDRRYHCRNLK GSRAMIPGDHRSIIIDSVPEVSFSPSSKVPEVTCIPT TATLATHPSAKRQSWHQTPDFTPTKYKERAPEQ LRALESSFAQNPLPLDEELDRLRSETKMTRREIDS WFSERRKKVNAEETKKAEENASQEEEEAAEDEG GEEDLASELRVSGENGSLEMPSSHILAERKVSPIK INLKNLRVTEANGRNEIPGLGACDPEDDESNKLA EQLPGKVSCKKTAQQRHLLRQLFVQTQWPSNQD YDSIMAQTGLPRPEVVRWFGDSRYALKNGQLK WYEDYKRGNFPPGLLVIAPGNRELLQDYYMTHK

wo	01/57190	,		PCT/US01/04098
SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				MLYEEDLQNLCDKTQMSSQQVKQWFAEKMGEE TRAVADTGSEDQGPGTGELTAVHKGMGDTYSE
3448	A	2	1324	VSENSESWEPRVPEASSEPFD\TSSPQAGRQLETD FVARAEKGFRTREAHLLQVAGVGTGLQNGASLS GLASGVMAQRAFPNPYADYNKSLAEGYFDAAG RLTPEFSQRLTNKIRELLQQMERGLKSADPRDGT GYTGWAGIAVLYLHLYDVFGDPAYLQLAHGYV KQSLNCLTKRSITFLCGDAGPLAVAAVLYHKMN NEKQAEDCITRLIHLNKIDPHAPNEMLYGRIGYIY ALLFVNKNFGVEKIPQSHIQQICETILTSGENLAR
				KRNFTAKSPLMYEWYQEYYVGAAHGLAGIYYY LMQPSLQVSQGKLHSLVKPSVDYVCQLKFPSGN YPPCIGDNRDLLVHWCHGAPGVIYMLIQAYKVF R/EREKYLC\DAYQCADVIWQYGLLKKGYGLCY\ GSAGNAYAFLTLYNLTQDMKYLYRACKFAEWC LEYGEHGCRTPDTPFSLFEGMAGTIYFL\ADLLFP TKAR\FPAFEL
3449	A	3	2389	SRHVTGAARSPSRAGPSDPPAMGDEDDDESCAV ELRITEANLTGHEEKVSVENFELLKVLGTGAYGK VFLVRKAGGHDAGKLYAMKVLRKAALVQRAK TQEHTRTERSVLELVRQAPFLVTLHYAFQTDAKL HLILDYVSGGEMFTHLYQRQYFKEAEVRVYGGE IVLALEHLHKLGIIYRDLKLENVLLDSEGHIVLTD FGLSKEFLTEEKERTFSFCGTIEYMAPEIIRSKTGH GKAVDWWSLGILLFELLTGASPFTLEGERNTQAE VSRRILKCSPPFPPRIGPVAQDLLQRLLCKDPKKR LGAGPQGAQEVRNHPFFQGLDWVALAARKIPAP FRPQIRSELDVG\NFAEEFTRLEPVYSPPGQ\PPPG DPRIFQGYSFVAPSILFDHNNAVMTDGLEAPGAG DRPGRAAVARSAMMQDSPFFQQYELDLREPALG QGSFSVCRRCRQRQSGQEFAVKILSRRLEANTQR EVAALRLCQSHPNVVNLHEVHHDQLHTYLVLEL LRGGELLEHIRKKRHFSESEASQILRSLVSAVSFM HEEAGVVHRDLKPENILYADDTPGAPVKIIDFG/F SPRLRPQSPGVPMQTPSFTLQYAAPELLAQQGYD ESCDLWSLGVILY\MMLSGQAPFQGASGQGGQS QAAEIMCKIREGRFSLDGEAWQGVSEEAKELVR GLLTVDPAKRLKLEGLRGSSWLQDGSARSSPPLR TPDVLESSGPAVRSGLNATFMAFNRGKREGFFLK SVENAPLAKRRKQKLRSATASRRGSPAPANPGR APVASKGAPRRANGPLPPS
3450	A	201	1705	KGTEMNKSRWQSRRRHGRRSHQQNPWFRLRDS EDRSDSRAAQPAHDSGHGDDESPSTSSGTAGTSS VPELPGFYFDPEKKRYFRLLPGHNNCNPLTKESIR QKEMESKRLRLLQEEDRRKKIARMGFNASSMLR KSQLGFLNVTNYCHLAHELRLSCMERKKVQIRS MDPSALASDRFNLILADTNSDRLFTVNDVTVGGS KYGIINLQSLKTPTLKVFMHENLYFTNRKV\NSV CWASLNHLDSHILLCLMGLAETPGCATLLPASLF VNSHPAGIDRPG\MLCSFRIPGAWSCAWSLNIQA NNCFSTGLSRRVLLTNVVTGHRQSFGTNSDVLA QQFALMAPLLFNGCRSGEIFAIDLRCGNQGKGW KATRLFHDSAVTSVRILQDEQYLMASDMAGKIK LWDLRTTKCVRQYEGHVNEYAYLPLHVHEEEGI LVAVGQDCYTRIWSLHDARLLRTIPSPYPASKAD



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
2/51		10	6022	
3451	A	peptide		IPSVAFSSRLGGSRGAPGLLMAVGQDLYCYSYS LLSAMLSHGAGLAL WITLSLLQTGLAEPERCNFT LAESKASSHSVSIQWRILGSPCNFSLIYSSDTLGA ALCPTFRIDNTTYGCNLQDLQAGTIYNFKIISLDE ERTVVLQTDPLPPARFGVSKEKTTSTGLHVWWT PSSGKVTSYEVQLFDENNQKIQGVQIQESTSWNE YTFFNLTAGSKYNIAITAVSGGKRSFSVYTNGST VPSPVKDIGISTKANSLLISWSHGSGNVERYRLM LMDKGILVHGGVVDKHATSYAFHGLSPGYLYNL TVMTEAAGLQNYRWKLVRTAPMEVSNLKVTND GSLTSLKVKWQRPPG\NVDSYNITLSHKGTIKESR VLAPWIT\ETHFKELVPGRLY\QVTCSAVSLGELS AQKMAVGRTFPDKVANLEANNNGRMRSLVVS WSPPAGDWEQYRILLFNDSVVLLNITVGKEETQ YVMDGTGLVPGRQYEVEVIVESGNLKNSERCQG RTVPLAVLQLRVKHANETSLSIMWQTPVAEWEK YIISLADRDLLLIHKSLSKDAKEFTFTDLVPGRKY MATVTSISGDLKNSSSVKGRTVPAQVTDLHVAN QGMTSSLFTNWTQAQGDVEFYQVLLIHENVVIK NESISSETSRYSFHSLKSGSLYSVVVTTVSGGISSR QVVVEGRTVPSSVSGVTVNNSGRNDYLSVSWLL APGDVDNYEVTLSHDGKVVQSLVIAKSVRECSF SSLTPGRLYTVTITTRSGKYENHSFSQERTVPDKV QGVSVSNSARSDYLRVSWVHATGDFDHYEVTIK NKNNFIQTKSIPKSENECVFVQLVPGRLYSVTVT TKSGQYEANEQGNGRTIPEPVKDLTLRNRSTEDL HVTWSGANGDVDQYEIQLLFNDMKVFPPFHLVN TATEYRFTSLTPGRQYKILVLTISGDVQQSAFIEG FTVPSAVKNIHISPNGATDSLTVNWTPGGGDVDS YTVSAFRHSQKVDSQTIPKHVFEHTFHRLEAGEQ YQIMIASVSGSLKNQINVVGRTVPASVQGVIADN AYSSYSLIVSWQKAAGVAERYDILLLTENGILLR NTSEPATTKQHKFEDLTPGKKYKIQILTVSGGLFS KEAQTEGRTVPAAVTDLRITENSTRHLSFRWTAS EGELSWYNIFLYNPDGNLQERAQVDPLVQSFSFQ NLLQGRMYKMVIVTHSGELSNESFIFGRTVPASV SHLRGSNRNTTDSLWFNWSPASGDFDFYELILYN PNGTKKENWKDKDLTEWRFQGLVPGRKYVLW VVTHSGDLSNKVTAESRTAPSPPSLMSFADIANT SLAITWKGPPDWTDYNDFELQWLPRDALTVFNP
,			·	YNNRKSEGRIVYGLRPGRSYQFNVKTVSGDSWK TYSKPIFGSVRTKPDKIQNLHCRPQNSTAIACSWI PPDSDFDGYSIECRKMDTQEVEFSRKLEKEKSLL NIMMLVPHKRYLVSIKVQSAGMTSEVVEDSTIT
				MIDRPPPPPPHIRVNEKDVLISKSSINFTVNCSWFS DTNGAVKYFTVVVREADGSDELKPEQQHPLPSY LEYRHNASIRVYQTNYFASKCAENPNSNSKSFNI KLGAEMESLGGKCDPTQQKFCDGPLKPHTAYRI
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			SIRAFTQLFDEDLKEFTKPLYSDTFFSLPITTESEP LFGAIEGVSAGLFLIGMLVAVVALLICRQKVSHG RERPSARLSIRRDRPLSVHLNLGQKGNRKTSCPIK INQFEGHFMKLQADSNYLLSKEYEELKDVGRNQ
				SCDIALLPENRGKNRYNNILPYDATRVKLSNVDD DPCSDYINASYIPGNNFRREYIVTQGPLPGTKDDF WKMVWEQNVHNIVMVTQCVEKGRVKCDHYW



PCT/US01/04098 WO 01/57190

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				PADQDSLYYGDLILQMLSESVLPEWTIREFKICGE EQLDAHRLIRHFHYTVWPDHGVPETTQSLIQFVR TVRDYINRSPGAGPTVVHCSAGVGRTGTFIALDR ILQQLDSKDSVDIYGAV\HDLRLHRVHMVQTEC QYVYLHQCVRDVLRARKLRSEQENPLFPIYENV NPEYHRDPVYSRH
3452	A	63	1073	FFRSSSDNGSPIRQYE/HSTPAHQGPVMGLEGKS/ARNSQLRIVLVGKTGAGKSATGNSILGRKVFHSGTAAKSITKKCEKRSSSWKETELVVVDTPGIFDTEVPNAETSKEIIRCILLTSPGPHALLLVVPLGRYTEEEHKATEKILKMFGERARSFMILIFTRKDDLGDTNLHDYLREAPEDIQDLMDIFGDRYCALNNKATGAEQEAQRAQLLGLIQRVVRENKEGCYTNRMYQRAEEIQKQTQAMQELHRVELEREKARIREEYEEKIRKLEDKVEQEKRKKQMEKKLAEQEAHYAVRQQRARTEVESKDGILELIMTALQIASFILLRLFAED
3453	A	2674	514	GPITFLKKKAKMKDMPLRIHVLLGLAITTLVQAV DKKVDCPRLCTCEIRPWFTPRSIYMEASTVDCND LGLLTFPARLPANTQILLLQTNNIAKIEYSTDFPV NLTGLDLSQNNLSSVTNINGKKMPQLLSVYLEEN KLTELPEKCLSELSNLQELYINHNLLSTISPGAFIG LHNLLRLHLNSNRLQMINSKWFDALPNLEILMIG ENPIIRIKDMNFKPLINLRSLVIAGINLTEIPDNAL VGLENLESISFYDNRLIKVPHVALQKVVNLKFLD LNKNPINRIRRGDFSNMLHLKELGINMPELISID SLAVDNLPDLRKIEATNNPRLSYIHPNAFFRLPKL ESLMLNSNALSALYHGTIESLPNLKEISIHSNPIRC DCVIRWMNMNKTNIRFMEPDSLFCVDPPEFQGQ NVRQVHFRDMMEICLPLIAPESFPSNLNVEAGSY VSFHCRATA\EPQPEIYWITPSGQKLLPNT\LTDKF YVHSEGTLDINGVTPKEGGLYTCIATNLVGADLK SVMIKVDGSFPQDNNGSLNIKIRDIQANSVLVSW KASSKILKSSVKWTAFVKTENSHAAQSARIPSDV KVYNLTHLNPSTEYKICIDIPTIYQKNRKKCVNVT TKGLHPDQKEYEKNNTTTLMACLGGLLGIIGVIC LISCLSPEMNCDGGHSYVRNYLQKPTFALGELYP PLINLWEAGKEKSTSLKVKATVIGLPTNMS
3454	A	1844	244	ERYLFATYVAPSATLDIGLQQEKKKEIYMKIQPP FEDLFDTAEEYILLLLEPWTKMVKSDQIAYKKV ELVEETRQLDSTYFRKLQALHKETFSKKAEDTTC EIGTGILSLSNVSKRTEYWDNVPAEYKHFKFSDL LNNKLEFEHFRQFLETHSSSMDLMCWTDIEQFRR ITYRDRNQRKAKSIYIKNKYLNKKYFFGPNSPAS LYQQNQVMHLSGGWGKILHEQLDAPVLVEIQK HVQNRLENVWLPLFLASEQFAARQKIKVQMKDI AEELLLQKAEKKIGVWKPVESKWISSSCKIIAFRK ALLNPVTSRQFQRFVALKGDLLENGLLFWQEVQ KYKDLCHSHCDESVIQKKITTIINCFINSSIPPALQI DIPVEQAQKIIEHRKELGPYVFREAQMTFLGVMF KFWPQFCEFRKNLTDENIMSVLERRQEYNKQKK KLAVL/QNDEKSGKDGIKQYANTSVPAIKTALLS DSFLGLQPYGRQPTWCYSKYIEALEQERILLKIQE ELEK\SCLQACNLSQILRLALQLCL
3455	A	228	3330	APTAQAMMSFGGADALLGAPFAPLHGGGSLHY ALARKGGAGGTRSAAGSSSGFHSWTRTSVSSVS

1		
y .		

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				ASPSRFRGAGAASSTDSLDTLSNGPEGCMVAVA TSRSEKEQLQALNDRFAGYIDKVRQLEAHNRSLE GEAAALRQQQAGRSAMGELYEREVREMRGAVL RLGAARGQLRLEQEHLLEDIAHVRQRLDDEARQ REEAEAAARALARFAQEAEAARVDLQKKAQAL QEECGYLRRHHQEEVGELLGQIQGSGAAQAQM QAETRDALKCDVTSALREIRAQLEGHAVQSTLQ SEEWFRVRLDRLSEAAKVNTDAMRSAQEEITEY RRQLQARTTELEALKSTKDSLERQRSELEDRHQA DIASYQEAIQQLDAELRNTKWEMAAQLREYQDL LNVKMALDIEIAAYRKLLEGEECRIGFGPIPFSLP EGLPKIPSVSTHIKVKSEEKIKVVEKSEKETVIVEE QTEETQVTEEVTEEEDKEAKEEEGKEEEGGEEEE AEGGEEETKSPPAEEAASPEKEAKSPVKEEAKSP PE\AKSPEKAEAKSPVKEEAKSP EKEEAKSPEKAKSPVKEEAKSP KAKSP EKEEKAKSPVKEEAKSPEKAKSPVK EEVKSPEKAKSPVKEEAKSPEKAKSPVK EEVKSPEKAKSPVKEEAKSPEKAKSPVK EEVKSPEKAKSPVKEEAKSPOKFPEKAKSPVK EEVKSPEKAKSPVKEEAKSPEKAKSPVK EEVKSPEKAKSPVKEEAKSPOKEEKAKSPVK EEKPQEVKVKEPPKKAEEEKAPATPKTEEKK DSKKEEAPKKEAPKPKVEEKKEPAVEKPKESKV EAKKEEAEDKKKVPTPEKEAPAKVEVKEDAKPK EKTEVAKKEPDDAKAKEPSKPAEKKEAAPEKKD TKEEKAKKPEEKPKTEAKAKEDDKTLSKEPSKP
3456	A	258	1463	KAEKAEKSSSTDQKDSKPPEKATEDKAAKGK YLSFIPGHASKSAPMNGHCFAENGPSQKSSLPPLL IPPSENLGPHEEDQVVCGFKKLTVNGVCASTPPL TPIKNSPSLFPCAPLCERGSRPLPPLPISEALSLDDT DCEVEFLTSSDTDFLLEDSTLSDFKYDVPG\RRSF RGCGQINYAYFDTPAVSAADLSYVSDQNG\GVP DPNPPPPQTHRRLRRSHSGPAGSFNKPAIRISNCCI HRASPNSDEDKPEVPPRVPIPPRPVKPDYRRWSA EVTSSTYSDEDRPPKVPPREPLSPSNSRTPSPKSLP SYLNGVMPPTQSFAPDPKYVSSKALQRQNSEGS ASKVPCILPIIENGKKVSSTHYYLLPERPPYLDKY EKFFREAKKKNGGAQIQPLPADCGISSATEKPDS KTKMDLGGHVKRKHLSYVGTP FILSSSSSASSEHFHHHYSFGNWWPGSFKGHRMS LPFYQRCHQHYDLSYRNKDVRSTVSHYQREKKR
				SAVYTQGSTAYSSRSSAAHRRESEAFRRASASSS QQQASQHALSSEVSRKAASAYDYGSSHGLTDSS LLLDDYSSKLSPKPKRAKHSLLSGEEKENLPSDY MVPIFSGRQKHVSGITDTEEERIKEAAAYIAQRNL LASEEGITTPKQSTASKQTTASKQSTASKQSTASK QSTASRQSTASRQSVVSKQATSALQQEETSEKKS RKVVIRGKAERLSLRKTLEETETYHAKLNEDHLL HAPEFIIKPRSHTVWEKENVKLHCSIAGWPEPRV TWYKNQVPINVHANPGKYIIESRYGMHTLEINAC DFEDTAQYRASAMNVKGELSAYASVVVKRYKG EFDETRFHAGASTMPLSFGVTPYGYASRFEIHFD DKFDVSFGREGETMSLGCRVVITPEIKHFQPEIQ



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \possible nucleotide insertion
		• •	sequence	WYRNGVPLSPSKWVQTLWSGERATLTFSHLNKE DEGLYTIRVRMGEYYEQYSAYVFVRDADAEIEG APAAPLDVKCLEANKDYIIISWKQPAVDGGSPIL GYFIDKCEVGTDSWSQCNDTPVKFARFPVTGLIE GRSYIFRVRAVNKMGIGFPSRVSEPVAALDPAEK ARLKS/PPLSTLDWT\VIVTEEEPSEGIVPGPPTDLS VTEATRSYVVLSWKPPGQRGHEGIMYFVEKCEA GTENWQRVNTELPVKSPRFALFDLAEGKSYCFR VRCSNSAGVGEPSEATEVTVVGDKLDIPKAPGKI IPSRNTDTSVVVSWEESKDAKELVGYYIEANVA GSGKWEPCNNNPVKTHRFTCHGLVTGQSYIFRV RAVNAAGLSEYSQDSEAIEVKAAIAPPSPPCDITC LESFRDSMVLGWKQPDKIGGAEITGYYVNYREV IDGVPGKWREANVKAVSEEAYKISNLKENMVY QFQVAAMNMAGLGAPSAVSECFKCEEWTIAVP GPPHSLKCSEVRKDSLVLQWKPPVHSGRTPVTG YFVDLKEAKAKEDQWRGLNEAAIKNVYLKVRG LKEGVSYVFRVRAINQAGVGKPSDLAGPVVAET RPGTKEVVVNVDDDGVISLNFECDKMTPKSEFS WSKDYVSTEDSPRLEVESKGNKTKMTFKDLGM DDLGIYSCDVTDTDGIASSYLIDEEELKRLLALSH EHKFPTVPVKSELAVEILEKGQVRF\WMQAEKLS GNAKVNYIFNEKGIFEGPKYKMHIDRNTGIIEMF MEKLQDEDEGTYTFQLQDGKATNHSTVVLVGD VFKKLQKEAEFQRQEWIRKQGPHFVEYLSWEVT GECNVLLKCKVANIKKETHIVWYKDEREISVDE KHDFKDGICTLLITEFSKKDAGIYEVILKDDRGK DKSRLKLVDEAFKELMMEVCKKIALSATDLKIQ STAEGIQLYSFVTYYVEDLKVNWSHNGSAIRYSD RVKTGVTGEQIWLQINEPTPNDKGKYVMELFDG KTGHQKTVDLSGQAYDEAYAEFQRLKQAAIAEK
3458	A	3963	827	NRARVLGGLPDVVTIQEGKALNLTCNVWGDPPP EVSWLKNEKALASDDHCNLKFEAGRTAYFTING VSTADSGKYGLVVKNKYGSETSDFTVSVFIPEEE ARMAALESLKGGKKAK LSRSSSDNNTNTLGRNVMSTATSPLMGAQSFPNL TTPGTTSTVTMSTSSVTSSSNVATATTVLSVGQS LSNTLTTSLTSTSSESDTGQEAEYSLYDFLDSCRA STLLAELDDDEDLPEPDEEDDENEDDNQEDQEY EEVMILRRPSLQRRAGSRSDVTHHAVTSQLPQVP AGAGSRPIGEQEEEEYETKGGRRRTWDDDYVLK RQFSALVPAFDPRPGRTNVQQTTDLEIPPPGTPHS ELLEEVECTPSPRLALTLKVTGLGTTREVELPLTN FRSTIFYYVQKLLQLSCNGNVKSDKLRRIWEPTY TIMYREMKDSDKEKENGKMGCWSIEHVEQYLG
				TDELPKNDLITYLQKNADAAFLRHWKLTGTNKS IRKNRNCSQLIAAYWDLG\EHGTK\SGLNQGAIST LQSSDILNLTKEQPQAKAGNGQNSCGVEDVLQL LRILYIVASDPYSRISQEDGDEQPQFTFPPDEFTS/ KKITTKILQQIEEPLALASGALPDWCEQLTSKCPF LIPFETRQLYFTCTAFGASRAIVWLQNRREATVE RTRTTSSVRRDDPGEFRVGRLKHERVKVPRGESL MEWAENVMQIHADRKSVLEVEFLGEEGTGLGPT LEFYALVAAEFQRTDLGAWLCDDNFPDDESRHV DLGGGLKPPGYYVQRSCGLFTAPFPQDSDELERI

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				TKLFHFLGIFLAKCIQDNRLVDLPISKPFFKLMCM GDIKSNMSKLIYESRGDRDLHCTESQSEASTEEG HDSLSVGSFEEDSKSEFILDPPKPKPPAWFNGILT WEDFELVNPHRARFLKEIKDLAIKRRQILSNKGL SEDEKNTKLQELVLKNPSGSGPPLSIEDLGLNFQF CPSSRIYGFTAVDLKPSGEDEMITMDNAEEYVDL MFDFCMHTGIQKQMEAFRDGFNKVFPMEKLSSF SHEEVQMILCGNQSPSWAAEDIINYTEPKLGYTR DSPGFLRFVRVLCGMSSDERKAFLQFTTGCSTLP PGGLANLHPRLTVVRKVDATDASYPSVNTCVHY LKLPEYSSEEIMRERLLAATMEKGFHLN
3459	A	88	603	SCGPRGLASLGLGFSGRCDDQNKGRS\DGPEAQA EACSGERTYQELLVNQNPIAQPLASRRLTRKLYK CIKKAVKQKQIRRGVKEVQKFVNKGEKGIMVLA GDTLPIEVYCHLPVMCEDRNLPYVYIPSKTDLGA AAGSKRPTCVIMVKPHEEYQEAYDECLEEVQSL PLPL
3460	Α	139	1997	QVTNMSDKSELKAELERKKQRLAQIREEKKRKE EERKKKETDQKKEAVAPVQEESDLEKKRREAEA LLQSMGLTPESPIVPPPMSPSSKSVSTPSEAGSQD SGDGAVGSRRGPIKLGMAKITQVDFPPREIVTYT KETQTPVMAQPKEDEEEDDDVVAPKPPIEPEEEK TLKKDEEN\DSKAPPHELTEEEKQQILHSEEFLSFF DHSTRIVERALSEQINIFFDYSGRDF/ENDKEGEIQ AGAKLSLNRQFF\DER\WSKASGWVSCLDWSSQ YP\ELLVASYNNNEDAPHEPDGVALVWNMKYK KTTPEYVFHCQSAVMSATFAKFHPNLVVGGTYS GQIVLWDNRSNKRTPVQRTPLSAAAHTHPVYCV NVVGTQNAHNLISISTDGKICSWSLDMLSHPQDS MELVHKQSKAVAVTSMSFPVGDVNNFVVGSEE GSVYTACRHGSKAGISEMFEGHQGPITGIHCHAA VGAVDFSHLYVTSSFDWTVKLWTTKNNKPLYSF EDNAGYVYDVMWSPTHPALFACVDGMGRLDL WNLNNDTEVPTASISVEGNPALNRVRWTHSGRE IAVGDSEGQIVIYDVGEQIAVPRNDEWARFGRTL AEINANRADAEEEAATRIPA
3461	A	139	1997	QVTNMSDKSELKAELERKKQRLAQIREEKKRKE EERKKKETDQKKEAVAPVQEESDLEKKRREAEA LLQSMGLTPESPIVPPPMSPSSKSVSTPSEAGSQD SGDGAVGSRRGPIKLGMAKITQVDFPPREIVTYT KETQTPVMAQPKEDEEEDDDVVAPKPPIEPEEEK TLKKDEEN\DSKAPPHELTEEEKQQILHSEEFLSFF DHSTRIVERALSEQINIFFDYSGRDF/ENDKEGEIQ AGAKLSLNRQFF\DER\WSKASGWVSCLDWSSQ YP\ELLVASYNNNEDAPHEPDGVALVWNMKYK KTTPEYVFHCQSAVMSATFAKFHPNLVVGGTYS GQIVLWDNRSNKRTPVQRTPLSAAAHTHPVYCV NVVGTQNAHNLISISTDGKICSWSLDMLSHPQDS MELVHKQSKAVAVTSMSFPVGDVNNFVVGSEE GSVYTACRHGSKAGISEMFEGHQGPITGIHCHAA VGAVDFSHLYVTSSFDWTVKLWTTKNNKPLYSF EDNAGYVYDVMWSPTHPALFACVDGMGRLDL WNLNNDTEVPTASISVEGNPALNRVRWTHSGRE IAVGDSEGQIVIYDVGEQIAVPRNDEWARFGRTL AEINANRADAEEEAATRIPA



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
3462	A	2	2643	TAPEFSRSTHASAHASVARVLRNREIAQLKKEQR RQEFQIRALESQKRQQEMVLRRKTQEVSALRRL AKPMSERVAGRAGLKPPMLDSGAEVSASTTSSE AESGARSVSSIVRQWNRKINHFLGDHPAPTVNGT RPARKKFQKKGASQSFSKAARLKWQSLERRIIDI VMQRMTIVNLEADMERLIKKREELFLLQEALRR KRERLQAESPEEKGLQELAEEIEVLAANIDYIND GITDCQATIVQLEETKEELDSTDTSVVISSCSLAE ARLLDNFLKASIDKGLQVAQKEAQIRLLEGRLR QTDMAGSSQNHLLLDALREKAEAHPELQALIYN VQQENGYASTDEEISEFSEGSFSQSFTMKGSTSH DDFKFKSEPKLSAQMKAVSAECLGPPLDISTKNI TKSLASLVEIKEDGVGFSVRDPYYRDRVSRTVSL PTRGSTFPRQSRATETSPLTRKSYDRGQPIRSTD
				VGFTPPSSPPTRPRNDRNVFSRLTSNQSQGSALD KSDDSDSSL\SEVLRGIISPVGGAKGARTAPLQCV SMAEGHTKPILCLDATDELLFTGSKDRSCKMWN LVTGQEIAALKGHPNNVVSIKYCSHSGLVFSVST SYIKVWDIRDSAKCIRTLTSSGQVISGDACAATST RAITSAQGEHQINQIALSPSGTMLYAASGNAVRI WELSRFQPVGKLTGHIGPVMCLTVTQTASQHDL VVTGSKDHYVKMFELGECVTGTIGPTHNFEPPH YDGIECLAIQGDILFSGSRDNGIKKWDLDQQELIQ QIPNAHKDWVCALAFIPGRPMLLSACRAGVIKV WNVDNFTPIGEIKGHDSPINAICTNAKHIFTASSG CRVKVWNYVPGLTPCLPRRVLAIKGRATTLP
3463	A	198	3146	SGEPRPEPGNMATCIGEKIEDFKVGNLLGKGSFA GVYRAESIHTGLEVAIKMIDKKAMYKAGMVQR VQNEVKIHCQLKHPSILELYNYFEDSNYVYLVLE MCHNGEMNRYLKNRVKPFSENEARHFMHQIITG MLYLHSHGILHRDLTLSNLLLTRNMNIKIADFGL ATQLKMPHEKHYTLCGTPNYISPEIATRSAHGLE SDVWSLGCMFYTLLIGRPPFDTDTVKNTLNKVV LADYEMPTFLSIEAKDLIHQLLRRNPADRLSLSSV LDHPFMSRNSSTKSKDLGTVEDSIDSGHATISTAI TASSSTSISGSLFDKRRLLIGQPLPNKMTVFPKNK SSTDFSSSGDGNSFYTQWGNQETSNSGRGRVIQD AEERPHSRYLRRAYSSDRSGTSNSQSQAKTYTM ERCHSAEMLSVSKRSGGGENEERYSPTDNNANIF NFFKEKTSSSSGSFERPDNNQALSNHLCPGKTPFP FADPTPQTETVQQWFGNLQINAHLRKTTEYDSIS PNRDFQGHPDLQKDTSKNAWTDTKVKKNSDAS DNAHSVKQQNTMKYMTALHSKPEIIQQECVFGS DPLSEQSKTRGMEPPWGYQNRTLRSITSPLVAHR LKPIRQKTKKAVVSILDSEEVCVELVKEYASQEY VKEVLQISSDGNTITTYYPNGG\RGFPLA\DRPPSP T\DNISR\YSF\DNLPEKYWRKYQYASRFVQLVRS KSPKITYFTRYAKCILMENSPGADFEVWFYDGV KIHKTEDFIQVIEKTGKSYTLKSESEVNSLKEEIK MYMDHANEGHRICLALESIISEEERKTRSAPFFPII IGRKPGSTSSPKALSPPPSVDSNYPTRDRASFNRM VMHSAASPTQAPILNPSMVTNEGLGLTTTASGTD ISSNSLKDCLPKSAQLLKSVFVKNVGWATQ\LTS GAVWVQFNDGSQLVVQAGVSSISYTSPNGQ\TTR \YGENEKLPDYIKQKLQCLSSILLMFSNPTPNFH



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
3464	A	14	348	AVRTVSGTSLGPRSHSRSPGRCHCFSAVTFSSPRL AASEAPDPMEEWDVPQMKKEVESLKYQLAFQR EMASKTIPELLKWIEDGIPKDPFLNPDLMKNNPW VEKGKCTIL
3465	A	5537	405	VRKLDRERVGAWWRGAWARHPRQEAGEHAKR RKGHAETPRGRRKGRAGRSAAA VGELRPARRSL ETSRAAAAMAKDSPSPLGASPKKPGCSSPAAAV LENQRRELEKLRAELEAERAGWRAERRFAARE RQLREEAERERRQLADRLRSKWEAQRSRELRQL QEEMQREREAEIRQLLRWKEAEQRQLQQLLHRE RDGVVRQARELQRQLAEELVNRGHCSRPGASEV SAAQCRCRLQEVLAQLRWQTDGEQAARIRYLQ AALEVERQLFLKYILAHFRGHPALSGSPDPQAVH SLEEPLPQTSSGSCHAPKPACQLGSLDSLSAEVG VRSRSLGLVSSACSSSPDGLLSTHASSLDCFAPAC SRSLDSTRSLPKASKSEERPSSPDTSTPGSRRLSPP PSPLPPPPPPSAHRKLSNPRGGEGSESQPCEVLTPS PPGLGHHELIKLNWLLAKALWVLARRCYTLQEE NKQLRRAGCPYQADEKVKRLKVKRAELTGLAR RLADRARELQETNLRAVSAPIPGESCAGLELCQV FARQRARDLSEQASAPLAKDKQIEELRQECHLLQ ARVASGPCSDLHTGRGGPCTQWLNVRDLDRLQ RESQREVLRLQRQLMLQQGNGGAWPEAGGQSA TCEEVRRQMLALERELDQRRRECQELGAQAAPA RRRGEEAETQLQAALLKNAWLAEENGRLQAKT DWVRKVEAENSEVRGHLGRACQERDASGLIAEQ LLQQAARGQDRQQQLQRDPQKALCDLHPSWKEI QALQCRPGHPPEQPWETSQMPESQVKGSRRPKF HARAEDYAVSQPNRDIQEKREASLEESPVALGES ASVPQVSETVPASQPLSKKTSSQSNSSSEGSMWA TVPSSPTLDRDTASEVDDLEPDSVSLALEMGGSA APAAPKLKIFMAQYNYNPFEGPNDHPEGLPLTA GDYIYIFGDMDEDGFYEGELEDGRRGLVPSNFVE QIPDSYIPGCLPAKSPDLGPSQLPAGQDEALEEDS LLSGKAQGVVDRGLCQMVRVGSKTEVATEILDT KTEACQLGLLQSMGKQGLSRPLLGTKGVLRMAP MQLHLQNVTATSANITWYYSSHRHPHVVYLDD REHALTPAGVSCYTFQGLCPGTHYRARVEVRLP RDLLQVYWGTMSSTVTFDTLLAGPPYPPLDVLV ERHASPGVLVVSWLPVTIDSAGSSNGVQVTGYA VYADGLKVCEVADATAGSTLLEFSQLQVPLTWQ KVSVRTMSLCGESLDSVPAQIPEDFFMCHRWPET PPFSYTCGDPSTYRVTFPVCPQKLSLAPPSAKASP HNPGSCGEPQAKFLEAFFEEPPRRQSPVSNLGSE GECPSSGAGSQAQELAEAWEGCRKDLLFQKSPQ NHRPPSVSDQTGEKENCYQHMGTSKSPAPGFIHL RTECGPRKEPCQEKAALERVLRQKQDAQGFTPP QLGASQQYASDFHNVLKEEQBALCLDLWGTERR EERREPEPHSRQGQALGVKRGCQLHEPSSALCPA PSAKVIKMPRGGPQQLGTGANTPARVFVALSDY NPLVMSANLKAAEEELVFQKRQLLRVWGSQDT HDFYLSECNRQVGNIPGRLVAEMEVGTEQTDRR WRSPAQGHLPSVAHLEDFPGGLTIPQGSSLVLQGN SKRLPLWTKIMIAALDYDPGDGQMGGQGKGRL ALRAGDVVMVYGPMDDQGFYYGELGGHRGL



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Typtophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
3466	A	Ī	1111	VPANLRIKMSSQGH MSKPPDLLLRLLRGAPRQRVCTLFIIGFKFTFFVSI MIYWHVVGEPKEKGQLYNLPAEIPCPTLTPPTPP SHGPTPGNIFFLETSDRTNPNFLFMCSVESAARTH PESHVLVLMKGLPGGNASLPRHLGISLLSCFPNV QMLPLDLRELFRDTPLADWYAAVQGRWEPYLL PVLSDASRIALMWKFGGIYLDTDFIVLKNLRNLT NVLGTQSRYVLNGAFLAFERRHEFMALCMRDFV DHYNGWIWGHQGPQLLTRVFKKWCSIRSLAESR ACRGVTTLPPEAFYPIPWQDWKKYFEDINPEELP RLLSATYAVHVWNKKSQGTRFEATSRALLAQLH ARYCPTTHE/DHENVLVKGPAGHLPNLLLMGHW
3467	A		2175	MAKVILKQSKQCKNLLTCKVAQVCPVCGCLHC YFWWLSGLESRRPSSPLIDIKPIEFGVLSAKKEPIQ PSVLRRTYNPDDYFRKFEPHLYSLDSNSDDVDSL TDEEILSKYQLGMLHFSTQYDLLHNHLTVRVIEA RDLPPPISHDGSRQDMAHSNPYVKICLLPDQKNS KQTGVKRKTQKPVFEERYTFEIPFLEAQRRTLLL TVVDFDKFSRHCVIGKVSVPLCEVDLVKGGHW WKAHDSQFSAPGLPADQQFFADLFSGLVLNPQL LGRVWFASQPASLPVGSLCIDFPRLDIVLRGEYG NLLEAKQQRLVEGEMLFIPARAANLPVNNKPVM LLSLVFAPTWLGLSFYDSRTTSLLHPARQIQLP\SL QRGEGEAMLS\ALTLFSRSPLEQNIIQPLVLSLLHL CGSVVNMPPGNSQPRGDFLYHSICTWVQDNYAQ PLTRESVAQFFNITPNHLSKLFAQHGTMRFIEYVR WVRMAKARMILQKYHLSIHEVAQRCGFPDSDYF CRVFRRQFGMDYVDILQIHRWDYNTPIEETLEAL NDVVKAGKARYIGASSMHASQFAQALELQKQH GWAQFVSMQDHYNLIYREEEREMLPLCYQEGV AVIPWSPLARGRLTRPWGETTARLVSDEVGKNL YKESDENDAQIAERLTGVSEELGATRAQVALAW LLSKPGIAAPIIGTSREEQLDELLNAVDITLKPEQI AELETPYKPHPVVGFK
3468	A	147	3209	ALPLPLPTLYPGMSRRKQRKPQQLISDCEGPSASE NGDASEEDHPQVCAKCCAQFTDPTEFLAHQNAC STDPPVMVIIGGQENPNNSSASSEPRPEGHNNPQ VMDTEHSNPPDSGSSVPTDPTWGPERRGEESSGH FLVAATGTAAGGGGGLILASPKLGATPLPPESTP APPPPPPPPPPPPGVGSGHLNIPLILEELRVLQQRQI HQMQMTEQICRQVLLLGSLGQTVGAPASPSELP GTGTASSTKPLLPLFSPIKPVQTSKTLASSSSSSSS SSGAETPKQAFFHLYHPLGSQHPFSAGGVGRSHK PTPAPSPALPGSTDQLIASPHLAFPSTTGLLAAQC LGAARGLEATASPGLLKPKNGSGELSYGEVMGP LEKPGGRHKCRFCAKVFGSDSALQIHLRSHTGER PYKCNVCGNRFTTRGNLKVHFHRHREKYPHVQ MNPHPVPEHLDYVITSSGLPYGMSVPPEKAEEEA ATPGGGVERKPLVASTTALSATESLTLLSTSAGT ATAPGLPAFNKFVLMKAVEPKNKADENTPPGSE GSAISGVAESSTATRMQLSKLVTSLPSWALLTNH FKSTGSFPLPLCARALG\ASPSETSKLQQLVEKID RQGAVAVTSAASGAPTTSAPAPSSSASSGPNQCV ICLRVLSCPRALRLHYGQHGGERPFKCKVCGRAF STRGNLRAHFVGHKASPAARAQNSCPICQKKFT

\		

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				NAVTLQQHVRMHLGGQIPNGGTALPEGGGAAQ ENGSEQSTVSGAGSFPQQQSQQPSPEEELSEEEE EDEEEEEDVTDEDSLAGRGSESGGEKAISVRGDS EEASGAEEEVGTVAAAATAGKEMDSNEKTTQQS SLPPPPPPDSLDQPQPMEQGSSGVLGGKEEGGKP ERSSSPASALTPEGEATSVTLVEELSLQEAMRKEP GESSSRKACEVCGQAFPSQAAL\EEH\QKTHPKEG PLF\TCVFCRQGFLERATLKKHMLLAHHQVQPFA PHGPQNIAALSLVPGCSPSITSTGLSPFPRKDDPTI P
3469	A	3	5664	NLRPLSFALFLGDPNMANLEESFPRGGTRKIHKP EKAFQQSVEQDNLFDISTEEGSTKRKKSQKGPAK TKKLKIEKRESSKSAREKFEILSVESLCEGMRILG CVKEVNELELVISLPNGLQGFVQVTEICDAYTKK LNEQVTQEQPLKDLLHLPELFSPGMLVRCVVSSL GITDRGKKSVKLSLNPKNVNRVLSAEALKPGML LTGTVSSLEDHGYLVDIGVDGTRAFLPLLKAQEY IRQKNKGAKLKVGQYLNCIVEKVKGNGGVVSLS VGHSEVSTAIATEQQSWNLNNLLPGLVVKAQVQ KVTPFGLTLNFLTFFTGVVDFMHLDPKKAGTYFS NQAVRACILCVHPRTRVVHLSLRPIFLQPGRPLTR LSCQNLGAVLDDVPQGFFKKAGATFRLKDGVL AYARLSHLSDSKNVFNPEAFKPGNTHKCRIIDYS QMDELALLSLRTSIIEAQYLRYHDIEPGAVVKGT VLTIKSYGMLVKVGEQMRGLVPPMHLADILMK NPEKKYHIGDEVKCRVLLCDPEAKKLMMTLKKT LIESKLPVITCYADAKPGLQTHGFIIRVKDYGCIV KFYNNVQGLVPKHELSTEYIPDPERVFTGQVV KVVVLNCEPSKERMLLSFKLSSDPEPKKEPAGHS QKKGKAINIGQLVDVKVLEKTKDGLEVAVLPHN IRAFLPTSHLSDHVANGPLLHHWLQAGDILHRVL CLSQSEGRVLLCRKPALVSTVEGGQDPKNFSEIH PGMLLIGFVKSIKDYGVFIQLPSGLSGLAPKAIMS DKFVTSTSDHFVEGQTVAAKVTNVDEEKQRMLL SLRLSDCGLGDLAITSLLLLNQCLEELQGVRSLM SNRDSVLIQTLAEMTPGMFLDLVVQEVLEDGSV VFSGGPVPDLVLKASRYHRAGQEVESGQKKKVV ILNVDLLKLEVHVSLHQDLVNRKARKLRKGSE HQAIVQHLEKSFAIASLVETGHLAAFSLTSHLND TFRFDSEKLQVGQGVSLTLKTTEPGVTGLLLAVE GPAAKRTMRPTQKDSETVDEDEEVDPALTVGTI KKHTLSIGDMVTGTVKSIKPTHVVVTLEDGIIGCI HASHILDDVPEGTSPTTKLKVGKTVTARVIGGRD MKTFKYLPISHPRFVRTIPELSVRPSELEDGHTAL NTHSVSPMEKIKQYQAGQTTYTCFLKKYNVVKK WLEVEIAPDIRGRIPLLLTSLSFK VLKHPDKKFRV GQALRATVVGPDSSKTFLCLSLTGPHKLEEGEVA MGRVVKVTPNEGLTVSFPFGKIGTVSIFHMSDSY SETPLEDFVPQKVVRCYILSTADNVLTLSLRSSRT NPETKSK VEDPEINSIQDIKEGQLLRGYVGSIQPH GVFFRLGPSVVGLARYSHVSQHSPSKKALYNKH LPEGKLLTARVLRLNHQKNLVELSFLPGDTGKPD VLSASLEGQLTKQEERKTEAEERDQKGEKKNQK RNEKKNQKGQEEVEMPSKEKQQPQKPQAQKRG GRECRESGSEQERVSKKPKKAGLSEEDDSLVDV

,		

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				YYREGKEEAEETNVLPKEKQTKPAEAPRLQLSSG FAWNVGLDSLTPALPPLAESSDSEEDEKPHQATI KKSKKERELEKQKAEKELSRTEEALMDPGRQPE SADDFDRLVLSSPNSSILWLQYMAFHLQATEIEK ARAVAERALKTISFREEQEKLNVWVALLNLENM YGSQESLTKVFERAVQYNEPLKVFLHLADIYAKS EKFQEAGELYNRMLKRFRQEKAVWIKYGAFLLR RSQAAASHRVLQRALECLPSKEHVDVIAKFAQL EFQLGDAERAKAIFENTLSTYPKRTDVWSVYID MTIKHGSQKDVRDIFERVIHLSLAPKRMKFFFKR YLDYEKQHGTEKDVQAVKAKALEYVEAKSSVL ED
3470	A	2334	1226	TAAAPVAPGTMDDATVLRKKGYIVGINLGKGSY AKVKSAYSERLKFNVAVKIIARKKTPTDFVERFL PREMDILATVNHGSIIKTYEIFETSDGRIYIIMELG VQGDLLEFIKCQGALHEDVARKMFRQLSSAVKY CHDLDIVHRDLKCENLLLDKDFNIKLSDFGFSKR CLRDSNGRIILSKTFCGSAAYAAPEVLQSIPYQPK VYDIWSLGVILYIMVCGSMPYDDSDIRKMLRIQK EHRVDFPRSKNLTCECKDLIYRMLQ\PDVS\KRLH IDEILSHSWLQPPKPK\ATSSASFKREGEGKYRAE CKLDTKTGLRPDHRPDHKLGAKTQHRLLVVPEN ENRMEDRLAETSRAKDHHISGAEVGKAST
3471	A	537	148	TERGAPQHPTLPLPSLTPSSVHTGQPKTTPSVILFL PSCEEPQANKATLVCLMNN/FYPGILMVTWKAD GTLITQSVEKTTPSKQSNNKYVASSYLSLTPEQW RSRRSYSCQVMQEGSTVEKSVAPAECS
3472	A		2272	DKPTRHKTYLSSSWAKMAAAEGPVGDGELWQT WLPNHVVFLRLREGLKNQSPTEAEKPASSSLPSS PPPQLLTRNVVFGLGGELFLWDGEDSSFLVVRLR GPSGGGEEPALSQYQRLLCINPPLFEIYQVLLSPT QHHVALIGIKGLMVLELPKRWGKNSEFEGGKST VNCSTTPVAERFFTSSTSLTLKHAAWYPSEILDPH VVLLTSDNVIRIYSLREPQTPTNVIILSEAEEESLV LNKGRAYTASLGETAVAFDFGPLAAVPKTLFGQ NGKDEVVAYPLYILYENGETFLTYISLLHSPGN/I WKAVGSIAHAS\AAEDNYGYDACAVLCLPCVPN ILVIATESGMLYHCVVLEGEEEDDHTSEKSWDSR IDLIPSLYVFECVELELALKLASGEDDPFDSDFSC PVKLHRDPKCPSRYHCTHEAGVHSVGLTWIHKL HKFLGSDEEDKDSLQELSTEQKCFVEHILCTKPLP CRQPAPIRGFWIVPDILGPTMICITSTYECLIWPLL STVHPASPPLLCTREDVEVAESPLRVLAETPDSFE KHIRSILQRSVANPAFLKASEKDIAPPPEECLQLLS RATQVFREQYILKQDLAKEEIQRRVKLLCDQKK KQLEDLSYCREERKSLREMAERLADKYEEAKEK QEDIMNRMKKLLHSFHSELPVLSDSERDMKKEL QLIPDQLRHLGNAIKQVTMKKDYQQQKMEKVL SLPKPTIILSAYQRKCIQSILKEEGEHIREMVKQIN DIRNHVNF
3473	A	1	2272	DKPTRHKTYLSSSWAKMAAAEGPVGDGELWQT WLPNHVVFLRLREGLKNQSPTEAEKPASSSLPSS PPPQLLTRNVVFGLGGELFLWDGEDSSFLVVRLR GPSGGGEEPALSQYQRLLCINPPLFEIYQVLLSPT QHHVALIGIKGLMVLELPKRWGKNSEFEGGKST

N		
,		

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				VNCSTTPVAERFFTSSTSLTLKHAAWYPSEILDPH VVLLTSDNVIRIYSLREPQTPTNVIILSEAEEESLV LNKGRAYTASLGETAVAFDFGPLAAVPKTLFGQ NGKDEVVAYPLYILYENGETFLTYISLLHSPGN/I WKAVGSIAHAS\AAEDNYGYDACAVLCLPCVPN ILVIATESGMLYHCVVLEGEEEDDHTSEKSWDSR IDLIPSLYVFECVELELALKLASGEDDPFDSDFSC PVKLHRDPKCPSRYHCTHEAGVHSVGLTWIHKL HKFLGSDEEDKDSLQELSTEQKCFVEHILCTKPLP CRQPAPIRGFWIVPDILGPTMICITSTYECLIWPLL STVHPASPPLLCTREDVEVAESPLRVLAETPDSFE KHIRSILQRSVANPAFLKASEKDIAPPPEECLQLLS RATQVFREQYILKQDLAKEEIQRRVKLLCDQKK KQLEDLSYCREERKSLREMAERLADKYEEAKEK QEDIMNRMKKLLHSFHSELPVLSDSERDMKKEL QLIPDQLRHLGNAIKQVTMKKDYQQQKMEKVL SLPKPTIILSAYQRKCIQSILKEEGEHIREMVKQIN DIRNHVNF
3474	A	4344	2550	DIRNHVNF DRRREPERHVRVKQRTSVLNMLRRLDKIRFRGH KRDDFLDLAESPNASDTECSDEIPLKVPRTSPRDS EELRDPAGPGTLIMATGVQDFNRTEFDRLNEIKG HLEIALLEKHFLQEELRKLREETNAEMLRQELDR ERQRRMELEQKVQEVLKARTEEQMAQQPPKGQ AQASNGAERRSQGLSSRLQKWFYERFGEYVEDF RFQPEENTVETEEPLSARRLTENMRRLKRGAKPV TNFVKNLSALSDWYSVYTSAIAFTVYMNAVWH GWAIPLFLFLAILRLSLNYLIARGWRIQWSIVPEV SEPVEPPKEDLTVSEKFQLVLDVAQKAQNLFGK MADILEKIKNLFMWVQPEITQKLYVALWAAFLA SCFFPYRLVGLAVGLYAGIKFFLIDFIFKRCPRLR AKYDTPYIIWRSLPTDPQLKERSSAAVSRRLQTTS SRSYVPSAPAGLGKEEDAGRFHSTKKGNFHEIFN LTENERPLAVCENGWRCCLINRDRKMPTDYIRN GVLYVTENYLCFESSKSGSSKRNKVIKLVDITDI QKYKVLSVLPGSGMGIAVSTPSTQKPLVFGAMV HRDEAFETILSQYIKITSAAASGGDS
3475	A	2	1126	TAARRQKGAAAAAETHGQAKAKSGWLKPYYF IELMESRKDITNQEELWKMKPRRNLEEDDYLHK DTGETSMLKRPVLLHLHQTAHADEFDCPSELQH TQELFPQWHLPIKIAAIIASLTFLYTLLREVIHPLA TSHQQYFYKIPILVINKVLPMVSITLLALVYLPGV IAAIVQLHNGTKYKKFPHWLDKWMLTRKQFGL LSFFFAVLHAIYSLSYPMRRSYRYKLLNWAYQQ VQQNKEDAL\IEHDVWRMEIYVSLGIVGLAILAL LAVTSIPSVSDSLTWREFHYIQSKLGIVSLLLGTIH ALIFAWNKWIDIKQFVWYTPPTFMIAVFLPIVVLI FKSILFLPCLRKKILKIRHGWEDVTKINKTEICSQL
3476	A	143	3191	AKAPPTGESSEPEAKVLHTKRLYRAVVEAVHRL DLILCNKTAYQEVFKPENISLRNKLRELCVKLMF LHPVDYGRKAEELLWRKVYYEVIQLIKTNKKHI HSRSTLECAYRTHLVAGIGFYQHLLLYIQSHYQL ELQCCIDWTHVTDPLIGCKKPVSASGKEMDWAQ MACHRCLVYLGDLSRYQNELAGVDTELLAERFY YQALSVAPQIGMPFNQLGTLAGSKYYNVEAMY CYLRCIQSEVSFEGAYGNLKRLYDKAAKMYHQL

		_
\		4
•		

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
3477	A	1	3902	KKCETRKLSPGKKRCKDIKRLLVNFMYLQSLLQ PKSSSVDSELTSLCQSVLEDFNLCLFYLPSSPNLS LASEDEEYESGYAFLPDLLIFQMVIICLMCVHSL ERAGSKQYSAAIAFTLALFSHLVNHVNIRLQAEL EEGENPVPAFQSDGTDEPESKEPVEKEEEPDPEPP PVTPQVGEGRKSRKFSRLSCLRRRHPPKVGDDS DLSEGFESDSSHDSARASEGSDSGSDKSLEGGGT AFDAETDSEMNSQESRSDLEDMEEEGTRSPTLE PPRGRSEAPDSLNGPLGPSEASIASNLQAMSTQM FQTKRCFRLAPTFSNLLLQPTTNPHTSASHRPCV NGDVDKPSEPASEEGSESGGSESGGSCRNERSIQ EKLQVLMAEGLLPAVKVFLDWLRTNPDLIVCA QSSQSLWNRLSVLLNLLPAAGELQESGLALCPEV QDLLEGCELPDLPSSLLLPEDMALRNLPPLRAAH RRFNFDTDRPLLSTLEESVVRICCIRSFGHFIARLQ GSILQFNPEVGIFVSIAQSEQESLLQQAQAQFRMA QEEARRNLMRDMAQLRLQLEVSQLEGSLQQPK AQSAMSPYLVPDTQALCHHLPVIRQLATSGRFIVI IPRTVIDGLDLLKKEHPGARDGIRYLEAEFKKGN RYIRCQKEVGKSFERHKLKRQDADAWTLYKILD SCKQLTLAGGAGEEDPSGMVTIITGLPLDMPSVL SGPMQAALQAAAHASVDIKNVLDFYKQWKEIG MTEPRERRGYSVPPRPEVGTQATEWRVEESNFN KIFLKKDAELGRSNHLPTWDKPEDASWLPQSCL GGDAVATTGEIHEEKA WKTRALEVGQPAQRDIR RGELWGKEHGADQAIQETLEDLSSLERTLVVSES SPLGGDCQEVTTLTVKYQVSEEVPSGTVIGKLSQ ELGREERRRQAGAAFQVLQLPQALPIQVDSEEGL LSTGRRLDREQLCRQWDPCLVSFDVLATGDLALI HVEIQVLDINDHQPRFPKGEQELEISESASLRTRIP LDRALDPDTGPNTLHTYTLSPSEHFALDVIVGPD ETKHAELIVVKELDREIHSFFDLVLTAYDNGNPP KSGTSLVKVNLDSNDNSPAFAESSLALEIQEDA APGTLLIKLTATDPDQGPNGEVEFFLSKHMPPEN LDTRSIDAKTGQVILRRPLDYEKNPAYEVDVQAR DLGPNPIPAHCKVLIKVLDVNDNIPSIHVTWASQP SLVSEALPKDSFIALVMADDLDSGNNGLVHCWL SQELGHFRLKRTNGNTYMLLTNATLDREQWPK YTLTLLAQDQGLQPLSAKKQLSIQISDINDNAPVF EKSRYEVSTRENNLPSHLLITIKAHDADLGINGK VSYRIQDSPVAHLVAIDSNTGEVTAQRSLNYEEM AGFEFQVIAEDSGQPMLASSVSVWSLLDANDN APEVVQPVLSDGKASLSVLVNASTGHLLVPIETP NGLGPAGTDTPPLATHSSRFFLLTTIVARDADSG ANGEPLYSIRSGNEAHLFILNPHTGQLFVNVTNA SSLIGSEWELEIVVEDQGSPPLQTRALLRVMFVTS VDHLRDSARKPGALSSNSMLTVICLAVLLGIFGLI LALFMSICRTEKKDNRAYNCEAESTYRQQPKR PQKHIQKADHLVPVLRGQAGEPCEVGQSHKDV DKEAMMEAGWDPCLQAPFHLTPTLYRTLRNQG NQGAPAESREVLQDTVNLLFNHPRQNRASRENL NLPEPQPATGQPRSRPLKVAGSPTGRLAGDQGSE EAPQRPPASSATLRRQRHLNGKVSPEKESGPRQI LRSLVRLSVAAFAERNPVEELTVDSPPVQQISQLL
L	L	L	L	SLLHQGQFQPKPNHRGNKYLAKPGGSRSAIPDTD

SEQ ID NO:

01/57190			PCT/US01/04098
Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, !=possible nucleotide deletion, \text{\text{\colored}=possible nucleotide insertion}}
			GPSARAGGQTDPEQEEGPLDPEEDLSVKQLLEEE LSSLLDPSTGLALDRLSAPDPAWMARLSLPLTTN YRDNVISPDAAATEEPRTFQTFGKAEAPELSPTG TRLASTFVSEMSSLLEMLLEQRSSMPVEAASEAL RRLSVCGRTLSLDLATSAASGMKVQGDPGGKTG TEGKSRGSSSSSSRCL
A	13	1620	TLPPPGNSGCHRLCFPEFEFLQVTKMEFSGRKWR KLRLAGDQRNASYPHCLQFYLQPPSENISLIEFEN LAIDRVKLLKSVENLGVSYVKGTEQYQSKLESEL RKLKFSYRENLEDEYEPRRRDHISHFILRLAYCQS EELRRWFIQQEMDLLRFRFSILPKDKIQDFLKDSQ LQFEAISDEEKTLREQEIVASSPSLSGLKLGFESIY KIPFADALDLFRGRKVYLEDGFAYVPLKDIVAIIL NEFRAKLSKALALTARSLPAVOSDERLOPLLNHI.




SEQ ID NO:	Method .	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methlonine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				HEGTFIENGQWENTHKPSRLIQPPGDPRGGREGQ RQEVIFYLIIRRKPLFYLVNVIAPCILITLLAIFVFY LPPDAGEKMGLSIFALLTLTVFLLLLADKVPETSL SVPIIIKYLMFTMVLVTFSVILSVVVLNLHHRSPH THQMPLWVRQIFIHKLPLYLRLKRPKPERDLMPE PPHCSSPGSGWGRGTDEYFIRKPPSDFLFPKPNRF QPELSAPDLRRFIDGPNRAVALLPELREVVSSISYI ARQLQEQEDHDALKEDWQFVAMVVDRLFLWTF IIFTSVGTL\VIFLDATYHLPPPDPFP
3482	Α	1273	172	ERWDSGGADAEWYALADWTAVWLPRSDFYTR LQTGEGHVPALRLPAGMPPDSPRELVPKQAPCSP SDPALPWTLGHGNQPPAVVPEPQGPMGPAGVAA RPGRFFGVYLLYCLNPRYRVR\VYVGFTVNTARR VQQHNGGRKKGGA\GRTSGRGPWEMVLVVHGF PSSVAALRFEWAWQHPHASRRLAHVGPRLRGET AFAFHLRVLAHMLRAPPWARLPLTLRWVRPDLR QDLCLPPPPHVLLAFGPPPAQVPRPQRRRAGPFD DAEPEPDQGDPGACCSLCAQTIQDEEGPLCCPHP GCLLRAHVICLAEEFLQEEPGQLLPLEGQCPCCE KSLLWGDLIWLCQMDTEKEVEDSELEEAHWTD LLET
3483	A	230	3686	WRPWPCIDTSWNLQVAARTLRVSSAQCGLVPT MARVESPVPAARASLTGSCVLGQAMPLRGGAGP SPASHGPTHGPSDPRTCLPGRGAGGMRPHGRGA LGCCGLCSFYTCHGAAGDEIMHQDIVPLCAADIQ DQLKKRFAYLSGGRGQDGSPVITFPDYPAFSEIPD KEFQNVMTYLTSIPSLQDAGIGFILVIDRRDKW TSVKASVLRIAASFPANLQLVLVLRPTGFFQRTLS DIAFKFNRDDFKMKVPVIMLSSVPDLHGYIDKSQ LTEDLGGTLDYCHSRWLCQRTAIESFALMVKQT AQMLQSFGTELAETELPNDVQST\SSVLCAHTEK KDKAKEDLRLALKEGHSVLESLRELQAEGSEPSV NQDQLDNQATVQRLLAQLNETEAAFDEFWAKH QQKLEQCLQLRHFEQGFREVKAILDAASQKIATF TDIGNSLAHVEHLLRDLANFQEKSGVFVERARA LSLTASSFIGNKHYAVDSIRPKCQELRHLCDQFSA EIARRGLLSKSLELHRRLETSMKWCDEGIYLLA SQPVDKCQSQDGAEAALQEIEKFLETGAENKIQE LNAIYKEYESILNQDLMEHVRKVFQKQASMEEV FHRRQASLKKLAARQTRPVQPVAPRPEALAKSP CPSPGIRRGSENSSSEGGALRRGPYRRAKSEMSES RQGRGSAGEEEESLAILRRHVMSELLDTERAYVE ELLCVLEGYAAEMDNPLMAHLLSTGLHNKKDV LFGNMEEIYHFHNRIFLRELENYTDCPELVGRCF LERMEDFQIYEKYCQNKPRSESLWRQCSDCPFFQ ECQRKLDHKLSLDSYLLKPVQRITKYQLLLKEM LKYSRNCEGAEDLQEALSSILGILKAVNDSMHLI AITGYDGNLGDLGKLLMQGSFSVWTDHKRGHT KVKELARFKPMQRHLFLHEKAVLFCKKREENGE GYEKAPSYSYKQSLNMAAVGITENVKGDAKKFE IWYNAREEVYIVQAPTPEIKAAWVNEIRKVLTSQ LQACREASQHRALEQSQSLPLPAPTSTSPSRGNSR NIKKLEERKTDPLSLEGYVSSAPLTKPPEKGKGW SKTSHSLEAPEDDGGWSSAEEQINSSDAEEDGGL GPKKLVPGKYTVVADHEKGGPDALRVRSGDVV

	X # - 4 \ X	1 70 11 1		
SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \top=possible nucleotide insertion
				ELVQEGDEGLW
3484	A	208	6103	VTMAQAADKYLYVDKNFINNPLAQADWAAK KLVWVPSDKSGFEPASLKEEVGEEAIVELVENGI KVKVNKDDIQKMNPPKFSKVEDMAELTCLNEA: VLHNLKERYYSGLIYTYSGLFCVVINPYKNLPIY: EEIVEMYKGKKRHEMPPHIYAITDTA YRSMMQI REDQSILCTGESGAGKTENTKKVIQYLAYVASSI- KSKKDQGELERQLLQANPILEAFGNAKTVKNDN SSRFGKFIRINFDVNGYIYGANIETYLLEKSRAIRG AKEERTFHIFYYLLSGAGEHLKTDLLLEPYNKYF FLSNGHVTIPGQQDKDMFQETMEAMRIMGIPEEI QMGLLRVISGVLQLGNIVFKKERNTDQASMPDN TAAQKVSHLLGINVTDFTRGILTPRIKVGRDYVQ KAQTKEQADFAIEALAKATYERMFRWLVLRINK ALDKTKRQGASFIGILDIAGFEIFDLNSFEQLCINY TNEKLQQLFNHTMFILEQEEYQREGIEWNFIDFG LDLQPCIDLIEKPAGPPGILALLDEECWFPKATDK SFVEKVMQEQGTHPKFQKPKQLKDKADFCIIHY AGKVDYKADEWLMKNMDPLNDNIATLLHQSSI KFVSELWKDVDRIIGLDQVAGMSETALPGAFKT RKGMFRTVGQLYKEQLAKLMATLRNTNPNFVR CIIPNHEKKAGKLDPHLVLDQLRCNGVLEGIRICI QGFPNRVVFQEFRQRYEILTPNSIPKGFMDGKQA CVLMIKALELDSNLYRIGQSKVFFRAGVLAHLEE ERDLKITDVIIGFQACCRGYLARKAFAKRQQQLT AMKVLQRNCAAYLKLRNWQWWRLFTKVKPLL QVSRQEEEMMAKEEELVKVREKQLAAENRLTE METLQSQLMAEKLQLQEQLQAETELCAEAEELR ARLTAKKQELEEICHDLEARVEEEEECQHLQA EKKKMQQNIQELEEQLEEEESARQKLQLEKVTT EAKLKKLEEQIILEDQNCKLAKEKKLLEDRIAEI TTNLTEEEEKSKSLAKLKNKHEAMITDLEERLRR EEKQRQELEKTRRKLEGDSTDLSDQIAELQAQME EKKMQLOKELEELDELQAALARVEEEAAQKNMALK KIRELESQISELQEDLKCERVASRNKAEKKLLEDRIAEI TTNLTEEEEKSKSLAKLKNKHEAMITDLEERLRR EEKQRQELEKTRRKLEGDSTDLSDQIAELQAQME EKKMQLAKKEEELQAALARVEEEAAQKNMALK KIRELESQISELQEDLKCERVASRNKAEKQKRDLC GKGDSEHKRKVEAQUQELQVKFNEGERVRTEI ADKVTKLQVELDNVTGLLSQSDKSSKLTKDFS ALESQLQDTQELLQEENRQKLSLSTKLKQVEDE KNSVFREQLEEEEEEAKHNLEKQIATLHAQVADM KKKMEDSVGCLETAEEVKRLQKDLEGLSQRHI EKVAAYDKLEKTKTRLQGELDDLLVDLDHQRQ SACNLEKKQKKFDQLLAEEKTISAKYAEERDRA CEEKKARLSLARALEEAMEQKAELERLNK QFRTEMEDLMSSKDDVGKSVHELEKSKRALEQQ VEEMKTQLEELEDELQATEDAKLRLEVNLQAM KAQFERDLQGRDEQSEEKKKQLVRQVREMEAE LEDERKQRSMAVAARKLEMDLKDLEAHIDSA NKNRDEAIKQLRKLLQAQMKDCMRELDDTRASR EEILAQAKENEKKLKSMEAEMIQLQEELAAAER EEILAQAKENEKKLKSMEAEMIQLQELAAAER EEILAQAKENEKKLKSMEAEMIQLQELAAAER EEILAQAKENEKKLKSMEAEMIQLQELAAAER EEILAQAKENEKKLKSMEAEMIQLQELAAAER EEILAQAKENEKKLKSMEAEMIQLQELAAAER EEILAQAKENEKKLKSMEAEMIQLQELAAAER EEILAQAKENEKKLKSMEAEMIQLQELAAAER EEILAQAKENEKKLKSMEAEMIQLQELAAA

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
٠				QEMEGTVKSKYKASITALEAKIAQLEEQLDNETK ERQAACKQVRRTEKKLKDVLLQVDDERRNAEQ YKDQADKASTRLKQLKRQLEEAEEEAQRANASR RKLQRELEDATETADAMNREVSSLKNKLRRGDL PFVVPRRMARKGAGDGSDEEVDGKADGAEAKP AE
3485	A	2	1782	CSTGVŠKAPLTYLMSYGFELGWRKGNRAVACR EDRGGESVGMGQESILSQVHWWEAEPVEKTPGR DSEATIMSLRVHTLPTLLGAVVRPGCRELLCLM ITVTVGPGASGVCPTACICATDIVSCTNKNLSKVP GNLFRLIKRLDLSYNRIGLLDSEWIPVSFAKLNTL ILRHNNITSISTGSFSTTPNLKCLDLSSNKLKTVK NAVFQELKVLEVLLLYNNHISYLDPSAFGGLSQL QKLYLSGNFLTQFPMDLYVGRFKLAELMFLDVS YNRIPSMPMHHINLVPGKQLRGIYLHGNPFVCDV CSLVSLLVFWYRRHFSSVMDFKNDYTCRLWSDS RHSRQVLLLQDSFMNCSDSIINGSFRALGFIHEAQ VGERLMVHCDSKTGNANTDFIWVGPDNRLLEPD KEMENFYVFHNGSLVIESPRFEDAGVYSCIAMNK QRLLNETVDVTINVSNFTVSRSHAHEAFNTAFTT LAACVASIVLVLLYLYLTPCPCKCKTKRQKNML HQSNAHSSILSPGPASDASADERKAGAGKRVVFL EPLKDTAAGQNGKVRLFPSEAVIAEGILKSTRGK SDSDSVNSVFSDTPFVAST
3486	A	357	1173	GDPRETKVFPSRSFARNTVGVSHHQSHLFHTVSR IYVEDKHKILYCEVPKAGCSNWKRILMVLNGLA SSAYNISHNAVHYGKHLKKLDSFDLKGIYTRLDT YTK\LVLVRDPMERLVSAFRDKFDHPNSYYHPVF GKAIIKKYRPNACEEALINGSGVKFKEFIHYLLDS HRPVGMDIHWEKVSKLCYPCLINYDFVGKFETL EEDANYFLQMIGAPKELKFPNFKDRHSSDERTNA QVVRQYLKDLTRTERQLIYDFYYLDYLMFNYTT PFL
3487	A		3281	CDKSGAVPFSTTRSPRRPSPRSAGPSLSSVSPRSQ LWASSGLSEEHAAPLLPAWPRHPCPPSLTPGPSM AQGAMRFCSEGDCAISPPRCPRRWLPEGPVPQSP PASMYGSTGSLLRRVAGPGPRGRELGRVTAPCTP LRGPPSPRVAPSPWAPSSPTGQPPPGAQSSVVIFR FVEKASVRPLNGLPAPGGLSRSWDLGGVSPPRPT PALGPGSNRKLRLEASTSDPLPARGGSALPGSRN LVHGPPAPPQVGADGLYSSLPNGLGDPPERLATL FGGPADTGFLNQGDTWSSPREVSSHAQRIARAK WEFFYGSLDPPSSGAKPPEQAPPSPPGVGSRQGS GVAVGRAAKYSETDLDTVPLRCYRETDIDEVLA EREEADSAIESQPSSEGPPGTAYPPAPRPGPLPGP HPSLGSGNEDEDDDEAGGEEDVDDEVFEASEGA RPGSRMPLKSPVPFLPGTSPSADGPDSFSCVFEAI LESHRAKGTSYTSLASLEALASPGPTQSPFFTFEL PPQPPAPRPDPPAPAPLAPLEPDSGTSSAADGPWT QRGEEEAEARAKLAPGREPPSPCHSEDSLGLGA APLGSEPPLSQLVSDSDSELDSTERLALGSTDTLS NGQKADLEAAQRLAKRLYRLDGFRKADVARHL GKNNDFSKLVAGEYLKFFVFTGMTLDQALRVFL KELALMGETQERERVLAHFSQRYFQCNPEALSSE DGAHTLTCALMLLNTDLHGHNIGKRMTCGDFIG



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \possible nucleotide insertion
				NLEGLNDGGDFPRELLKALYSSIKNEKLQWAIDE EELRRFLSELADPNPKVIKRISGGSGSGSSSFFLDLT PEPGAAVYKHGALVRKVHADPDCRKTPRGKRG WKSFHGILKGMILYLQKEEYKPGKALSETELKN AISIHHALATRAS\NYSKRPHVFYLRTADWRVFL FQAPSLEQMQSWITRINVVAAMFSAPPFPAAVSS QKKFSRPLLPSAATRLSQEEQVRTHEAKLKAMA SELREHRAAQLGKKGRGKEAEEQRQKEAYLEFE KSRYSTYAALLRVKLKAGSEELDAVEAALAQAG STEDGLPPSHSSPSLQPKPSSQPRAQRHSSEPRPG AGSGRRKP
3488	A	441	1968	GTETPHCWGRGTAGLRRELDREERDGPGTATMS FPHFGHPYRGAFQFL\ASASSSTTCCESTLRSVSY VASGSTPAPALCCAP\YDSRLLGSARPELGAALGI YGAPYAAAAAAQSYPGYLPYSPEPPSLYGALNP QYEFKEAAGSFTSSLAQPGAYYPYERTLGQYQY ERYGAVELSGAGRRKNATRETTSTLKAWLNEHR KNPYPTKGEKIMLAIITKMTLTQVSTWFANARRR LKKENKMTWAPKNKGGEERKAEGGEEDSLGCL TADTKEVTASQEARGLRLSDLEDLEEEEEEEEA EDEEVVATAGDRLTEFRKGAQSLPGPCAAAREG RLERRECGLAAPRFSFNDPSGSEEADFLSAETGSP RLTMHYPCLEKPRIWSLAHTATASAVEGAPPARP RPRSPECRMIPGQPPASARRLSVPRDSACDESSCI PKAFGNPKFALQGLPLNCAPCPRRSEPVVQCQYP SGAEGSGPPAALGVSMQKTPTYRPARQLHTLCH SSLP
3489	A	718	2073	IAAYHKALSYRGHVHANNRGTNNVHFTPPPSPS RGILPMNPRNMMNHSQVGQGIGIPSRTNSMSSSG LGSPNRSSPSIICMPKQQPSRQPFTVNSMSGFGMN RNQAFGMNNSLSSNIFNGTDGSENVTGLDLSDFP ALADRNRREGSGNPTPLINPLAGRAPYVGMVTK PANEQSQDFSIHNEDFPALPGSSYKDPTSSNDDSK SNLNTSGKTTSSTDGPKFPGDKSSTTQNNNQQKK GIQVLPDGRVTNIPQGMVTDQFGMIGLLTFIRAA ETDPGMVHLALGSDLTTLGLNLNSPENLYPKFAS PWASSPCRPQDIDFHVPSEYLTNIHIRDKLFFFFS W/TAIKLGRYGEDLLFYLYYMNGGDVLQLLAAV ELFNRDWRYHKEERVWITRAPGMEPTMKTNTY ERGTYYFFDCLNWRKVAKEFHLEYDKLEERPHL PSTFNYNPAQQAF
3490	A .		2833	FVAKMATSQYFDFAQGGGPQYSTQAPTLPLPTV GASYTGQPTPGMDPAVNPAFPPAAPAGYGGYQP HSGQDFAYGSRPQEPVPTATTMATYQDSYSYGQ SAAARSYEDRPYFQSAALQSGRMTAADSGQPGT QEACGQPSPHGSHSHAQPPQQAPIVESGQPASTL SSGYTYPTATGVQPESSASIVTSYPPPSYNPTCTA YTAPSYPNYDASVYSAASPFYPPAQPPPPGPPQ QLPPPPAPAGSGSSPRADSKPPLPSKLPRPKAGPR QLQLHYCDICKISCAGPQTYREHLGGQKHRKKE AAQKTGVQPNGSPRGVQAQLHCDLCAVSCTGA DAYAAHIRGSKHQKVFKLHAKLGKPIPTLEPALA TESPPGAEAKPTSPTGPSVCASSRPALAKRPVASK ALCEGPPEPQAAGCRPQWGKPAQPKLEGPGAPT QGGSKEAPAGCSDAQPVGPEYVEEVFSDEGRVL



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				RFHCKLCECSFNDLNAKDLHVRGRRHRLQYRKK VNPDLPIATEPSSRARKVLEERMRKQRHLAEERL EQLRRWHAERRRLEEEPPQDVPPHAPPDWAQPL LMGRPESPASAPLQPGRRPASSDDRHVMCKHATI YPTEQELLAVQRAVSHAERALKLVSDTLAEEDR GRREEEGDKRSSVAPQTRVLKGVMRVGILAKGL LLRGDRNVRLALLCSEKPTHSLLRRIAQQLPRQL QMVTEDEYEVSSDPEANIVISSCEEPRMQVTISVT SPLMREDPSTDPGVEEPQADAGDVLSPKKCLESL AALRHARWFQARASGLQPCVIVIRVLRDLCRRV PT\WGALPAWAMELLVEKAVSSAAGPLGPGDAV RRVLECVATGTLLTDGPGLQDPCERDQTDALEP MTLQEREDVTASAQHALRMLAFRQTHKVLGMD LLPPRHRLGARFRKRQRGPGEGEEGAGEKKRGR RGGEGLV
3491	A	2	1321	FVGDGALSGCRRGRAPRVPSMAGSLPPCVVDCG TGYTKLGYAGNTEPQFIIPSCIAIRESAKVVDQAQ RRVLRGVDDLDFFIGDEAIDKPTYATKWPIRHGII EDWDLMERFMEQVVFKYLRAEPEDHYFLMTEP PLNTPENREYLAEIMFESFNVPGLYIAVQAVLAL AASWTSRQVGERTLTGIVIDSGDGVTHVIPVAEG YVIGSCIKHIPIAGRDITYFIQQLLREREVGIPPEQS LETAKAIKEKYCYICPDIVKEFAKYDVDPRKWIK QYTGINAINQKKFVIDVGYERFLGPEIFFHPEFAN PDFMESISDVVDEVIQNCPIDVRRPLYKNVVLSG GSTMFRDFGRRLQRDLKRVVDARLRLSEELSGG\ RIKPKPVEVQVVTHHMQRYAV\WFGG\SMLASTP EFFQVCHTKKDYEEYGPSICRHNPVFGVMS
3492	A	3	2024	PNGVALLHLPGAAVIPNTNYMFQDALGGRSRGS REESPAPSRAPASASLWRRLVVVEAKMAAHAAA AAQAAAAQAAHAEAADSWYLALLGFAEHFRTS SPPKIRLCVHCLQAVFPFKPPQRIEARTHLQLGSV LYHHTKNSEQARSHLEKAWLISQQIPQFEDVKFE AASLLSELYCQENSVDAAKPLLRKAIQISQQTPY WHCRLLFQLAQLHTLEKDLVSACDLLGVGAEY ARVVGSEYTRALFLLSKGMLLLMERKLQEVHPL LTLCGQIVENWQGNPIQKESLRVFFLVLQVTHYL DAGQVKSVKPCLKQLQQCIQTISTLHDDEILPSNP ADLFHWLPKEHMCVLVYLVTVMHSMQAGYLE KAQKYTDKALMQLEKLKMLDCSPILSSFQVILLE HIMCRLVTGHKATALQEISQVCQLCQQSPRLFS NHAAQLHTLLGLYCVSVNCMDNAEAQFTTALR LTNHQELWAFIVTNLASVYIREGNRHQEVVLYS LLERINPDHSFPVSSHCLRAAAFYVRGLFSFFQGR YNEAKRFLRETLKMSNAEDLNRLTACSLVLLGHI FYVLGNHRESNNMVVPAMQLASKIPDMSVQLW SSALLRDLNKACGNAMDAHEAAQMHQNFSQQL LQDHIEACSLPEHNLITWTDGPPPVQFQAQNGPN TSLASLL
3493	A	3	2024	PNGVALLHLPGAAVIPNTNYMFQDALGGRSRGS REESPAPSRAPASASLWRRLVVVEAKMAAHAAA AAQAAAAQAAHAEAADSWYLALLGFAEHFRTS SPPKIRLCVHCLQAVFPFKPPQRIEARTHLQLGSV LYHHTKNSEQARSHLEKAWLISQQIPQFEDVKFE AASLLSELYCQENSVDAAKPLLRKAIQISQQTPY

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				WHCRLLFQLAQLHTLEKDLVSACDLLGVGAEY ARVVGSEYTRALFLLSKGMLLLMERKLQEVHPL LTLCGQIVENWQGNPIQKESLRVFFLVLQVTHYL DAGQVKSVKPCLKQLQQCIQTISTLHDDEILPSNP ADLFHWLPKEHMCVLVYLVTVMHSMQAGYLE KAQKYTDKALMQLEKLKMLDCSPILSSFQVILLE HIMCRLVTGHKATALQEISQVCQLCQQSPRLFS NHAAQLHTLLGLYCVSVNCMDNAEAQFTTALR LTNHQELWAFIVTNLASVYIREGNRHQEVVLYS LLERINPDHSFPVSSHCLRAAAFYVRGLFSFFQGR YNEAKRFLRETLKMSNAEDLNRLTACSLVLLGHI FYVLGNHRESNNMVVPAMQLASKIPDMSVQLW SSALLRDLNKACGNAMDAHEAAQMHQNFSQQL LQDHIEACSLPEHNLITWTDGPPPVQFQAQNGPN TSLASLL
3494	A	2	1615	VLRGQRGPAGGLAEERRRGRNEWRIHDVTTAPF PGLVQRRSRLLIVSQVRYFLKNKVSPDLCNEDGL TALHQCCIDNFEEIVKLLLSHGANVNAKDNELW TPLHAAATCGHINLVKILVQYGADLLAVNSDGN MPYDLCEDEPTLDVIETCMAYQGITQEKINEMRV APEQQMIADIHCMIAAGQDLDWIDAQGATLLHI AGANGYLRAAELLLDHGVRVDVKDWDGWEPL HAAAFWGQMQMAELLVSHGAN\LNARTSMDE MPIDLCEEEFKVLLLELK\HKHDVIMKSQLRHK SSLSRRTSHRQAS/SVGKVVRRTQPVGTGPNL\YR KEYE/GEEAILWQRSA\AEDQRTSTYNGDIRET\R TDQENKDPNPRLEK\PVLLSEFPTKIPRGELDMPV ENGLRAPVSAYQYALANGDVWKVHEVPDYSM AYGNPGVADATPPWSSYKEQSPQTLLELKRQRA AAKLLSHPFLSTHLGSSMARTGESSSEGKAPLIG GRTSPYSSNGTSVYYTVTSGDPPLLKFKAPIEEM EEKVHGCCRIS
3495	A	327	1078	APMADTTPNGPQGAGAVQFMMTNKLDTAMWL SRLFTVYCSALFVLPLLGLHEAASFYQRALLANA LTSALRLHQRLPHFQLSRAFLAQALLEDSCHYLL YSLIFVNSYPVTMSIFPVLLFSLLHAATYTKKVL\ DARG\SNSLPLLR\SVLDKLSANQQNILKFIACNEI FLMPATVFMLFSGQGSLLQPFIYYRFLTLRYSSRR NPYCRTLFNELRIVVEHIIMKPACPLFVRRLCLQS IAFISRLAPTVP
3496	A		2867	SSRTREMEEKEILRRQIRLLQGLIDDYKTLHGNAP APGTPAASGWQPPTYHSGRAFSARYPRPSRRGYS SHHGPSWRKKYSLVNRPPGPSDPPADHAVRPLH GARGGQPPVPQQHVLERQVQLSQGQNVVIKVKP PSKSGSASASGAQRGSLEEFEDTPWSDQRPREGE GEPPRGQLQPSRPTRARGTCSVEDPLLVCQKEPG KPRMVKSVGSVGDSPREPRRTVSESVIAVKASFP SSALPPRTGVALGRKLGSHSVASCAPQLLGDRRV DAGHTDQPVPSGSVGGPARPASGPRQAREASLV VTCRTNKFRKNNYKWVAASSKSPRVARRALSPR VAAENVCKASAGMANKVEKPQLIADPEPKPRKP ATSSKPGSAPSKYKWKASSPSASSSSSFRWQSEA GSKDHASQLSPVLSRSPSGD\RPALAHSGLKPLSG ETPLSAYKVKTRTKIIRRRGSTSLPGDKKSGTSPA ATAKSHLSLRRRQALRGKSSPVLKKTPNKGLVQ



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Hlstidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				VTKHRLCRLPPSRAHLPTKEASSLHAVRTAPTSK VIKTRYRIVKKTPASPLSAPPFPLSLPSWRARRLS LSRSLVLNRLRPVASGGGKAQPGSPWWRSKGYR CIGGVLYKVSANKLSKTSGQPSDAGSRPLLRTGR LDPAGSCSRSLASRAVQRSLAIIRQARQRREKRK EYCMYYNRFGRCNRGERCPYIHDPEKVAVCTRF VRGTCKKTDGTCPFSHHVSKEKMPVCSYFLKGI CSNSNCPYSHVYVSRKAEVCSDFLKGYCPLGAK CKKKHTLLCPDFARRGACPRGAQCQLLHRTQKR HSRRAATSPAPGPSDATARSRVSASHGPRKPSAS QRPTRQTPSSAALTAAAVAAPPHCPGGSASPSSS KASSSSSSSSSPPASLDHE\APSLQEAALAAACSN RLCKLPSFISLQSSPSPGAQPRVRAPRAPLTKDSG KPLHIKPRL
3497	A	1586	141	ATARDLGCARRIDRVVMESTPSRGLNRVHLQCR NLQEFLGGLSPGVLDRLYGHPATCLAVFRELPSL AKNWVMRMLFLEQPLPQAAVALWVKKEFSKA QEESTGLLSGLRIWHTQLLPGGLQGLILNPIFRQN LRIALLGGGKAWSDDTSQLGPDKHARDVPSLDK YAEERWEVVLHFMVGSPSAAVSQDLAQLLSQA GLMKSTEPGEPPCITSAGFQFLLLDTPAQLWYFM LQYLQTAQSRGMDLVEILSFLFQLSFSTLGKDYS VEGMSDSLLNFLQHLREFGLVFQRKRKSRRYYP T/RALAINLSSGVSGAGGTVHQPGFIVVETNYRL YAYTESELQIALIALFSEMLYPFPNMVV\ARVTR\ ESVQQAIASGITAQQIIHFLRTRAHPVMLKQTPVL PPTITDQIRLWELERDRLRFTEGVLYNQFLSQVDF ELL\LAHAPKLGVLVFE/NTPAKRLMVVTPAGHS DVKRFWKRQKHSS
3498	A	790	190	RDLGPAALMTASASSFSSSQGVQQPSIYSFSQITR SLFLSNGVAANDKLLLSSNRITAIVNASVGSGQRI LRG/LQYIKVPVTDARDSRLYDFFDPIADLIHTVS MRQGRTLLNCMAG/MSRSASLCLAYLMKYHSM S/LLDAHTWA/TKSRRPIIRPNNGFWEQLINYEFK LFNNNTVRMINSPVGNIPDIYEKDLRMMISM
3499	A	31	. 1586	TAGFLLAPLEMORLLTPVKRILQLTRAVQETSLT PARLLPVAHQRFSTASAVPLAKTDTWPKDVGIL ALEVYFPAQYVDQTDLEKYNNVEAGKYTVGLG QTRMGFCSVQEDINSLCLTVVQRLMERIQLPWD SVGRLEVGTETIIDKSKAVKTVLMELFQDSGNTD IEGIDTTNACYGGTASLFNAANWMESSSWDGRY AMVVCGDIAVYPSGNARPTGGAGAVAMLIGPK APLALERGLRGTHMENVYDFYKPNLASEYPIVD GKLSIQCYLRALDRCYTSYRKKIQNQWKQAGSD RPFTLDDLQYMIFHTPFCKMVQKSLARLMFNDF LSASSDTQTSLYKGLEAFGGLKLEDTYTNKDLD KALLKASQDMFDKKTKASLYLSTHNGNMYTSSL YGCLASLLSHHSAQELAGSRIGAFSYGSGLAASF FSFRVSQDAAPGSPL\DKLVSSTSDLPKRLASRKC VSPEEFTEIMNQREQFYHKVNFSPPGDTNSLFPGT WYLERVDEQHRRKYARRPV
3500	A	185	2692	MLPTEVPQSHPGPSALLLLQLLLPPTSAFFPNIWS LLAAPGSITHQDLTEEAALNVTLQLFLEQPPPGRP PLRLEDFLGRTLLADDLFAAYFGPGSSRRFRAAL GEVSRANAAQDFLPTSRNDPDLHFDAERLGQGR



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				ARLVGALRETVVAARALDHTLARQRLGAALHA LQDFYSHSNWVELGEQQPHPHLLWPRQELQNLA QVADPTCSDCEELSCPRNWLGFTLLTSGYFGTHP PKPPGKCSHGGHFDRSSSQPPRGGINKDSTSPGFS PHHMLHLQAAKLALLASIQAFSLLRSRLGDRDFS RLLDITPASSLSFVLDTTGSMGEEINAAKIQARHL VEQRRGSPMEPVHYVLVPFHDPGFGPVFTTSDPD SFWQQLNEIHALGGGDEPEMCLSALQLALLHTPP LSDIFVFTDASPKDAFLTNQVESLTQERRCRVTFL VTEDTSRVQGRARREILSPLRFEPYKAVALASGG EVIFTKDQHIRDVAAIVGESMAALVTLPLDPPVV VPGQPLVFSVDGLLQKITVRIHGDISSFWIKNPAG VSQGQEEGGGPLGHTRRFGQFWMVTMDDPPQT GTWEIQVTAEDTPGVRVQAQTSLDFLFHFGIPME DGPHPGLYPLTQPVAGLQTQLLVEVTGLGSRAN PGDPQPHFSHVILRGVPEGAELGQVPLEPVGPPE RGLLAASLSPTLLSTPRPFSLELIGQDAAGRRLHR AAPQPSTVVPVLLELSGPSGFLAPGSKVPLSLRIA SFSGPQDLDLRTFVNPSFSLTSNLSRAHLELNESA
3501	A	1245	5815	WGRLWLEVPDSAAPDSVVMVTVTAGGREANPV PPTHAFLRLLVSAPAPQDRH RRAHPSHSRLSPYLSVSRDPYFFVTVSRTILTLSA PAPPRRTPAPSMGTALLQRGGCFLLCLSLLLLGC WAELGSGLEFPGAEGQWTRFPK WNACCESEMSF QLKTRSARGLVLYFDDEGFCDFLEILLTRGGRLQ LSFSIFCAEPATLLADTPVNDGAWHSVRIRQFR NTTLFIDQVEAKWVEVKSKRRDMTVFSGLFVGG LPPELRAAALKLTLASVREREPFKGWIRDVRVNS SQVLPVDSGEVKLDDEPPNSGGG\SPCEAGEEGE GGVCLNGGVCSVVDDQAVCDCSRTGFRGKDCS QEDNNVEGLAHLMMGDQGKEEYIATFKGSEYF CYDLSQNPIQSSSDEITLSFKTLQRNGLMLHTGKS ADYVNLALKNGAVSLVINLGSGAFEALVEPVNG KFNDNAWHDVKVTRNLRQHSGIGHAMVTISVD GILTTTGYTQEDYTMLGSDDFFYVGGSPSTADLP GSPVSNNFMGCLKEVVYKNNDVRLELSRLAKQ GDPKMKIHGVVAFKCENVATLDPITFETPESFISL PKWNAKKTGSISFDFRTTEPNGLILFSHGKPRHQ KDAKHPQMIKVDFFAIEMLDGHLYLLLDMGSGT IKIKALLKKVNDGEWYHVDFQRDGRSGTISVNT LRTPYTAPGESEILDLDDELYLGGLPENKAGLVF PTEVWTALLNYGYVGCIRDLFIDGQSKDIRQMA EVQSTAGVKPSCSKETAKPCLSNPCKNNGMCRD GWNRYVCDCSGTGYLGRSCEREATVLSYDGSM FMKIQLPVVMHTEAEDVSLRFRSQRAYGILMAT TSRDSADTLRLELDAGRVKLTVNLDCIRINCNSS KGPETLFAGYNLNDNEWHTVRVVRRGKSLKLT VDDQQAMTGQMAGDHTRLEFHNIETGIITERRY LSSVPSNFIGHLQSLTFNGMAYIDLCKNGDIDYC ELNARFGFRNIIADPVTFKTKSSYVALATLQAYT SMHLFFQFKTTSLDGLILYNSGDGNDFIVVELVK GYLHYVFDLGNGANLIKGSSNKPLNDNQWHNV MISRDTSNLHTVKIDTKITTQITAGARNLDLKSDL YIGGVAKETYKSLPKLVHAKEGFQGCLASVDLN G\RLP\DLISDGSFSCNGTDSRRGMWKGPSTT\CQ



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				EDSCSNQGVCLQQWDGFSCDCSMTSFSGPLCND PGTTYIFSKGGGQITYKWPPNDRPSTRADRLAIGF STVQKEAVLVRVDSSSGLGDYLELHIHQGKIGVK FNVGTDDIAIEESNAIINDGKYHVVRFTRSGGNA TLQVDSWPVIERYPAGRQLTIFNSQATIIIGGKEQ GQPFQGQLSGLYYNGLKVLNMAAENDANIAIVG NVRLVGEVPSSMTTESTATAMQSEMSTSIMETTT TLATSTARRGKPPTKEPISQTTDDILVASAECPSD DEDIDPCEPSSGGLANPTRAGGREPYPGSAEVIRE SSSTTGMVVGIVAAAALCILILLYAMYKYRNRDE GSYHVDESRNYISNSAQSNGAVVKEKQPSSAKSS NKNKKNKDKEYYV
3502	A	394	72	KPAHLPFTVIIMPKRKPSEGAMSDKVKA/KFELQ RRSAGLFSKPTPPKPETRPKKDPANQRQKLPKVR KGKADA/SKEGNSPAEERCSMVQTQKVEGWRSG SELPVALSF
3503	A		3358	SGGRGPVRVRSEQLSPSAEQVSQISQISLGRRPLS SLPPPPSRALAPTRAPDTALTIMEVAEVESPLNPS CKIMTFRPSMEEFREFNKYLAYMESKGAHRAGL AKVIPPKEWKPRQCYDDIDNLLIPAPIQQMVTGQ SGLFTQYNIQKKAMTVKEFRQLANSGKYCTPRY LDYEDLERKYWKNLTFVAPIYGADINGSIYDEGV DEWNIARLNTVLDVVEEECGISIEGVNTPYLYFG MWKTTFAWHTEDMDLYSINYLHFGEPKSWYAIP PEHGKRLERLAQGFFPSSSQGCDAFLRHKMTLIS PSVLKKYGIPFDKITQEAGEFMITFPYGYHAGFN HGFNCAESTNFATVRWIDYGKVAKLCTCRKDM VKISMDIFVRKFQPDRYQLWKQGKDIYTIDHTKP TPASTPEVKAWLQRRRKVRKASRSFQCARSTSK RPKADEEEEVSDEVDGAEVPNPDSVTDDLKVSE KSEAAVKLRNTEASSEEESSASRMQVEQNLSDHI KLSGNSCLSTSVTEDIKTEDDKAYAYRSVPSISSE ADDSIPLSTGYEKPEKSDPSELSWPKSPESCSSVA ESNGVLTEGEESDVESHGNGLEPGEIPAVPSGER NSFKVPSIAEGENKTSKSWRHPLSRPPARSPMTL VKQQAPSDEELPEVLSIEEEVEETESWAKPLIHL WQTKPPNFAAEQEYNATVARMKPHCAICTLLMP YHKPDSSNEENDARWETKLDEVVTSEGKTKPLIP EMCFIYSEENIEYSPPNAFLEEDGTSLLISCAKCC VRVHASCYGIPSHEICDGWLCARCKRNAWTAEC CLCNLRGGALKQTKNNKWAHVMCAVAVPEVR FTNVPERTQIDVGRIPLQRLKLKCIFCRHRVKRVS GACIQCSYGRCPASFHVTCAHAAGVL\MEPDDW PYVVNITCFRHKVNPNVKSKACEKVISVGQTVIT KHRNTRYYSCRVMAVTSQTFYEVMFDDGSFSRD TFPEDIVSRDCLKLGPPAEGEVVQVKWPDGKLY GAKYFGSNIAHMYQVEFEDGSQIAMKREDIYTL DEELPKRVKARFVSAGRCHLGTCQVNSLSSPHVS QAQQETYLGFWINSKKSQCNIFLSGTY
3504	A	1124	139	RGEEQFDAEFRRFACLGFGERLQEFSRLLRAVHR SRAWTCYLAIRMLMATCCPSPTTTACTGPWQRA PPLRLLVQKREADSSGLAFASNSLQRRKKGLLLR PVAPLRTRPPLLISLPQDFRQVSSVIDVDLLPETH RRVRLHKHGSDRPLGFYIRDGMSVRVAPQG\LER VPGIFISRLVRGGLAESTGLLAVSDEILEVNGIEV



NRQPPSSNGLSQGPCWDLHFGCRHFGTRSSLPS LDDQEQASSGWSRIRGDGSGFSL 3505 A 3 2898 SCRSATSQSGGGGRSWLCSSLKMAAQPPRGIRI SALCPKFLHTNSTSHTWPFSAVAELIDNAYDPDV NAKQWINDKTVNDHICLTTDNGNGMTSDKLH KMLSFGFSDKVTMNGHVPVGLYGNGFKSGSMR LGKDAIVFTKNGESMSVGLLSQTYLLEVIKABHV VVPIVAFNKHRQMINLAESKASLAAILEHSLFSTT QKILAELDAIIGKKGTRIIWNLRSYKNATEFDFE KDKYDIRIPEDLDEITGKKGYKKQERMDQIAPES DYSLRAYCSILYLKPRMQIILRGQKVKTQLVSKS LAYIERDVYRFKFLSKTVTRITGFDKCRIKDHYGI MMYHRNRLIKAYEKVGCQLRANNMGVGVVGII ECNFLKPTHNKQDFDYTNEYRLTITALGEKLIND YWMEMKVKKNITEYPLLIVPLEDIQKRPQTWVQ CDACLKWRKLPDGMDQLPEKWYCSNNPDPQFI NCEVPEEPEDBDLVHPTYEKTYKKTNKEKFRIRQ PEMIPRINAELLFRTTALSTPSIFSSPKESVSKRRLS TRSSILNAKNRRLSSQFERNSYYKGDDDDEDVII LEENSTFKPAVDHDIDMKSEGSHVEQGGVQVEFF VGDSEPCGGTGSTSTSSSRCDQGNTAATGTEVPS LVVKKEETVEDEIDVRNDAVILPSCVEAEAKHE TQETTDKSADDAGCQLQELRNQLLLYTEEKENY KRQCHMFTDQIKVLQQRILEMNDKYVKKETCH QSTETDAVFLLESINGKSESPDHMVSQYQQALEE IERKKQCSALQHVKAECSQCSNNESKSEMDEM AVQLDDVFRQLDKCSIERDQYKSEVELLEMEKS QIRSGCEELKTEVEQLKSTNQTATDVSTSSNIEE SVNHMDGESLKLRSLRVNYGQLLAMVPDLDLC QVNYDVDVDVEBLIGQVVEQMSEISST SVNHMDGESLKLRSLRVNYGQLLAMVPDLDLC QVNYDVDVDVEBLIGQVVEQMSEISST SVNHMDGESLKLRSLRVNYGQLLAMVPDLDLC QVNYDVDVDVEBLIGQVVEQMSEISST TVTDFKLYFKNVERDPHFILDVPLGVISR VEKIGA QSHGDNSCGIEIVCKDMRNRLAKKQEGGSKIC FENNAKHAPELSNGQALTAFSYKECFPNOWKV YDPVSSYKRQGLPNESWKSKINNNYEFCDTYPA IUVPTSVKDDDLSKVAVFLAKGRVPLYSWIHPE SQATITRCSQPLVGPNBKRCKEDEKYLQTIMDAA AQSHKLIIFDARQNSVADTNKTKGGGYESSAY NAELVFEIBINHVMRESLRKLKEIVYPSIDEARW LSNVDGTHWLEYTRMLAGAVRLAGKPEVLSWIHPE SQATITRCSQPLVGPNDKRCKEDEKYLQTIMDAA AQSHKLIIFDARQNSVADTNKTKGGGYESSAY NAELVFEIBINHVMRESLRKLKEIVYPSIDEARW LSNVDGTHWLEYTRMLAGAVRLAGKPEDLTYRI HUPPTSVKDDDLSKVAVFLAKGRVPLSWHIPE SQATITRCSQPLVGPNBKRCKEDEKYLQTIMDAA AQSHKLIIFDARQNSVADTNKTKGGGYESSAY NAELVFEIBINHVMRESLRKLKEIVYPSIDEARW LSNVDGTHWLEYTRMLAGAVRLAGKPEVLSWHIPE SQATITRCSQPLVQPNBKRCKEDEKYLQTIMDAA AQSHKLIIFDARQNSVADTNKTKGGGYESSAY NAELVFEIBINHVMRFSLRKLKEIVYPSIDEARW LSNVDGTHWLEYTRMLAGAVRLAGAVERLESGKTS VVHCSDGWDBTAQLTSLAMMLDDSYYRINGGL CLEFSTPFFVNYENINGLLAWREGUELLUKYNTYV RVNYPRRAFQMPHIQALKELLAWREGUELKYNTYOU RWNPRAFRQMPHIQALKELLAWREGUELK	SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
SALCPKFLHTNSTSHTWPFSAVAELIDNAYDPDV NAKQIWIDKTVINDHICLIFTIDIGNGMTSDKLH KMLSFGFSDKVTMNGHVPVGLYGNGFKSGSMAF LGKDAIVFTKNGESNSVGLLSQTYLEVLKABHV VVPIVAFNKHRQMINLAESKASLAAILEHSLFSTT QKLLAELDAIIGKKGTRIIIWNLRSYKNATEFDFE KDKYDIRPEDLDEITGKKGYKKQERMDQIAPES DYSLRAYCSILYLRPRMQIILEGQKVKTQLVSKS LAYIERDVYRPKFLSKTVRITFGFNCRNKDHYGI MMYHRNRLIKAYEKVGQLRANNMOVGVVGII ECNFLKPHNKQDFDYTNEYRLTITLAGEKIND YWNEMKVKKNTEYPLNLPVEDIOKRPDOTUVQ CDACLKWRKLPGDMDDLPEKWYCSNNPDPOFI NCEVPEEPEDEDLVHPYEKTYKKTNKEKFRIK PEMIPRINAELLFRTTALSTFSFSSPKESVSKRRLS IRSGINSVATRILINHQVPPOSPEENSLKRRLS TRSSILNAKNRRLSSGPENSVYKGDDDDEDVII LEENSTPKPAVDHDIDMKSEQSHVEGGGVVEF VGDSEPCGGTGSTSTSSSRCDQGNTAATQTEVPS LVVKKEETVEDEIDVRNDAVILPSCVEAEAKHE TOETTDKSADDAGCQLOELRNQLLLVTEEKENY KRQCHMFTDQIKVLQQRILEMNDKYVKKETCH QSTETDAVFLLESINGKSESPDHMVSQYQQALEE IERLKQCSALQHVKAECSQCSNNESKSEMDEM AVQLDDVFRQLDKCSIERDQYKSEVELLEMEKS QIRSQCEELKTEVEQLKSTNQQTATDVSTSSNIEE SVNHMGBESIKLRSLRVNVGQLLAMIVPDLDLC QVNYDVDVVDEILGQVVEQMSEISST SVNHMGBESIKLRSLRVNVGQLLAMIVPDLDLC QVNYDVDVVDEILGQVVEQMSEISST TVTDFKLYFKNVGRDFFILDVPLGWISR VEKIGA QSHGDNSCGIEIVCKDMRNRLAYFRSPPLFSRRILPQC GRTRRAMDRPAAAAAAGCEGGGGPNPGPAGGR RPPRAAGGATAGSRQPSVETLDSPTGSHVEWCK VDPVSEYKRQGLPISSWISKINSNYEFCDTYPA IIVVPTSVKDDDLSKVAVFLAKGRVPVLSWHPE SQATITITCSQFLVGDMKNRLAYFKSGEGSKLG IFENLAKHAFPLSNGQALFAFSYKEKFPINGWKV YDPVSEYKRQGLPNSWKISKINSNYEFCDTYPA IIVVPTSVKDDDLSKVAVFLAKGRVPVLSWHPE SQATITITCSQFLVGPMBKRKKEEDEKYLQTIMDAM AQSHGLTGSQFLYFSMIKTKGGGFTSSESAY NAELVFLEIHNIHVMRESLRKLKEIVYPSIDEARW LSNVOGTHWLFYRMLLAGAV VRLAKGKESESKYL VVHCSDGWDRTAQLTSLAMLMLDSYYRTIKGFF TLVEKEWISFGHRFALKGHONDNHADADRSPII LQFVDCVVQWMYTGPFSAFFPINELLITLDHLYS CLFGTFLCNCEQQRFKEDVYTKTISLWSYINSQL DEFSNPFTVNYENIVLYPVASLSHLELWVNYYV RWMPRMRPQMPHQMLKELLAVARELQKRYEG		·			VVRGASGRLTGPPSAGPGPAEPDSDDDSSDLVIE NRQPPSSNGLSQGPPCWDLHPGCRHPGTRSSLPS
3506 A 2 2120 RPPEAGGRYRAGGRRQAAKPSRPPLPSRRRLPQQ GRTRRAMDRPAAAAAAGCEGGGGPNPGPAGGR RPPRAAGGATAGSRQPSVETLDSPTGSHVEWCK QLIAATISSQISGSVTSENVSRDYKALRDGNKLA QMEEAPLFPGESIKAIVKDVMYICPFMGAVSGTL TVTDFKLYFKNVERDPHFILDVPLGVISRVEKIGA QSHGDNSCGIEIVCKDMRNLRLAYK\QEEQSKLG IFENLNKHAFPLSNGQALFAFSYKEKFPINGWKV YDPVSEYKRQGLPNESWKISKINSNYEFCDTYPA IIVVPTSVKDDDLSKVAVFLAKGRVPVLSWIHPE SQATITRCSQPLVGPNDKRCKEDEKYLQTIMDAN AQSHKLIIFDARQNSVADTNKTKGGGYESESAYF NAELVFLEIHNIHVMRESLRKLKEIVYPSIDEARW LSNVDGTHWLEYIRMLLAGAVRIADKIESGKTSV VVHCSDGWDRTAQLTSLAMLMLDSYYRTIKGFF TLVEKEWISFGHRFALRVGHGNDNHADADRSPII LQFVDCVWQMTRQFPSAFEFNELFLITILDHLYS CLFGTFLCNCEQQRFKEDVYTKTISLWSYINSQL DEFSNPFFVNYENHVLYPVASLSHLELWVNYYV RWNPRMRPQMPIHQNLKELLAVRAELQKRVEG	3505	A	3	2898	SCRSATSQSGCGGGRSWLCSSLKMAAQPPRGIRL SALCPKFLHTNSTSHTWPFSAVAELIDNAYDPDV NAKQIWIDKTVINDHICLTFTDNGNGMTSDKLH KMLSFGFSDKVTMNGHVPVGLYGNGFKSGSM/R LGKDAIVFTKNGESMSVGLLSQTYL\EVIKAEHV VVPIVAFNKHRQMINLAESKASLAAILEHSLFSTE QKLLAELDAIIGKKGTRIIIWNLRSYKNATEFDFE KDKYDIRIPEDLDEITGKKGYKKQERMDQIAPES DYSLRAYCSILYLKPRMQIILRGQKVKTQLVSKS LAYIERDVYRPKFLSKTVRITFGFNCRNKDHYGI MMYHRNRLIKAYEKVGCQLRANNMGVGVVGII ECNFLKPTHNKQDFDYTNEYRLTITALGEKLND YWNEMKVKKNTEYPLNLPVEDIQKRPDQTWVQ CDACLKWRKLPDGMDQLPEKWYCSNNP\DPQFR NCEVPEEPEDEDLVHPTYEKTYKKTNKEKFRIRQ PEMIPRINAELLFRPT\ALSTPS\FSSPKESVSKR/RH LSEGTNSYATRLLNNHQVPPQSEPESNSLKRRLS TRSSILNAKNRRL\SSQF\ENSVYKG\DDDDEDVII LEENSTPKPAVDHDIDMKSEQSHVEQGGVQVEF VGDSEPCGQTGSTSTSSSRCDQGNTAATQTEVPS LVVKKEETVEDEIDVRNDAVILPSCVEAEAKIHE TQETTDKSADDAGCQLQELRNQLLLVTEEKENY KRQCHMFTDQIKVLQQRILEMNDKYVKKETCH QSTETDAVFLLESINGKSESPDHMVSQYQQALEE IERLKKQCSALQHVKAECSQCSNNESKSEMDEM
3507 A 1 2169 GSSIKIRLTVLCAKNLAKKDFFRLPDPF\AKIVVD					RPPEAGGRYRAGGRRQAAKPSRPPLPSRRRLPQG GRTRRAMDRPAAAAAAGCEGGGGPNPGPAGGR RPPRAAGGATAGSRQPSVETLDSPTGSHVEWCK QLIAATISSQISGSVTSENVSRDYKALRDGNKLA QMEEAPLFPGESIKAIVKDVMYICPFMGAVSGTL TVTDFKLYFKNVERDPHFILDVPLGVISRVEKIGA QSHGDNSCGIEIVCKDMRNLRLAYK\QEEQSKLG IFENLNKHAFPLSNGQALFAFSYKEKFPINGWKV YDPVSEYKRQGLPNESWKISKINSNYEFCDTYPA IIVVPTSVKDDDLSKVAVFLAKGRVPVLSWIHPE SQATITRCSQPLVGPNDKRCKEDEKYLQTIMDAN AQSHKLIIFDARQNSVADTNKTKGGGYESESAYP NAELVFLEIHNIHVMRESLRKLKEIVYPSIDEARW LSNVDGTHWLEYIRMLLAGAVRIADKIESGKTSV VVHCSDGWDRTAQLTSLAMLMLDSYYRTIKGFE TLVEKEWISFGHRFALRVGHGNDNHADADRSPIF LQFVDCVWQMTRQFPSAFEFNELFLITILDHLYS CLFGTFLCNCEQQRFKEDVYTKTISLWSYINSQL DEFSNPFFVNYENHVLYPVASLSHLELWVNYYV RWNPRMRPQMPIHQNLKELLAVRAELQKRVEG LQREVATRAVSSSSERGSSPSHFATSVHTLV



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				GSGQCHSTDTVKNTLDPKWNQHYDLYVGKTDSI TISVWNHKKIHKKQGAGFLGCVRLLSNAISRLKD TGYQRLDLCKLNPSDTDAVRGQIVVSLQTRDRIG TGGSVVDCRGLLENEGTVYEDSGPGRPLSCFME EPAPYTDSTGAAAGGGNCRFVESPSQDQRLQAQ RLRNPDVRGSLQTPQNRPHGHQSPELPEGYEQRT TVQGQVYFLHTQTGVSTWHDPRIPRDLNSVNCD ELGPLPPGWEVRSTVSGRIYFVDHNNRTTQFTDP RLHHIMNHQCQLKEPSQPLPLPSEGSLEDEELPA QRYERDLVQKLKVLRHELSLQQPQAGHCRIEVS REEIFEESYRQIMKMRPKDLKKRLMVKFRGEEG LDYGGVAREWLYLLCHEMLNPYYGLFQYSTDNI YMLQINPDSSINPDHLSYFHFVGRIMGLAVFHGH YINGGFTVPFYKQLLGKPIQLSDLESVDPELHKSL VWILENDITPVLDHTFCVEHNAFGRILQHELKPN G\RNVPVTEENKKEYVRLYVNWRFMRGIEAQFL ALQKGFNELIPQHLLKPFDQKELELIIGGLDKIDL NDWKSNTRLKHCVADSNIVRWFWQAVETFDEE RRARLLQFVTGSTRVPLQGFKALQGSTG\AAGPR LFTIHLIDANTDNLRKAHTCFNRIDIPPYESYEKL
3508	A	3	6388	ILYINPADLGWNPPVSSWIEKREIQTERANLTILF DKYLPTCLDTLRTRFKKIIPIPEQSMVQMVCHLLE CLLTTEDIPADCPKEIYEHYFVFAAIWAFGGAMV QDQLVDYRAEFSKWWLTEFKTVKFPSQGTIFDY YIDPETKKFEPWSKLVPQFEFDPEMPLQACLVHT SETIRVCYFMERLMARQRPVMLVGTAGTGKSVL VGAKLASLDPEAYLVKNVPFNYYTTSAMLQAVL EKPLEKKAGRNYGPPGNKKLIYFIDDMNMPEVD AYGTVQPHTIIRQHLDYGHWYDRSKLSLKEITNV QYVSCMNPTAGSFTINPRLQRHFSVFVLSFPGAD ALSSIYSIILTQHLKLGNFPASLQKSIPPLIDLALAF HQKIATTFLPTGIKFHYIFNLRDFANIFQGILFSSV ECVKSTWDLIRLYLHESNRVYRDKMVEEKDFDL FDKIQTEVLKKTFDDIEDPVEQTQSPNLYCHFAN GIGEPKYMPVQSWELLTQTLVEALENHNEVNTV MDLVLFEDAMRHVCHINRILESPRGNALLVGVG GSGKQSLTRLAAFISSMDVFQITLRKGYQIQDFK MDLASLCLKAGVKNLNTVFLMTDAQVADERFL VLINDLLASGEIPDLYSDDEVENIISNVRNEVKSQ GLVDNRENCWKFFIDRIRRQLKVTLCFSPVGNKL RVRSRKFPAIVNCTAIHWFHEWPQQALESVSLRF LQNTEGIEPTVKQSISKFMAFVHTSVNQTSQSYLS NEQRYNYTTPKSFLEFIRLYQSLLHRHRKELKCK TERLENGLLKLHSTSAQVDDLKAKLAAQEVELK QKNEDADKLIQVVGVETDKVSREKAMADEEEQ KVAVIMLEVKQKQKDCEEDLAKAEPALTAAQA ALNTLNKTNLTELKSFGSPPLAVSNVSAAVMVL MAPRGRVPKDRSWKAAKVTMAKVDGFLDSLIN FNKENIHENCLKAIRPYLQDPEFNPEFVATKSYA AAGLCSWVINIVRFYEVFCDVEPKRQALNKATA DLTAAQEKLAAIKAKIAHLNENLAKLTARFEKA TADKLKCQQEAEVTAVTISLANRLVGGLASENV RWADAVQNFKQQERTLCGDILLITAFISYLGFFT KKYRQSLLDRTWRPYLSQLKTPIPVTPALDPLRM



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \-possible nucleotide insertion
				LMDDADVAAWQNEGLPADRMSVENATILINCE RWPLMVDPQLQGIKWIKNKYGEDLRVTQIGQKG YLQIIEQALEAGAVVLIENLEESIDPVLGPLLGRE VIKKGRFIKIGDKECEYNPKFRLILHTKLANPHYQ PELQAQATLINFTVTRDGLEDQLLAAVVSMERP DLEQLKSDLTKQQNGFKITLKTLEDSLLSRLSSAS GNFLGETVLVENLEITKQTAAEVEKKVQEAKVT EVKINEAREHYRPAAARASLLYFIMNDLSKIHPM YQFSLKAFSIVFQKAVERAAPDESLRERVANLID SITFSVYQYTIRGLFECDKLTYLAQLTFQILLMNR EVNAVELDFLLRSPVQTGTASPVEFLSHQAWGA VKVLSSMEEFSNLDRDIEGSAKSWKKFVESECPE KEKLPQEWKNKTALQRLCMLRAMRPDRMTYAL RDFVEEKLGSKYVVGRALDFATSFEESGPATPMF FILSPGVDPLKDVESQGRKLGYTFNNQNFHNVSL GQGQEVVAEAALDLAAKKGHWVILQNTLEMCS RETEFKSILFALCYFHAVVAERRKFGPQGWNRSY PFNTGDLTISVNVLYNFLEANAKVPYDDLRYLFG EIMYGGHITDDWDRRLCRTYLGEFIRPEMLEGEL SLAPGFPLPGNMDYNGYHQYIDAELPPESPYLYG LHPNAEIGFLTQTSEKLFRTVLELQPRDSQARDG AGATREEKVKALLEEILERVTDEFNIPELMAKVE ERTPYIVVAFQECGRMNILTREIQRSLRELELGLK GELTMTSHMENLQNALYFDMVPESWARRAYPS TAGLAAWFPDLLNRIKELEAWTGDFTMPSTVWL TGFFNPQSFLTAIMQSTARKNEWPLDQMALQCD MTKKNREEFRSPPREGAYIHGLFMEGACWDTQA GIITEAKLKDLTPPMPVMFIKAIPADNQDCGHVY SCPYTKTSQ\RDPTYVWTFNLKTKENPSKWVLA
3509	A	3	6388	ILYINPADLGWNPPVSSWIEKREIQTERANLTILF DKYLPTCLDTLRTRFKKIIPIPEQSMVQMVCHLLE CLLTTEDIPADCPKEIYEHYFVFAAIWAFGGAMV QDQLVDYRAEFSKWWLTEFKTVKFPSQGTIFDY YIDPETKKFEPWSKLVPQFEFDPEMPLQACLVHT SETIRVCYFMERLMARQRPVMLVGTAGTGKSVL VGAKLASLDPEAYLVKNVPFNYYTTSAMLQAVL EKPLEKKAGRNYGPPGNKKLIYFIDDMNMPEVD AYGTVQPHTIIRQHLDYGHWYDRSKLSLKEITNV QYVSCMNPTAGSFTINPRLQRHFSVFVLSFPGAD ALSSIYSIILTQHLKLGNFPASLQKSIPPLIDLALAF HQKIATTFLPTGIKFHYIFNLRDFANIFQGILFSSV ECVKSTWDLIRLYLHESNRVYRDKMVEEKDFDL FDKIQTEVLKKTFDDIEDPVEQTQSPNLYCHFAN GIGEPKYMPVQSWELLTQTLVEALENHNEVNTV MDLVLFEDAMRHVCHINRILESPRGNALLVGVG GSGKQSLTRLAAFISSMDVFQITLRKGYQIQDFK MDLASLCLKAGVKNLNTVFLMTDAQVADERFL VLINDLLASGEIPDLYSDDEVENIISNVRNEVKSQ GLVDNRENCWKFFIDRIRRQLKVTLCFSPVGNKL RVRSRKFPAIVNCTAIHWFHEWPQQALESVSLRF LQNTEGIEPTVKQSISKFMAFVHTSVNQTSQSYLS NEQRYNYTTPKSFLEFIRLYQSLLHRHRKELKCK TERLENGLLKLHSTSAQVDDLKAKLAAQEVELK QKNEDADKLIQVVGVETDKVSREKAMADEEEQ



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \top-possible nucleotide insertion
		sequence		KVAVIMLEVKQKQKDCEEDLAKAEPALTAAQA ALNTLNKTNLTELKSFGSPPLAVSNVSAAVMVL MAPRGRVPKDRSWKAAKVTMAKVDGFLDSLIN FNKENIHENCLKAIRPYLQDPEFNPEFVATKSYA AAGLCSWVINIVRFYEVFCDVEPKRQALNKATA DLTAAQEKLAAIKAKIAHLNENLAKLTARFEKA TADKLKCQQEAEVTAVTISLANRLVGGLASENV RWADAVQNFKQQERTLCGDILLITAFISYLGFFT KKYRQSLLDRTWRPYLSQLKTPIPVTPALDPLRM LMDDADVAAWQNEGLPADRMSVENATILINCE RWPLMVDPQLQGIKWIKNKYGEDLRVTQIGQKG YLQIIEQALEAGAVVLIENLEESIDPVLGPLLGRE VIKKGRFIKIGDKECEYNPKFRLILHTKLANPHYQ PELQAQATLINFTVTRDGLEDQLLAAVVSMERP DLEQLKSDLTKQQNGFKITLKTLEDSLLSRLSSAS GNFLGETVLVENLEITKQTAAEVEKKVQEAKVT EVKINEAREHYRPAAARASLLYFIMNDLSKIHPM YQFSLKAFSIVFQKAVERAAPDESLRERVANLID SITFSVYQYTIRGLFECDKLTYLAQLTFQILLMNR EVNAVELDFLLRSPVQTGTASPVEFLSHQAWGA VKVLSSMEEFSNLDRDIEGSAKSWKKFVESECPE KEKLPQEWKNKTALQRLCMLRAMRPDRMTYAL RDFVEEKLGSKYVVGRALDFATSFEESGPATPMF
				FILSPGVDPLKDVESQGRKLGYTFNNQNFHNVSL GQGQEVVAEAALDLAAKKGHWVILQNTLEMCS RETEFKSILFALCYFHAVVAERRKFGPQGWNRSY PFNTGDLTISVNVLYNFLEANAKVPYDDLRYLFG EIMYGGHITDDWDRRLCRTYLGEFIRPEMLEGEL SLAPGFPLPGNMDYNGYHQYIDAELPPESPYLYG LHPNAEIGFLTQTSEKLFRTVLELQPRDSQARDG AGATREEKVKALLEEILERVTDEFNIPELMAKVE ERTPYIVVAFQECGRMNILTREIQRSLRELELGLK GELTMTSHMENLQNALYFDMVPESWARRAYPS TAGLAAWFPDLLNRIKELEAWTGDFTMPSTVWL TGFFNPQSFLTAIMQSTARKNEWPLDQMALQCD MTKKNREEFRSPPREGAYIHGLFMEGACWDTQA GIITEAKLKDLTPPMPVMFIKAIPAD\RQDCGHVY SCPVTKTSQ\RDPTYVWTFNLKTKENPSKWVLA GVALLLQI
3510	A	390	3330	AAGSGSRPPAPAARKMADLAECNIKVMCRFRPL NESEVNRGDKYIAKFQGEDTVVIASKPYAFDRVF QSSTSQEQVYNDCAKKIVKDVLEGYNGTIFAYG QTSSGKTHTMEGKLHDPEGMGIIPRIVQDIFNYIY SMDENLEFHIKVSYFEIYLDKIRDLLDVSKTNLSV HEDKNRVPYVKGCTERFVCSPDEVMDTIDEGKS NRHVAVTNMNEHSSRSHSIFLINVKQENTQTEQK LSGKLYLVDLAGSEKVSKTGAEGAVLDEAKNIN KSLSALGNVISALAEGSTYVPYRDSKMTRILQDS LGGNCRTTIVICCSPSSYNESETKSTLLFGQRAKTI KNTVCVNVELTAEQWKKKYEKEKEKNKILRNTI QWLENELNRWRNGETVPIDEQFDKEKANLEAFT VDKDITLTNDKPATAIGVIGNFTDAERRKCEEEIA KLYKQLDDKDEEINQQSQLVEKLKTQMLDQEEL LASTRRDQDNMQAELNRLQAENDASKEEVKEV



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Vallne, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				QKSATLASIDAELQKLKEMTNHQKKRAAEMMA SLLKDLAEIGIAVGNNDVKQPEGTGMIDEEFTVA RLYISKMKSEVKTMVKRCKQLESTQTESNKKME ENEKELAACQLRISQHEAKIKSLTEYLQNVEQKK RQLEESVDALSEELVQLRAQEKVHEMEKEHLNK VQTANEVKQAVEQQIQSHRETHQKQISSLRDEVE AKAKLITDLQDQNQKMMLEQERLRVEHEKLKA TDQEKSRKLHELTVMQDRREQARQDLKGLEETV AKELQTLHNLRKLFVQDLATRVKKSAEIDS\DDT GGSAAQKQKISFLENNLE\QLTKSAQTSWYRDNA DLRCELPKLEKRLRATAERVKALESALKEAKEN ASRDRKRYQQEVDRIKEAVRSKNMARRGHSAQI AKPIRPGQHPAASPTHPSAIRGGGAFVQNSQPVA VRGGGGKQV
3511	A		1757	MASVQASRRQWCYLCDLPKMPWAMVWDFSEA VCRGCVNFEGADRIELLIDAARQLKRSHVLPEGR SPGPPALKHPATKDLAAAAAQGPQLPPPQAQPQP SGTGGGVSGQDRYDRATSSGRLPLPSPALEYTLG SRLANGLGREEAVAEGARRALLGSMPGLMPPGL LAAAVSGLGSRGLTLAPGLSPARPLFGSDFEKEK QQRNADCLAELNEAMRGRAEEWHGRPKAVREQ LLALSACAPFNVRFKKDHGLVGRVFAFDATARP PGYEFELKLFTEYPCGSGNVYAGVLAVARQMFH DALREPGKALASSGFKYLEYERRHGSGEWRQLG ELLTDGVRSFREPAPAEALPQQYPEPAPAALCGP PPRAPSRNLAPTPRRRKASPEPEGEAAGKMTTEE QQQRHWVAPGGPYSAETPGVPSPIAALKNVAEA LGHSPKDPGGGGGFVRAGGASPAASSTAQPPTQ HRLVARNGEAEVSPTAGAEAVSGGGSGTGATPG APLC\CTLCRERLEDTHFVQ\CPPVPEHKFCFPCSR KFIKAQGPAGE\VYCPSGDKCPLVGSSVPWAFMQ GEIATILAGDIKVKKERDP
3512	A	3	1994	NTNSSSVTNSAAGVEDLNIVQVTVPDNEKERLSS IEKIKQLREQVNDLFSRKFGEAIGVDFPVKVPYR KITFNPGCVVIDGMPPGVVFKAPGYLEISSMRRIL EAAEFIKFTVIRPLPGLELSNGEYSTVGKRKIDQE GRVFQEKWERAYFFVEVQNISTCLICKRSMSVSK EYNLRRHYQTNHSKHYDQYMERMRDEKLHELK KGLRKYLLGLSDTECPEQKQVFANPSPTQKSPVQ PVEDLAGNLWEKLREKIRSFVAYSIAIDEITDINN TTQLAIFIRGVDENFDVSEELLDTVPMTGTKSGN EIFSRVEKSLKNFCINWSKLVSVASTGTPPMVDA NNGLVTKLKSRVATFCKGAELKSICCIIHPESLCA QKLKMDHVMDVVVKSVNWICSRGLNHSEFTTL LYELDSQYGSLLYYTEIKWLSRGLVLKRFFESLE EIDSFMSSRGKPLPQLSSIDWIRDLAFLVDMTMH LNALNISLQGHSQIVTQMYDLIRAFLAKLCLWET HLTRNNLAHFPTLKLVSRNESDGLNYIPKIAELK TEFQKRLSDFKLYESELTLFSSPFSTKIDSVHEELQ MEVIDLQCNTVLKTKYDKVGIPEFYKYLWGSYP KYKHHCAKILSMFGSTYICEQLFSIMKLSKTKYC SQLKDSQWDSVLHIAT
3513	A	1836	513	FKSLLSVKWFCFSILVLIFLGTRCYWEMTQSRPSP DPHRGRWEGGRSRPKGGEEGRRRTRVPGLVTAS GPGNPLPDRLGEMAGGRHRRVVGTLHLLLLVAA



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \possible nucleotide insertion
				LPWASRGVSPSASAWPEEKNYHQPAILNSSALRQ IAEGTSISEMWQNDLQPLLIERYPGSPGSYAARQ HIMQRIQRLQADWVLEIDTFLSQTPYGYRSFSNII STLNPTAKRHLVLACHYDSKYFSHWNNRVFVG ATDSAVPCAMMLELARALDKKLLSLKTVSDSKP DLSLQLIFFDGEEAFLHWSPQDSLYGSRHLAAKM ASTPHPPGARGTSQLHGMDLLVLLDLIGAPNPTF PNFFPNSARWFERLQAIEHELHELGLLKDHSLEG RYFQNYSYGGVIQDDHIPFLRRGVPVLHLIPSPFP EVWHTMDDNEENLDESTIDNLNKILQVFVLEYL HL
3514	A	1836	513	FKSLLSVKWFCFSILVLIFLGTRCYWEMTQSRPSP DPHRGRWEGGRSRPKGGEEGRRRTRVPGLVTAS GPGNPLPDRLGEMAGGRHRRVVGTLHLLLLVAA LPWASRGVSPSASAWPEEKNYHQPAILNSSALRQ IAEGTSISEMWQNDLQPLLIERYPGSPGSYAARQ HIMQRIQRLQADWVLEIDTFLSQTPYGYRSFSNII STLNPTAKRHLVLACHYDSKYFSHW\NNRVFVG ATDSAVPCAMMLELARALDKKLLSLKTVSDSKP DLSLQLIFFDGEEAFLHWSPQDSLYGSRHLAAKM ASTPHPPGARGTSQLHGMDLLVLLDLIGAPNPTF PNFFPNSARWFERLQAIEHELHELGLLKDHSLEG RYFQNYSYGGVIQDDHIPFLRRGVPVLHLIPSPFP EVWHTMDDNEENLDESTIDNLNKILQVFVLEYL HIL
3515	A	114	754	LCRDLTTTMSSKRTKTKTKKRPQRATSNVFAMF DQSQIQEFKEAFNMIDQNRDGFIDKEDLHDMLAS LGKNPTDEYLDAMMNEAPGPINFTMFLTMFGEK LNGTDPEDVIRNAFACFDEEATGTIQEDYLRELL TT\MGDRF\TDE\EVDELYREAPI\DKKGGIFNYI\E FTRHLETGGPKDKDDRKITFQIPSPNVPWLATFG VFLEIFLLHGP
3516	A	1	5169	MAAAPSALLLLPPFPVLSTYRLQSRSRPSAPETDD SRVGGIMRGEKNYYFRGAAGDHGSCPTTTSPLA SALLMPSEAVSSSWSESGGGLSGGDEEDTRLLQL LRTARDPSEAFQALQAALPRRGGRLGFPRRKEAL YRALGRVLVEGGSDEKRLCLQLLSDVLRGQGEA GQLEEAFSLALLPQLVVSLREENPALRKDALQIL HICLKRSPGEVLRTLIQQGLESTDARLRASTALLL PILLTTEDLLLGLDLTEVIISLARKLGDQETEEESE TAFSALQQIGERLGQDRFQSYISRLPSALRRHYN RRLESQFGSQVPYYLELEASGFPEDPLPCAVTLS NSNLKFGIIPQELHSRLLDQEDYKNRTQAVEELK QVLGKFNPSSTPHSSLVGFISLLYNLLDDSNFKVV HGTLEVLHLLVIRLGEQVQQFLGPVIAASVKVLA DNKLVIKQEYMKIFLKLMKEVGPQQVLCLLLEH LKHKHSRVREEVVNICICSLLTYPSEDFDLPKLSF DLAPALVDSKRRVRQAALEAFAVLASSMGSGKT SILFKAVDTVELQDNGDGVMNAVQARLARKTLP RLTEQGFVEYAVLMPSSAGGRSNHLAHGADTD WLLAGNRTQSAHCHCGDHVRDSMHIYGSYSPTI CTRRVLSAGKGKNKLPWENEQPGIMGENQTSTS KDIEQFSTYDFIPSAKLKLSQGMPVNDDLCFSRK RVSRNLFQNSRDFNPDCLPLCAAGTTGTHQTNLS GKCAQLGFSQICGKTGSVGSDLQFLGTTSSHQEK



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, R=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \
				VYASLNFGSKTQQTFGSQTECTSSNGQNPSPGAY ILPSYPVSSPRTSPKHTSPLIISPKKSQDNSVNFSNS WPLKSFEGLSKPKSHRRSLSAQKSSVDPTGR/NHG \(VENSQEKPPVQLTPAL\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
3517	A	1449	252	AASQPPHIKKSLEELLDMTILNEL QDLKPVLDREYLAIYLKMVFFTCNACGESVKKI
3518	A	3	635	QVEKHVSVCRNCECLSCIDCGKDFWGDDYKNH VKCISEDQKYGGKGY/EKVKTHKGD/ASKQQAW IQKISELIK\RPNVSPKVRELLEQISAFDNVPQ\KK AKFQNWMKNSLKVHNESILDQVWNIFSEASNSE PVNKEQDQRPLHPVANPHAEISTKVPASKVKDA VEQQGEVKKNKRERKEERQKKRKREKKELKLE NHQENSRNQKPKKRKKGQEADLEAGGEEVPEA NGSAGKRSKKKKQRKDSASEEEARVGAGKRKR RHSKVETDSKKKKMKLPEHPEGGEPEDDEAPAK GKFNWKGTIKAILKQAPDNEITIKKLRKKVLAQY YTVTDEHHRSEEELLVIFNKKISKNPTFKLLKDK VKLVK
3518	A	3	635	APDSNARNDHFDACSLRVQAGLSSAGPALGNSG LAALMASPSKAVIVPGNGGGDVTTHGWYGWVK KELEKIPGFQCLAKNMPDPITARESIWLPFMETEL HCDEKTIIIGHSSGAIAAMRYAETHRVYAIVLVSA YTSDLGDENERASGYFTRPWQWEKIKANCPYIV QFGSTDDPFLPWKEQQEVAD\SWKPNCTNSLTV ATFRTQSFMN
3519	A	81	2277	VRETRREMAMAMSDSGASRLRRQLESGGFEARL YVKQLSQQSDGDRDLQEHRQRIQALAEETAQNL KRNVYQNYRQFIETAREISYLESEMYQLSHLLTE QKSSLESIPLTLLPAAAAAGAAAASGEEGVGGA GGRDHLRGQAGFFSTPGGASRDGSGPGEEGKQR TLTTLLEKVEGCRHLLETPGQYLVYNGDLVEYD ADHMAQLQRVHGFLMNDCLLVATWLPQRRGM



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
			·	YRYNALYSLDGLAVVNVKDNPPMKDMFKLLMF PENRIFQAENAKIKREWLEVLEDTKRALSEKRRR EQEEAAAPRGPPQVTSKATNPFEDDEEEEPAVPE VEEEKVDLSMEWIQELPEDLDVCIAQRDFEGAV DLLDKLNHYLEDKPSPPPVKELRAKVEERVRQL TEVLVFELSPDRSLRGGPKATRRAVSQLIRLGQC TKACELFLRNRAAAVHTAIRQLRIEGATLLYIHK LCHVFFTSLLETAREFEIDFAGTDSGCYSAFVVW ARSAMGMFVDAFSKQVFDSKESLSTAAECVKVA KEHCQQLGDIGLDLTFIIHALLVKDIQGALHSYK EIIIEATKHRNSEEMWRRMNLMTPEALGKLKEE MKSCGVSNFEQYTGDDCWVNLSYTVVAFTKQT MGFLEEALKLYFPELHMVLLESLVEIILVAVQHV DYSLRCEQDPEKKAFIRQNASFLYETVLPVVEK RFEEGVGKPAKQLQDLRNASRLIRVNPESTTSVV
3520	A	1706	540	FVAHLAWPWRADGDMEDGVLNEGFLVKRGHIV HNWKAR WFILRQNTLVYYKLEGGRRVTPPKGRI LLDGCTITCPCLEYENRPLLIKLKTQTSTEYFLEA CSREE/RRDA WAFE\ITGAIHAGQARGKVQQLHS LRNSFKLPPHISLHRIVDKMHDSNTGIRSSPNMEQ GSTYKKTFLGSSLVDWLISNSFTASRLEAVTLAS MLMEENFLRPVGVRSMGAIRSGDLAEQFLDDST ALYTFAESYKKKISPKEEISLSTVELSGTVVKQGY LAKQGHKRKNWKVRRFVLRKDPAFLHYYDPSK EENRPVGGFSLRGSLVSALEDNGVPTGVKGNVQ GNLFKVITK\DDTHYYIQA\SSKAE\RAE\WIGSLS KSLNMNKDPEGTPDSLPSLPR
3521		3	3063	HASVSLSLGCPRPCADTPGPQPQPMDLRVGQRPP VEPPPEPTLLALQRPQRLHHHLFLAGLQQQRSVE PMRVKMELPACGATLSLVPSLPAFSIPRHQSQSST PCPFLGCRPCPQLSMDTPMPELQEAPQEQELRQL LHKDKSKRSAVASSVVKQKLAEVILKKQQAALE RTVHPNSPGIPYRTLEPLETEGATRSMLSSFLPPV PSLPSDPPEHFPLRKTVSEPNLKLRYKPKKSLERR KNPLLRKESAPPSLRRRPAETLGDSSPSSSSTPAS GCSSPNDSEHGPNPILGSEALLGQRLRLQETSVAP FALPTVSLLPAITLGLPAPARADSDRRTHPTLGPR GPILGSPHTPLFLPHGLEPEAGGTLPSRLQPILLLD PSGSHAPLLTVPGLGPLPFHFAQSLMTTERLSGSG LHWPLSRTRSEPLPPSATAPPPPGPMQPRLEQLKT HVQVIKRSAKPSEKPRLRQIPSAEDLETDGGGPG QVVDDGLEHRELGHGQPEARGPAPLQQHPQVLL WEQQRLAGRLPRGSTGDTVLLPLAQGGHRPLSR AQSSPAAPASLSAPEPASQARVLSSSETPARTLPF TTGLIYDSVMLKHQCSCGDNSRHPEHAGRIQSIW SRLQERGLRSQCECLRGRKASLEELQSVHSERHV LLYGTNPLSRLKLDNGKLAGLLAQRMFVMLPCG GVGVDTDTIWNELHSSNAARWAAGSVTDLAFK VASRELKNGFAVVRPPGHHADHSTAMGFCFFNS VAIACRQLQQQSKASKILIVDWDVHHGNGTQQT FYQDPSVLYISLHRHDDGNFFPGSGAVDEVGAGS GEGFNVNVAWAGGLDPPMGDPEYLAAFRIVVM PIAREFSPDLVLVSAGFDAAEGHPAPLGGYHVSA KCFGYMTQQLMNLAGGAVVLALEGGHDLTAIC DASEACVAALLGNRVDPLSEEGWKQKPNLNAIR



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Pbenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				SLEA\VIRVHSKYWGCMQRLASCPDSWVPRVPG ADKEEVEAVTALASLSVGILAEDRPSEQLVEEEE PMNL
3522	A	9	602	KMAALGEPVRLERDICRAIELLEKLQRSGEVPPQ KLQALQRVLQSEFCNAVREVYEHVYETVDISSSP EVRANATAKATVAAFAASEGHSHPRVVELPKTE EGLGFNIMGGKEQNSPIYISRIIP/GGIADRHGGLK RGDQLLSVNGVSVEGEHHEKAVELLKAAQGKV KLVVRYTPKVLEEMESRFEKMRSAKRRQQT
3523	A	645	1465	IMAETSLLEAGASAASTAAALENLQVEASCSVCL EYLKEPVIIECGHNFCKACITRWWEDLERDFPCP VCRKTSRYRSLRPNRQLGSMVEIAKQL\RPSSGRS GMRASAPQHHEALSLFCYEDQEAVCLICAISHTH RAHTVVPLDDATQEYKEKLQKCLEA\LNQKLQEI TRCKSSEEKKPGELKRLVESRRQQILREFEELHRR LDEEQQVLLSRLEEEEQDILQRLRENAAHLGDKR RDLAHLAAEVEGKCLQSGFEMLKVRPLPLHSPS G
3524	A	3	698	PMVRHEAGEALGAIGDPEVLEILKQYSSDPVIEV AETCQLAVRRLEWLQQHGGEPAAGPYLSVDPAP PAEER\DVGRLREALLDESRPLFERYRAMFALRN AGGEEAALALAEGLHCGSALFRHEVGYVLGQLQ HEAAVPQLAAALARCTENPMVRHECAEALGAIA RPACLAALQAHADDPERVVRE\SCKVALDMYEH ETGRAFQYADGLEQLRGAPSLGPNPHPELPEDS
3525	A	1452	694	EGLQRPEYLVASAAGFQGLAWGGEGRGRAGCS SSGFRDAEPLLLSCPGRNEPLKKERLKWKSDYP MTDGQLRSKRDEFWDTAPAFEGRKEIWDALKA AAYAAEANDHELAQAILDGASITLPHGTLCECY DELGNRYQLPIYCLSPPVNLLLEHTEEESLEPPEP PPSVRREFPLKVRLSTGKDVRLSASLPDTVGQLK RQLHAQE/GTPKPSWQRWFFSGKLLTDRTRLQET KIQKDFVIQVIINQPPPPQD
3526	A	123	3441	PGNEGLGLAADHNEDLGHLSADAPWPAVTMAP RKRSHHGLGFLCCFGGSDIPEINLRDNHPLQFME FSSPIPNAEELNIRFAELVDELDLTDKNREAMFAL PPEKKWQIYCSKKKEQEDPNKLATSWPDYYIDRI NSMAAMQSLYAFDEEETEMRNQVVEDLKTALR TQPMRFVTRFIELEGLTCLLNFLRSMDHATCESRI HTSLIGCIIALMNNSQGRAHVLAQPEAISTIAQSL RTENSKTKVAVLEILGAVCLVPGGHKKVLQAML HYQVYAAERTRFQTLLNELDRSLGRYRDEVNLK TAIMSFINAVLNAGAGEDNLEFRLHLRYEFLMLG IQPVIDKLRQHENAILDKHLDFFEMVRNEDDLEL ARRFDMVHIDTKSASQMFELIHKKLKYTEAYPC LLSVLHHCLQMPYKRNGGYFQQWQLLDRILQQI VLQDERGVDPDLAPLENFNVKNIVNMLINENEV KQWRDQAEKFRKEHMELVSRLERKERECETKTL EKEEMMRTLNKMKDKLARESQELRQARGQVA ELVAQLSELSTGPVSSPPPPGGPPTPPGAPPCLG MGLPLPQDPYPSSDVPLRKKRVPQPSHPLKSFNW VKLNEERVPGTVWNEIDDMQVFRILDLEDFEKM FSAYQRHQELITNPSQQKELGSTEDIYLASRKVK ELSVIDGRRAQNCIILLSKLKLSNEEIRQAILKMD



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				MARADRFLYEMSRIDHYQQRLQALFFKKKFQER LAEAKPKVEAILLASRELVRSKRLRQMLEVILAI GNFMNKGQRGGAYGFRVASLNKIADTKSSIDRN ISLLHYLIMILEKHFPDILNMPSELQHLPEAAKVN LAELEKEVGNLRRGLRAVEVELEYQRRQVREPS DKFVPVMSDFITVSSFSFSELEDQLNEARDKFAK ALMHFGEHDSKMQPDEFFGIFDTFLQAFSEARQD LEAMRRKEEEERRARMEAMLKEQRERERWQR QRKVLAAGSSLEEGGEFDDLVSALRSGEVFDKD LCKLKRSRKRSGSQALEVTRERAINRLNY
3527	A	1445	714	LLGTRMLAGQLEARDPKEGTHPEDPCPGAGAV MEKTAVAAEVLTEDCNTGEMPPLQQQIIRLHQE LGRQKSLWADVHGKLRSHIDALREQNMELREKL RALQLQRWKARKKSAASPHAGQESHTLALEPAF GKISPLSADEETIPKYAGHKN\QSGHSSWGQRSSS NNSAPPKPMSLKIERISSWKTPPQENRDKNLSRR RQDRRATPTGRPTPCAERRG\VSEDGKVASDTCV TLHWPLGKFRFR
3528	A	484	1777	RISKIQVYYSTGYSSRKMNPTLGLAIFLAVLLTVK GLLKPSFSPRNYKALSEVQGWKQRMAAKELAR QNMDLGFKLLKKLAFYNPGRNIFLSPLSISTAFS MLCLGAQDSTLDEIKQGFNFRKMPEKDLHEGFH YIIHELTQKTQDLKLSIGNTLFIDQRLQPQRKFLE DAKNFYSAETILTNFQNLEMAQKQINDFI/ESKTH GKINNLIENIDPGTVMLLANYIFFRARWKHEFDP NVTKEEDFFLEKNSSVKVPMMFRSGIYQVGYDD KLSCTILEIPYQKNITAIFILPDEGKLKHLEKGLQV DTFSRWKTLLSRRVVDVSVPRLHMTGTFDLKKT LSYIGVSKIFEEHGDLTKIAPHRSLKVGEAVNKA ELKMDERGTEGAAGTGAQTLPMETPLVVKIDKP YLLLIYSEKIPSVLFLGKIVNPIGK
3529	A		5684	VSSVSHENPTEVFEDGENPPSSRSSESGFTEFIQY QADRTDDIDRELSEGQGAAAIPIGSTSSETETAST VGSEETIIQTPSVVTQGTATRSRKTAQKTAMQCC LEYVQQFLTRLINLYIIQNNSFSQSLATEHQGDLG REQGETSKWDRNSQGDVKEKNISKQKTSKEYLS AFLAACQLFLECSSFPVYIAEGNHTSELRSEKLET DCEHVQPPQWLQTLMNACSQASDFSVQSVAISL VMDLVGLTQSVAMVTGENINSVEPAQPLSPNQG RVAVVIRPPLTQGNLRYIAEKTEFFKHVALTLWD QLGDGTPQHHQKSVELFYQLHNLVPSSSICEDVI SQQLTHKDKKIRMEAHAKFAVLWHLTRDLHINK SSSFVRSFDRSLFIMLDSLNSLDGSTSSVGQAWL NQVLQRHDIARVLEPLLLLLLHPKTQRVSVQRV QAERYWNKSPCYPGEESDKHFMQNFACSNVSQ VQLITSKGNGEKPLTMDEIENFSLTVNPLSDRLSL LSTSSETIPMVVSDFDLPDQQIEILQSSDSGCSQSS AGDNLSYEVDPETVNAQEDSQMPKESSPDDDVQ QVVFDLICKVVSGLEVESASVTSQLEIEAMPPKC SDIDPDEETIKIEDDSIQQSQNALLSNESSQFLSVS AEGGHECVANGISRNSSSPCISGTTHTLHDSSVAS IETKSRQRSHSSIQFSFKEKLSEKVSEKETIVKESG KQPGAKPKVKLARKKDDDKKKSSNEKLKQTSV FFSDGLDLENWYSCGEGDISEIESDMGSPGSRKSP



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \possible nucleotide insertion
		sequence		NFNIHPLYQHVLLYLQLYDSSRTLYAFSAIKAILK TNPIAFVNAISTTSVNNAYTPQLSLLQNLLARHRI SVMGKDFYSHIPVDSNHNFRSSMYIEILISLCLYY MRSHYPTHVKVTAQDLIGNRNMQMMSIEILTLL FTELAKVIESSAKGFPSFISDMLSKCKVQKVILHC LLSSIFSAQKWHSEKMAGKNLVAVEEGFSEDSLI NFSEDEFDNGSTLQSQLLKVLQRLIVLEHRVM\T IPEE\NETGFDFVVS\DLEHISPHQPMTSLQYLHAQ SITCQGMFLCAVIRA\LHQHCACKMHPQWIGLIT STLPYMGKVLQRVVVSVTLQLCRNLDNLIQQYK YETGLSDSRPLWMASIIPPDMILTLLEGITAIIHYC LLDPTTQYHQLLVSVDQKHLFEARSGILSILHMI MSSVTLLWSILHQADSSEKMTIAASASLTTINLG ATKNLRQQILELLGPISMNHGVHFMAAIAFVWN ERRQNKTTTRTKVIPAASEEQLLLVELVRSISVM RAETVIQTVKEVLKQPPAIAKDKKHLSLEVCML QFFYAYIQRIPVPNLVDSWASLLILKDSIQLSLP APGQFLILGVLNEFIMKNPSLENKKDQRDLQDVT HKIVDAIGAIAGSSLEQTTWLRRNLEVKPSPKIM VDGTNLESDVEDMLSPAMETANITPSVYSVHAL TLLSEVLAHLLDMVFYSDEKERVIPLLVNIMHYV VPYLRNHSAHNAPSYRACVQLLSSLSGYQYTRR AWKKEAFDLFMDPSFFQMDASCVNHWRAIMDN LMTHDKTTFRDLMTRVAVAQSSSLNLFANRDVE LEQRAMLLKRLAFAIFSSEIDQYQKYLPDIQERLV ESLRLPQVPTLHSQVFLFFRVLLLRMSPQHLTSL WPTMITELVQVFLLMEQELTADEDISRTSGPSVA GLETTYTGGNGFSTSYNSQRWLNLYLSACKFLD LALALPSENLPQFQMYRWAFIPEASDDSGLEVRR QGIHQREFKPYVVRLAKLLRKRAKKNPEEDNSG RTLGWEPGHLLLTICTVRSMEQLLPFFNVLSQVF NSKVTSRCGGHSGSPILYSNAFPNKDMKLENHKP CSSKAROKIEEMVEKDFLEGMIKT
3530	A		5684	VSSVSHENPTEVFEDGENPPSSRSSESGFTEFIQY QADRTDDIDRELSEGQGAAAIPIGSTSSETETAST VGSEETIIQTPSVVTQGTATRSRKTAQKTAMQCC LEYVQQFLTRLINLYIIQNNSFSQSLATEHQGDLG REQGETSKWDRNSQGDVKEKNISKQKTSKEYLS AFLAACQLFLECSSFPVYIAEGNHTSELRSEKLET DCEHVQPPQWLQTLMNACSQASDFSVQSVAISL VMDLVGLTQSVAMVTGENINSVEPAQPLSPNQG RVAVVIRPPLTQGNLRYIAEKTEFFKHVALTLWD QLGDGTPQHHQKSVELFYQLHNLVPSSSICEDVI SQQLTHKDKKIRMEAHAKFAVLWHLTRDLHINK SSSFVRSFDRSLFIMLDSLNSLDGSTSSVGQAWL NQVLQRHDIARVLEPLLLLLHPKTQRVSVQRV QAERYWNKSPCYPGEESDKHFMQNFACSNVSQ VQLITSKGNGEKPLTMDEIENFSLTVNPLSDRLSL LSTSSETIPMVVSDFDLPDQQIEILQSSDSGCSQSS AGDNLSYEVDPETVNAQEDSQMPKESSPDDDVQ QVVFDLICKVVSGLEVESASVTSQLEIEAMPPKC SDIDPDEETIKIEDDSIQQSQNALLSNESSQFLSVS AEGGHECVANGISRNSSSPCISGTTHTLHDSSVAS IETKSRQRSHSSIQFSFKEKLSEKVSEKETIVKESG KQPGAKPKVKLARKKDDDKKKSSNEKLKQTSV



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				FFSDGLDLENWYSCGEGDISEIESDMGSPGSRKSP NFNIHPLYQHVLLYLQLYDSSRTLYAFSAIKAILK TNPIAFVNAISTTSVNNAYTPQLSLLQNLLARHRI SVMGKDFYSHIPVDSNHNFRSSMYIEILISLCLYY MRSHYPTHVKVTAQDLIGNRNMQMMSIEILTLL FTELAKVIESSAKGFPSFISDMLSKCKVQKVILHC LLSSIFSAQKWHSEKMAGKNLVAVEEGFSEDSLI NFSEDEFDNGSTLQSQLLKVLQRLIVLEHRVM\T IPEENETGFDFVVS\DLEHISPHQPMTSLQYLHAQ SITCQGMFLCAVIRA\LHQHCACKMHPQWIGLIT STLPYMGKVLQRVVVSVTLQLCRNLDNLIQQYK YETGLSDSRPLWMASIIPPDMILTLLEGITAIIHYC LLDPTTQYHQLLVSVDQKHLFEARSGILSILHMI MSSVTLLWSILHQADSSEKMTIAASASLTTINLG ATKNLRQQILELLGPISMNHGVHFMAAIAFVWN ERRQNKTTTRTKVIPAASEEQLLLVELVRSISVM RAETVIQTVKEVLKQPPAIAKDKKHLSLEVCML QFFYAYIQRIPVPNLVDSWASLLILLKDSIQLSLP APGQFLILGVLNEFIMKNPSLENKKDQRDLQDVT HKIVDAIGAIAGSSLEQTTWLRRNLEVKPSPKIM VDGTNLESDVEDMLSPAMETANITPSVYSVHAL TLLSEVLAHLLDMVFYSDEKERVIPLLVNIMHYV VPYLRNHSAHNAPSYRACVQLLSSLSGYQYTRR AWKKEAFDLFMDPSFFQMDASCVNHWRAIMDN LMTHDKTTFRDLMTRVAVAQSSSLNLFANRDVE LEQRAMLLKRLAFAIFSSEIDQYQKYLPDIQERLV ESLRLPQVPTLHSQVFLFFRVLLLRMSPQHLTSL WPTMITELVQVFLLMEQELTADEDISRTSGPSVA GLETTYTGGNGFSTSYNSQRWLNLYLSACKFLD LALALPSENLPQFQMYRWAFIPEASDDSGLEVRR QGIHQREFKPYVVRLAKLLRKRAKKNPEEDNSG RTLGWEPGHLLLTICTVRSMEQLLPFFNVLSQVF NSKVTSRCGGHSGSPILYSNAFPNKDMKLENHKP CSSKARQKIEEMVEKDFLEGMIKT
3531		553	2470	LISPSPALSSQDPALSLKENLEDISGWGLPEARSK ESVSFKDVAVDFTQEEWGQLDSPQRALYRDVM LENYQNLLALGPPLHKPDVISHLERGEEPWSMQ REVPRGPCPEWELKAVPSQQQGICKEEPAQEPIM ERPLGGAQAWGRQAGALQRSQAAP\GR\RTCHG LGRP\VEEFPLRCPLFAQQRVPEGGPLLDTRKNV QATEGRTKAPARLCAGENASTPSEPEKFPQVRRQ RGAGAGEGEFVCGECGKAFRQSSSLTLHRRWHS REKAYKCDECGKAFTWSTNLLEHRRIHTGEKPFF CGECGKAFSCHSSLNVHQRIHTGERPYKCSACEK AFSCSSLLSMHLRVHTGEKPYRCGECGKAFNQR THLTRHHRIHTGEKPYQCGSCGKAFTCHSSLTVH EKIHSGDKPFKCSDCEKAFNSRSRLTLHQRTHTG EKPFKCADCGKGFSCHAYLLVHRRIHSGEKPFKC NECGKAFSSHAYLIVHRRIHTGEKPFDCSQCWKA FSCHSSLIVHQRIHTGEKPYKCSECGRAFSQNHCL IKHQKIHSGEKSFKCEKCGEMFNWSSHLTEHQRL HSEGKPLAIQFNKHLLSTYYVPGSLLGAGDAGLR DVDPIDALDVAKLLCVVPPRAGRNFSLGSKPRN
3532	A	3931	317	HRELQDSPSAEPPAGSMPLRHWGMARGSKPVGD GAQPMAAMGGLKVLLHWAGPGGGEPWVTFSES



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				SLTAEEVCIHIAHKVGITPPCFNLFALFDAQAQV WLPPNHILEIPRDASLMLYF\RHRFYSR\NWHGM NPREPAVYRCGPPGTEASSDQTAQGMQLLDPAS FEYLFEQGKHEFVNDVASLWELSTEEEIHHFKNE SLGMAFLHLCHLALRHGIPLEEVAKKTSFKDCIP RSFRRHIRQHSALTRLRLRNVFRRFLRDFQPGRLS QQMVMVKYLATLERLAPRFGTERVPVCHLRLLA QAEGEPCYIRDSGVAPTDPGPESAAGPPTHEVLV TGTGGIQWWPVEEEVNKEEGSSGSSGRNPQASL FGKKAKAHKAFGQPADRPREPLGAYFCDFRDIT HVGLKEHCVSIHRQDNKCLELSLPSRAAALSFVS LVDGYFRLTADSSHYLCHEVAPPRLVMSIRDGIH GPLLEPFVQAKLRPEDGLYLIHWSTSHPYRLILTV AQRSQAPDGMQSLRLRKFPIEQQDGAFVLEGWG RSFPSVRELGAALQGCLLRAGDDCFSLRRCCLPQ PGETSNLIIMRGARASPRTLNLSQLSFHRVDQKEI TQLSHLGQGTRTNVYEGRLRVEGSGDPEEGKMD DEDPLVPGRDRGQELRVVLKVLDPSHHDIALAF YETASLMSQVSHTHLAFVHGVCVRGPENIMVTE YVEHGPLDVWLRRERGHVPMAWKMVVAQQLA SALSYLENKNLVHGNVCGRNILLARLGLAEGTSP FIKLSDPGVGLGALSREERVERIPWLAPECLPGG ANSLSTAMDKWGFGATLLEICFDGEAPLQSRSPS EKEHFYQRQHRLPEPSCPQLATLTSQCLTYEPTQ RPSFRTILRDLTRLQPHNLADVLTVNPDSPASDPT VFHKRYLKKIRDLGEGHFGKVSLYCYDPTNDGT GEMVAVKALKADCGPQHRSGWKQEIDILRTLYH EHIIKYKGCCEDQGEKSLQLVMEYVPLGSLRDYL PRHSIGLAQLLLFAQQICEGMAYLHAQHYIHRDL AARNVLLDNDRLVKIGDFGLAKAVPEGHEYYRV REDGDSPVFWYAPECLKEYKFYYASDVWSFGVT LYELLTHCDSSQSPPTKFLELIGIAQGQMTVLRLT ELLERGERLPRPDKCPCEVYHLMKNCWETEASF RPTFENLIPILKTVHEKYQGQAPSVFSVC
3533	A		3465	FRWLDFFRGSINSQFEFGRKKENMTSPAKFKKDK EIIAEYDTQVKEIRAQLTEQMKCLDQQCELRVQL LQDLQDFFRKKAEIEMDYSRNLEKLAERFLAKT RSTKDQQFKKDQNVLSPVNCWNLLLNQVKRES RDHTTLSDIYLNNIIPRFVQVSEDSGRLFKKSKEV GQQLQDDLMKVLNELYSVMKTYHMYNADSISA QSKLKEAEKQEEKQIGKSVKQEDRQTPRSPDSTA NVRIEEKHVRRSSVKKIEKMKEKRQAKYTENKL KAIKARNEYLLALEATNASVFKYYIHDLSDLIDQ CCDLGYHASLNRALRTFLSAELNLEQSKHEGLD AIENAVENLDATSDKQRLMEMYNNVFCPPMKFE FQPHMGDMASQLCAQQPVQSELLQRCLQLQSRL STLKIENEEVKKTMEATLQTIQDIVTVEDFDVSD CFQYSNSMESVKSTVSETFMSKPSIAKRRANQQE TEQFYFTKMKEYLEGRNLITKLQAKHDLLQKTL GESQRTDCSLARRSSTVRKQDSSQAIPLVVESCIR FISRHGLQHEGIFRVSGSQVEVNDIKNAFERGEDP LAGDQNDHDMDSIAGVLKLYFRGLEHPLFPKDIF HDLMACVTMDNLQERALHIRKVLLVLPKTTLII MRYLFAFLNHLSQFSEENMMDPYNLAICFGPSL MSVPEGHDQVSCQAHVNELIKTIIQHENIFPSPRE



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				LEGPVYSRGGSMEDYCDSPHGETTSVEDSTQDV TAEHHTSDDECEPIEAIAKFDYVGRTARELSFKK GASLLLYQRASDDWWEGRHNGIDGLIPHQYIVV QDTEDGVVERSSPKSEIEVISEPPEEKVTARAGAS CPSGGHVADIYLANINKQRKRPESGSIRKTFRSDS HGLSSSLTDSSSPGVGASCRPSSQPIMSQSLPKEG PDKCSISGHGSLNSISRHSSLKNRLDSPQIRKTAT AGRSKSFDNHRPMDPEVIAQDIEATMNSALNELR ELERQSSVKHTPDVVLDTLEPLKTSPVVAPTSEPS SPLHTQLLKDPEPAFQRSASTAGDIACAFRPVKS VKMAAPVKPPAT\RPKPT\VFPKTNATSPGVNSST SPQSTDKSCTV
3534	A		2640	FRRFVCPASRRPAAGLRDAASSAPRGMASEGPRE PESEGIKLSADVKPFVPRFAGLNVAWLESSEACV FPSSAATYYPFVQEPPVTEQKIYTEDMAFGASTFP PQYLSSEITLHPYAYSPYTLDSTQNVYSVPGSQY LYNQPSCYRGFQTVKHRNENTCPLPQEMKALFK KKTYDEKKTYDQQKFDSERADGTISSEIKSARGS HHLSIYAENSLKSDGYHKRTDRKSRIIAKNVSTS KPEFEFTTLDFPELQGAENNMSEIQKQPKWGPVH SVSTDISLLREVVKPAAVLSKGEIVVKNNPNESV TANAATNSPSCTRELSWTPMGYVVRQTLSTELS AAPKNVTSMINLKTIASSADPKNVSIPSSEALSSD PSYNKEKHIIHPTQKSKASQGSDLEQNEASRKNK KKKEKSTSKYEVLTVQEPPRIEDAEEFPNLAVAS ERRDRIETPKFQSKQQPQDNFKNNVKKSQLPVQL DLGGMLTALEKKQHSQHAKQSSKPVVVSVGAV PVLSKECASGERGRRMSQMKTPHNPLDSSAPLM KKGKQREIPKAKKPTSLKKIILKERQERKQRLQE NAVSPAFTSDDTQDGESGGDDQFPEQAELSGPEG MDELISTPSVEDKSEEPPGTELQRDTEASHLAPN HTTFPKIHSRRFRDYCSQMLSKEVDACVTDLLKE LVRFQDRMYQKDPVKAKTKRRLVLGLREVLKH LKLKKLKCVIISPNCEKIQSKGGLDDTLHTIIDYA CEQNIPFVFALNRKALGRSLNKAVPVSVVGIFSY DGAQDQFHKMVELTVAARQAYKTMLENVQQE LVGEP\SLRHLPAYPHRAPAALQKMAPQP/VKEK EEPHYIEIWKKHLEAYSGCTLELEESLEASTSQM MNLNL
3535	A	1747	983	LFQFQVCRSVLSPRAAGCTWSLAPRSRGAAGSPR RYRGPQPQPAPPSALPNSRPSPVASGREMVVLSV PAEVTVILLDIEGTTTPIAFVKDILFPYIEENVKEY LQTHWEEEECQQDVSLLRKQV\FADVVPAVRKW REAGMKVYIYSSGSVEAQKLLFGHSTEGDILELV DGHFDTKIGHKVESESYRKIADSIGCSTNNILFLT DVTREASAAEEADVHVAVVVRPGNAGLTDDEK TYYSLITSFSELYLPSST
3536	A	3	1302	GRPPTAPHTGRPPTANRGDPRLDLKRGCARLLTS IESRGRPAASAGLRRDRCALRRWPLRRAPLARAT RRRAGSPRRCAPRPRACPQGWSRARHQPGGLCL LLLLLCQFMEDRSAQAGNCWLRQAKNGRCQVL YKTELSKEECCSTGRLSTSWTEEDVNDNTLFKW MIFNGGAPNCIPCKETCENVDCGPGKKCRMNKK NKPRCVCAPDCSNITWKGPVCGLDGKTYRNECA LLKARCKEQPELEVQYQGRCKKTCRDVFCPGSS



PCT/US01/04098

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				TCV\VDQTNNAYCVTCNRICPEPASSEQYLCGND GVTYS\SACHLRKATCLLGRSIGLAYEGKCIKAK SCEDIQCTGGKKCLWDFKVGRGRCSLCDELCPD SKSDEPVCASDNATYASECAMKEAACSSGVLLE VKHSGSCNSISEDTEEEEEDEDQDYSFPISSILEW
3537	A	285	2123	IGLFLQVAPLSVMAKSCPSVCRCDAGFIYCNDRF LTSIPTGIPEDATTLYLQNNQINNAGIPSDLKNLL KVERIYLYHNSLDEFPTNLPKYVKELHLQENNIR TITYDSLSKIPYLEELHLDDNSVSAVSIEEGAFRD SNYLRLLFLSRNHLSTIPWGLPRTIEELRLDDNRIS TISSPSLQGLTSLKRLVLDGNLLNNHGLGDKVFF NLVNLTELSLVRNSLTAAPVNLPGTNLRKLYLQ DNHINRVPPNAFSYLRQLYRLDMSNNNLSNLPQ GIFDDLDNITQLILRNNPWYCGCKMKWVRDWL QSLPVKVNVRGLMCQAPEKVRGMAIKDLNAELF DCKDSGIVSTIQITTAIPNTVYPAQGQWPAPVTK QPDIKNPKLTKDHQTTGSPSRKTITITVKSVTSDTI HISWKLALPMTALRLSWLKLGHSPAFGSITETIVT GERSEYLVTALEPDSPYKVCMVPMETSNLYLFD ETPVCIETETAPLRMYNPTTTLNREQEKEPYKNP NLPLAAIIGGAVALVTIALLALVCWYVHRNGSLF SRNCAYSKGRRRKDDYAEAGTKKDNSILEIRETS FQMLPISNEPISKEEFVIHTIFPPNGMNLYKNNH
3538	A	877	6184	WNVKPSLLVVQLFKFSDKEEHEQNDSISGKTGET GVEEMIATRKVEQDSKETVKLSHEDDHILEDAGS SDISSDAACTNPNKTENSLVGLPSCVDEVTECNL ELKDTMGIADKTENTLERNKIEPLGYCEDAESNR QLESTEFNKSNLEVVDTSTFGPESNILENAICDVP DQNSKQLNAIESTKIESHETANLQDDRNSQSSSV SYLESKSVKSKHTKPVIHSKQNMTTDAPKKIVAA KYEVIHSKTKVNVKSVKRNTDVPESQQNFHRPV KVRKKQIDKEPKIQSCNSGVKSVKNQAHSVLKK TLQDQTLVQIFKPLTHSLSDKSHAHPGCLKEPHH PAQTGHVSHSSQKQCHKPQQQAPAMKTNSHVK EELEHPGVEHFKEEDKLKLKKPEKNLQPRQRRSS KSFSLDEPPLFIPDNIATIRREGSDHSSSFESKYMW TPSKQCGFCKKPHGNRFMVGCGRCDDWFHGDC VGLSLSQAQQMGEEDKEYVCVKCCAEEDKKTEI LDPDTLENQATVEFHSGDKTMECEKLGLSKHTT NDRTKYIDDTVKHKVKILKRESGEGRNSSDCRD NEIKKWQLAPLRKMGQPVLPRRSSEEKSEKIPKE STTVTCTGEKASKPGTHEKQEMKKKKV\EKGVL NVHPAASASKPSADQIRQSVRHSLKDILMKRLTD SNLKVPEEKAAKVATKIEKELFSFFRDTDAKYKN KYRSLMFNLKDPKNNILFKKVLKGEVTPDHLIR MSPEELASKELAAWRRENRHTIEMIEKEQREVE RRPITKITHKGEIEIESDAPMKEQEAAMEIQEPAA NKSLEKPEGSEK\RKEEVDSMSKDTTSQHRQHLF DLNCKICIGRMAPPVDDLSPKKVKVVVGVARKH SDNEAESIADALSSTSNILASEFFEEEKQESPKSTF SPAPRPEMPGTVEVESTFLARLNFIWKGFINMPS VAKFVTKAYPVSGSPEYLTEDLPDSIQVGGRISPQ TVWDYVEKIKASGTKEICVVRFTPVTEEDQISYT LLFAYFSSRKRYGVAANNMKQVKDMYLIPLGAT DKIPHPLVPFDGPGLELHRPNLLLGLIIRQKLKRQ



WO 01/57190 PCT/US01/04098 .

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Hlstidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				HSACASTSHIAETPESAPPIALPPDKKSKIEVSTEE APEEENDFFNSFTTVLHKQRNKPQQNLQEDLPTA VEPLMEVTKQEPPKPLRFLPGVLIGWENQPTTLE LANKPLPVDDILQSLLGTTGQVYDQ\AQSVMEQ NTVKEIPFLNEQTNSKIEKTDNVEVTDGENKEIK VKVDNISESTDKSAEIETSVVGSSSISAGSLTSLSL RGKPPDVSTEAFLTNLSIQSKQEETVESKEKTLKR QLQEDQENNLQDNQTSNSSPCRSNVGKGNIDGN VSCSENLVANTARSPQFINLKRDPRQAAGRSQPV TTSESKDGDSCRNGEKHMLPGLSHNKEHLTEQIN VEEKLCSAEKNSCVQQSDNLKVAQNSPSVENIQT SQAEQAKPLQEDILMQNIETVHPFRRGSAVATSH FEVGNTCPSEFPSKSITFTSRSTSPRTSTNFSPMRP QQPNLQHLKSSPPGFPFPGPPNFPPQSMFGFPPHL PPPLLPPPGFG\FA\QNPMVPWPPVV\HLP\GQPQR MMGPLSQASRYIGPQNFYQVKDIRRPERRHSDP WGRQDQQQLDRPFNRGKGDRQRFYSDSHHLKR ERHEKEWEQESERHRRRDRSQDKDRDRKSREEG HKDKERARLSHGDRGTDGKASRDSRNVDKKPD KPKSEDYEKDKEREKSKHREGEKDRDRYHKDR DHTDRTKSKR
3539	A	157	1769	GSWTVELSLKPSASPSLKWVCLPGAAAVNKHRS GAGGLIRSLIQCTWAPAGPARRGGRGIEDFPYLF FQLTHCQQRICSVTQAGVQWCDHSSLQPQTPGL NQSSHLSLLSSRDYRMLSSFNEWFWQDRFWLPP NVTWTELEDRDGRVYPHPQDLLAALPLALVLLA MRLAFERFIGLPLSRWLGVRDQTRRQVKPNATL EKHFLTEGHRPKEPQLSLLAAQCGLTLQQTQRW FRRRNQDRPQLTKKFCEASWRFLFYLSSFVGGL SVLYHESWLWAPVMCWDRYPNQLTLSCPAADS EA\SLYWWYLLELGFYLSLLIRLPFDVKRKGGGP SSIKPRPHYDPPSTA\DFKEQVIHHFVAVILMTFSY SANLLRIGSLVLLLHDSSDYLLEACKMVNYMQY QQVCDALFLIFSFVFFYTRLVLFPTQILYTTYYESI SNRGPFFGYYFFNGLLMLLQLLHVFWSCLILRML YSFMKKGQMEKDIRSDVEESDSSEEAAAAQEPL QLKNGTAGGPRPAPTDGPRSRVAGRLTNRHTTA
3540	A	267	1397	SPAGYCHSGLLPGCSRSA/CADLAKHQELPGKKL LSEKKLKRYFVDYRRVLVCGGNGGAGASCFHSE PRKEFGGPDGGDGGNGGHVILRVDQQVKSLSSV LSRYQGFSGEDGGSKNCFGRSGAVLYIRVPVGTL VKEGGRVVADLSCVGDEYIAALGGAGGKGNRF FLANNNRAPVTCTPGQPGQQRVLHLELKTVAHA GMVGFPNAGKSSLLRAISNARPAVASYPFTTLKP HVGIVHYEGHLQIAVADIPGIIRGAHQNRGLGSA FLRHIERCRFLLFVVDLSQPEPWTQVDDLKYELE MYEKGLSARPHAIVANKIDLPEAQANLSQLRDH LGQEVIVLSALTGENLEQLLLHLKVLYDAYAEA ELGQGRQPLRW
3541	A	1	8008	DTQVSETLKRFAGKVTTASVKERREILSELGKCV AGKDLPEGAVKGLCKLFCLTLHRYRDAASRRAL QAAIQQLAEAQPEATAKNLLHSLQSSGIGSKAGV PSKSSGSAALLALTWTCLLVRIVFPSRAKRQGDI WNKLVEVQCLLLLEVLGGSHKHAVDGAVKKLT



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				KLWKENPGLVEQYLSAILSLEPNQNYAGMLGLL VQFCTSHKEMDVVSQHKSALLDFYMKNILMSK VKPPKYLLDSCAPLLRYLSHSEFKDLILPTIQKSL LRSPENVIETISSLLASVTLDLSQYAMDIVKGLAG HLKSNSPRLMDEAVLALRNLARQCSDSSAMESL TKHLFAILGGSEGKLTVVAQKMSVLSGIGSVSHH VVSGPSSQVLNGIVAELFIPFLQQEVHEGTLVHA VSVLALWCNRFTMEVPKKLTEWFKKAFSLKTST SAVRHAYLQCMLASYRGDTLLQALDLLPLLIQT VEKAASQSTQVPTITEGVAAALLLLKLSVADSQA EAKLSSFWQLIVDEKKQVFTSEKFLVMASEDAL CTVLHLTERLFLDHPHRLTGNKVQQYHRALVA VLLSRTWHVRRQAQQTVRKLLSSLGGFKLAHGL LEELKTVLSSHKVLPLEALVTDAGEVTEAGKAY VPPRVLQEALCVISGVPGLKGDVTDTEQLAQEM LIISHHPSLVAVQSGLWPALLARMKIDPEAFITRH LDQIIPRMTTQSPLNQSSMNAMGSLSVLSPDRVL PQLISTITASVQNPALRLVTREEFAIMQTPAGELY DKSIIQSAQQDSIKKANMKRENKAYSFKEQIIELE LKEEIKKKKGIKEEVQLTSKQKEMLQAQLDREA QVRRRLQELDGELEAALGLLDIILAKNPSGLTQYI PVLVDSFLPLLKSPLAAPRIKNPFLSLAACVMPSR LKALGTLVSHVTLRLLKPECVLDKSWCQEELSV AVKRAVMLLHTHTITTSRVGKGEPGAAPLSAPAFS LVFPFLKMVLTEMPHHSEEEEEWMAQILQILTVQ AQLRASPNTPPGRVDENGPELLPRVAMLRLLTW VIGTGSPRLQVLASDTLTTLCASSSGDDGCAFAE QEEVDVLLCALQSPCASVRETVLRGLMEHMVL PAPDTDEKNGLNILIRILWVVKFDKEEEIRKLAE RLWSMMGLDLQPDLCSLLIDDVIYHEAAVRQAG AEALSQAVARYQRQAAEVMGRLMEIYQEKLYR PPPVLDALGRVISESPPDQWEARCGLALAINKLS QYLDSSQVKPLFQFFVPDALNDRHPDVRKCMLD AALATLNTHGKENVNSLLPVFEEFLKNAPNDAS YDAVRQSVVVLMGSLAKHLDKSDPKVKPIVAKL IAALSTPSQQVQESVASCLPPLVPAIKEDAGGMIQ RLMQQLLESDKYAERKGAAYGLAGLVKGLGILS LKQQEMMAALTDAIQDKKNFRREGALFAFEM LCTMLGKLFEPYVVHVLPHLLLCFGDGNQYVRE AADDCAKAVMSNLSAHGVKLVLPSLLAALEEES WRTKAGSVELLGAMAYCAPKQLSSCLPNIVPKL TEVLTDSHVKVQKAGQQALRQIGSVIRNPEILAI APVLLDALTDPSRKTQKCLQTLLDTKYVHFIDAP SLALIMPIVQRAFQDRSTDTRKMAAQIIGNMYSL TDQKDLAPYLPSVTPGLKASLLDPVPEVRTVSAK ALGAMVKGMGESCFEDLLPWLMETLTYEQSSV DRSGAAQGLAEVMAGLGVEKLEKLMPEIVATAS KVDIAPHVRDGYIMMFNYLPITFGDKFTPYVGPII PCILKALADENEFVRDTALRAGQRVISMYAETAI ALLLPQLEQGLFDDLWRIFFSSVQLLGDLLFHISG VTGKMTTETASEDDNFGTAQSNKAIITALGVERR
				NRVLAGLYMGRSDTQLVVRQASLHVWKIVVSN TPRTLREILPTLFGLLLGFLASTCADKRTIAARTL GDLVRKLGEKILPEIIPILEEGLRSQKSDERQGVCI GLSEIMKSTSRDAVLYFSESLVPTARKALCDPLE

SEQ ID NO:	Method	Predicted beginning	Predicted end	Amino acid sequence (A=Alanine C=Cystelne, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine,
	(nucleotide	location	I=Isoleucine, K=Lysine, L=Leucine, M=Methionine,
]	location	corresponding	N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine,
		corresponding	to last amino	T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine,
		to first amino acid residue of	acid residue of peptide	X=Unknown, *=Stop codon, /=possible nucleotide deletion,
		peptide sequence	sequence	- Possible nucleonale instation
				EVREAAAKTFEQLHSTIGHQALEDILPFLLKQLD DEEVSEFALDGLKQVMAIKSRVVLPYLVPKLTTP
				PVNTRVLAFLSSVAGDALTRHLGVILPAVMLAL
				KEKLGTPDEQLEMANCQAVILSVEDDTGHRIIIE
		İ		DLLEATRSPEVGMRQAAAIILNIYCSRSKADYTS
				HLRSLVSGLIRLFNDSSPVVLEESWDALNAITKK
			ĺ	LDAGNQLALIEELHKEIRLIGNESKGEHVPGFCLP
į			ļ	KKGVTSILPVLREGVLTGSPEQKEEAAKALGLVI
				RLTSADALRPSVVSITGPLIRILGDRFSWNVKAAL
		}	ļ	LETLSLLLAKVGIALKPFLPQLQTTFTKALQDSNR
ļ		Ì	·	GVRLKAADALGKLISIHIKVDPLFTELLNGIRAME
				DPGVRDTMLQALRFVIQGAGAKVDAVIRKNIVS
				LLLSMLGHDEDNTRISSAGCLGELCAFLTEEELS
	İ		ĺ	AVLQQCLLADVSGIDWMVRHGRSLALSVAVNV
		1		APGRLCAGRYSSDVQEMILSSATADRIPIAVSGV
				RGMGFLMRHHIETGGGQLPAKLSSLFVKCLQNP
				SSDIRLVAEKMIWWANKDPLPPLDPQAIKPILKA
				LLDNTKDKNTVVRAYSDQAIVNLLKMRQGEEVF
				QSLSKILDVASLEVLNEVNRRSLKKLASQADSTE QVDDTILT
3542	A	62	1130	PWNPQDFPGNRGLMG\QKGEIGPP\GQQGKKGAP
3342	^	02	1130	GMP/GLMGSNGSPGQPGTPGSKGSKGEPGIQGMP
	1	1		GASGLKGEPGATGSPGEPGYMGLPGIQGKKGDK
				GNQGEKGIQGQKGENGRQGIPGQQGIQGHHGAK
				GERGEKGEPGVRGAIGSKGESGVDGLMGPAGPK
}		1	}	GQPGDPGPQGPPGLDGKPGREFSEQFIRQVCTDV
				IRAQLPVLLQSGRIRNCDHCLSQHGSPGIPGPPGPI
<u> </u>				GPEGPRGLPGLPGRDGVPGLVGVPGRPGVRGLK
		İ		GLPGRNGEKGSQGFGYPGEQGPPGPPGPEGPPGI
		1		SKEGPPGDPGLPGKDGDHGKPGIQGQPGPPGICD
				PSLCFSVIARRDPFRKGPNY
3543	A	654	194	PARSLEKMKASVVLSLLGYLVVPSGAYILGRCTV
				AKKLHDGGLDYFERYSLENWVCLAYFESKFNPS\
			ļ	AIYENTREGYTGFGLFQMRGSDWCGDHGRNRC
				HMSCSALLNPNLEKTIKCAKTIVKGKEGMGAWP TWSRYCQYSDTLARWLDGCKL
3544	A	12	1074	SCRLAAGRLAQWLLRASRSGMLRAGWLRGAAA
3344	1	2	1074	LALLLAARVVAAFEPITVGLAIGAASAITGYLSY
				NDIYCRFAECCREERPLNASALKLDLEEKLFGOH
				LATEVI\FKALTGFRNNKNPKKPLTLSLHGWAGT
				GKNFVSQMGAENLHPKGLKSNFVHLFVSTLHFP
		1		HEQKIKLYQDQLQKWIRGNVSACANSVFIFDEM
				DKL\HPGIIE\AIKPFLDYYEHVERVSYR\KAIFIFLS
				NAGGDLITKTALDFWRAGRKREDIQLKDLEPVL
	1	i		SVGVFNNKHSGLWHSGLIDKNLIDYFIPFLPLEYR
				HVKMCVRAEMRARGSAIDEDIVTRVAEEMTFFP\
		<u> </u>		RDEKIYSDKGCKTVQSRLDFH
3545	A	3	273	SAQGRSWGRFYRQIKRHPGIIPMIGLICLGMGSA
	1	1		ALYLLRLALRSPDVW*SWDRKNNPEPWNRLSPN
0.5.5	 	<u> </u>	701	DQYKFLAVSTDYKKLKKDRPDF
3546	A	23	591	ALSTETRTPDMRRLLLVTSLVVVLLWEAGAVPA
	1			PKVPIKMQVKHWPSEQDPEKAWGARVVEPPEK
ļ	1			DDQLVVLFPVQKPKLLTTEEKPRGQGRGPILPGT
	1			KAWMETEDTLGRVLSPEPDHDSLYHPPPEEDQG
	<u> </u>	J	L	EERPRLWVMPNHQVLLGPEEDQDHIYHPQ*GSR

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methlonine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Scrine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
3547	A	23	591	ALSTETRTPDMRRLLLVTSLVVVLLWEAGAVPA
3347	A.	23	391	PKVPIKMQVKHWPSEQDPEKAWGARVVEPPEK DDQLVVLFPVQKPKLLTTEEKPRGQGRGPILPGT KAWMETEDTLGRVLSPEPDHDSLYHPPPEEDQG EERPRLWVMPNHQVLLGPEEDQDHIYHPQ*GSR GHHCPRPVPRPRLLGLGPSLPCPS
3548	A	3	1641	TWLPSVPAEEVQQPEMAAVLNAERLEVSVDGLT LSPDPEERPGAEGAPLAAATAATALATWIRSRPG RLRGTARSPGRRAAGGAAEEARRLEQRWGFGLE ELYGLALRFFKEKDGKAFHPTYEEKLKLVALHK QVLMGPYNPDTCPEVGFFDVLGNDRRREWAAL GNMSKEDAMVEFVKLLNRCCHLFSTYVASHKIE KEEQEKKRKEEEERRREEEERERLQKEEEKRRR EEEERLRREEEERRRIEEERLRLEQQKQQIMAAL NSQTAVQFQQYAAQQYPGNYEQQQILIRQLQEQ HYQQYMQQLYQVQLAQQQAALQKQQEVVVAG SSLPTSSKVECNCTQVI*CQFNRQAKTHTDSSEKE LEPEAAEEALENGPKESLPVIAAPSMWTRPQIKD FKEKIQQDADSVITVGRGEVVTVRVPTHEEGSYL FWEFATDNYDIGFGVYFEWTDSPNTAVSVHVSE SSDDDEEEEENIGCEEKAKKNANKPLLDEIVPVY RRDCHEEVYAGSHQYPGRGVYLLKFDNSYSLW RSKSVYYRVYYTR
3549	A	1837	3593	PAVLVLEPASQSRKQQNTASATAQHWSAQIHKE SFLAPVFTKDEQKHRRPYEFEVERDAKARGLEQF SATHGHTPIILNGWHGESAMDLSCSSEGSPGATS PFPVSASTPKIGAISSLQGALGMDLSGILQAGLIHP VTGQIVNGSLRRDDAATRRRGRRKHVEGGMD LIFLKEQTLQAGILEVHEDPGQATLSTTHPEGPGP ATSAPEPATAASSQAEKSIPSKSLLDWLRQQADY SLEVPGFGANFSDKPKQRRPRCKEPGKLDVSSLS GEERVPAIPKEPGLRGFLPENKFNHTLAEPILRDT GPRRRGRRPRSELLKAPSIVADSPSGMGPLFMNG LIAGMDLVGLQNMRNMPGIPLTGLVGFPAGFAT MPTGEEVKSTLSMLPMMLPGMAAVPQMFGVGG LLSPPMATTCTSTAPASLSSTTKSGTAVTEKTAE DKPSSHDVKTDTLAEDKPGPGPFSDQSEPAITTSS PVAFNPFLIPGVSPGLIYPSMFLSPGMGMALPAM QQARHSEIVGLESQKRKKKKTKGDNPNSHPEPA PSCEREPSGDENCAEPSAPLPAEREHGAQAGEGA LKDSNNDTN
3550	A	287	39	QLNLNKIATSQKHRDFVAESVGEKPVGSLAGIGE VMDKKLEEGCFDKAYVVLGQFLVLKKDEDLF*E WLRDTGGARTRGSRE
3551	A	21	3925	GDLLEVGLPPGLEFPRGICLRGLRRTMSLDFGSV ALPVQNEDEEYDEEDYEREKELQQLLTDLPHDM LDDDLSSPELQYSDCSEDGTDGQPHHPEQLEMS WNEQMLPKSQSVNGPSCQGLEPYNKVTYKPYQS SAQNNGSPAQEITGSDTFEGLQQQFLGANENSAE NMQIIQLQVLNKAKERQLENLIEKLNESERQIRY LNHQLVIIKDEKDGLTLSLRESQKLFQNGKEREIQ LEAQIKALETQIQALKVNEEQMIKKSRTTEMALE SLKQQLVDLHHSESLQRAREQHESIVMGLTKKY EEQVLSLQKNLDATVTALKEQEDICSRLKDHVK

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
		sequence		QLERNQEAIKLEKTEIINKLTRSLEESQKQCAHLL QSGSVQEVAQLQFQLQQAQKAHAMSANMNKA LQEELTELKDEISLYESAAKLGIHPSDSEGELNIEL TESYVDLGIKKVNWKKSKVTSIVQEEDPNEELSK DEFILKLKAEVQRLLGSNSMKRHLVSQLQNDLK DCHKKIEDLHQVKKDEKSIEVETKTDTSEKPKNQ LWPESSTSDVVRDDILLLKNEIQVLQQQNQELKE TEGKLRNTNQDLCNQMRQMVQDFDHDKQEAV DRCERTYQQHHEAMKTQIRESLLAKHALEKQQL FEAYERTHLQLRSELDKLNKEVTAVQECYLEVC REKDNLELTLRKTTEKEQQTQEKIKEKLIQQLEK EWQSKLDQTIKAMKKKTLDCGSQTDQVTTSDVI SKKEMAIMIEEQKCTIQQNLEQEKDIAIKGAMKK LEIELELKHCENITKQVEIAVQNAHQRWLGELPE LAEYQALVKAEQKKWEEQHEVSVNKRISFAVSE AKEKWKSELENMRKNILPGKELEEKIHSLQKELE LKNEEVPVVIRAELAKARSEWNKEKQEEIHRIQE QNEQDYRQFLDDHRNKINEVLAAAKEDFMKQK TELLLQKETELQTCLDQSRREWTMQEAKRIQLEI YQYEEDILTVLGVLLSDTQKEHISDSEDKQLLEI MSTCSSKWMSVQYFEKLKGCIQKAFQDTLPLLV ENADPEWKKRNMAELSKDSASQGTGQGDPGPA AGHHAQPLALQATEAEADKKKVLEIKDLCCGHC FQELEKAKQECQDLKGKLEKCCRHLQHLERKHK AVVEKIGEENNKVVEELIEENNDMKNKLEELQT LCKTPPRSLSAGAIENACLPCSGGALEELRGQYIK AVKKIKCDMLRYIQESKERAAEMVKAEVL*ERQ ETARKMRKYYLICLQQILQDDGKEGAEKKIMNA
3552	A	771	375	ASKLATMAKLLETPISSKSQSKTTQSGMSK ARTRQTSGQAREPEKESPAPGGGGLAEIRSRQQL SQTSRIPPLAKDQAVEAMFPPARGKELLSFEDVA MYFTREEWGHLNWGQKDLYRDVMLENYRNMV LLVYFQFDAAIPLC*TSLAHSSWLQLYFRLYF
3553	A	76	72	PGVRGVEAPGGVAPGRNAMRRGERRDAGGPRP ESPVPAGRASLEEPPDGPSAGQATGPGEGRRSTE SEVYDDGTNTFFWRAHTLTVLFILTCTLGYVTLL EETPQDTAYNTKRGIVASILVFLCFGVTQAKDGP FSRPHPAYWRFWLCVSVVYELFLIFILFQTVQDG RQFLKYVDPKLGVPLPERDYGGNCLIYDPDNET DPFHNIWDKLDGFVPAHFLGWYLKTLMIRDWW MCMIISVMFEFLEYSLEHQLPNFSECWWDHWIM DVLVCNGLGIYCGMKTLEWLSLKTYKWQGLWN IPTYKGKMKRIAFQFTPYSWVRFEWKPASSLRR WLAVCGIILVFLLAELNTFYLKFVLWMPPEHYLV LLRLVFFVNVGGVAMREIYDFMDDPKPHKKLGP QAWLVAAITATELLIVVKYDPHTLTLSLPFYISQC WTLGSVLALTWTVWRFFLRDITLRYKETRWQK WQNKDDQGSTVGNGDQHPLGLDEDLLGPGVAE GEGAPTPN*PRGPAPRPLPSAPRAVCGASSRR
3554	A	2	2106	FDEFSALPSPSLQTSWSFGPMSRRALRRLRGEQR GQEPLGPGALHFDLRDDDDAEEEGPKRELGVRR PGGAGKEGVRVNNRFELINIDDLEDDPVVNGERS GCALTDAVAPGNKGRGQRGNTESKTDGDDTET VPSEQSHASGKLRKKKKKQKNKKSSTGEASENG LEDIDRILERIEDSTGLNRPGPAPLSSRKHVLYVE




SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				HRHLNPDTELKRYFGARAILGEQRPRQRQRVYP KCTWLTTPKSTWPRYSKPGLSMRLLESKKGLSFF AFEHSEEYQQAQHKFLVAVESMEPNNIVVLLQT SPYHVDSLLQLSDACRFQEDQEMARDLVERALY SMECAFHPLFSLTSGACRLDYRRPENRSFYLALY KQMSFLEKRGCPRTALEYCKLILSLEPDEDPLCM LLLIDHLALRARNYEYLIRLFQEWEVGASLAHRN LSQLPNFAFSVPLAYFLLSQQTDLPECEQSSARQ KASLLIQQALTMFPGVLLPLLESCSVRPDASVSSH RFFGPNAEISQPPALSQLVNLYLGRSHFLWKEPA TMSWLEENVHEVLQAVDAGDPAVEACENRRKV LYQRAPRNIHRHVILSEIKEAVAALPPDVTTQSV MGFDPLPPSDTIYSYVRPERLSPISHGNTIALFFRS LLPNYTMEGERPEEGVAGGLNRNQGLNRLMLA VRDMMANFHLNDLEAPHEDDA*GEGEWD
3555	A	2	2106	FDEFSALPSPSLQTSWSFGPMSRRALRRLRGEQR GQEPLGPGALHFDLRDDDDAEEGPKRELGVRR PGGAGKEGVRVNNRFELINIDDLEDDPVVNGERS GCALTDAVAPGNKGRGQRGNTESKTDGDDTET VPSEQSHASGKLRKKKKKQKNKKSSTGEASENG LEDIDRILERIEDSTGLNRPGPAPLSSRKHVLYVE HRHLNPDTELKRYFGARAILGEQRPRQRQRVYP KCTWLTTPKSTWPRYSKPGLSMRLLESKKGLSFF AFEHSEEYQQAQHKFLVAVESMEPNNIVVLLQT SPYHVDSLLQLSDACRFQEDQEMARDLVERALY SMECAFHPLFSLTSGACRLDYRRPENRSFYLALY KQMSFLEKRGCPRTALEYCKLILSLEPDEDPLCM LLLIDHLALRARNYEYLIRLFQEWEVGASLAHRN LSQLPNFAFSVPLAYFLLSQQTDLPECEQSSARQ KASLLIQQALTMFPGVLLPLLESCSVRPDASVSSH RFFGPNAEISQPPALSQLVNLYLGRSHFLWKEPA TMSWLEENVHEVLQAVDAGDPAVEACENRRKV LYQRAPRNIHRHVILSEIKEAVAALPPDVTTQSV MGFDPLPPSDTIYSYVRPERLSPISHGNTIALFFRS LLPNYTMEGERPEEGVAGGLNRNQGLNRLMLA VRDMMANFHLNDLEAPHEDDA*GEGEWD
3556	A	3388	1650	KTRGTMFYYPNVLQRHTGCFATIWLAATRGSRL VKREYLRVNVVKTCEEILNYVLVRVQPPQPGLP RPRFSLYLSAQLQIGVIRVYSQQCQYLVEDIQHIL ERLHRAQLQIRIDMETELPSLLLPNHLAMMETLE DAPDPFFGMMSVDPRLPSPFDIPQIRHLLEAAIPE RVEEIPPEVPTEPREPERIPVTVLPPEAITILEAEPIR MLEIEGERELPEVSRRELDLLIAEEEEAILLEIPRL PPPAPAE*GQELLDQVGCQCWEGSPHFSCPFPLR VEGMGEALGPEELRLTGWEPGALLMEVTPPEEL RLPAPPSPERRPPVPPPPRRRRRRLLFWDKETQI SPEKFQEQLQTRAHCWECPMVQPPERTIRGPAEL FRTPTLSGWLPPELLGLWTHCAQPPPKALRRELP EEAAAEEERRKIEVPSEIEVPREALEPSVPLMVSL EISLEAAEEEKSRISLIPPEERWAWPEVEAPEAPA LPVVPELPEVPMEMPLVLPPELELLSLEAVHRAV ALELQANREPDFSSLVSPLSPRRMAARVFYLLLV LSAQQILHVKQEKPYGRLLIQPGPRFH
3557	A	3388	1650	KTRGTMFYYPNVLQRHTGCFATIWLAATRGSRL VKREYLRVNVVKTCEEILNYVLVRVQPPQPGLP



SEQ ID NO:	Method	Predicted beginning nucleotide	Predicted end nucleotide location	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methlonine.
	1	location	corresponding	N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine,
:		corresponding	to last amino	T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine,
		to first amino acid residue of	acid residue of peptide	X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
		peptide sequence	sequence	
				RPRFSLYLSAQLQIGVIRVYSQQCQYLVEDIQHIL
	ł	}		ERLHRAQLQIRIDMETELPSLLLPNHLAMMETLE
				DAPDPFFGMMSVDPRLPSPFDIPQIRHLLEAAIPE RVEEIPPEVPTEPREPERIPVTVLPPEAITILEAEPIR
			(MLEIEGERELPEVSRRELDLLIAEEEEAILLEIPRL
				PPPAPAE*GQELLDQVGCQCWEGSPHFSCPFPLR
		ļ		VEGMGEALGPEELRLTGWEPGALLMEVTPPEEL
				RLPAPPSPERRPPVPPPPRRRRRRRLLFWDKETQI
	ļ			SPEKFQEQLQTRAHCWECPMVQPPERTIRGPAEL
				FRTPTLSGWLPPELLGLWTHCAQPPPKALRRELP
				EEAAAEEERRKIEVPSEIEVPREALEPSVPLMVSL
				EISLEAAEEEKSRISLIPPEERWAWPEVEAPEAPA
	}	}]	LPVVPELPEVPMEMPLVLPPELELLSLEAVHRAV ALELQANREPDFSSLVSPLSPRRMAARVFYLLLV
		İ		LSAQQILHVKQEKPYGRLLIQPGPRFH
3558	A	489	2360	IRPRPRGRRRALDSPNAAAPPVYVCRSPGEPTSL
		1		VNMASEDIAKLĄETLAKTQVAGGQLSFKGKSLK
	ĺ		ĺ	LNTAEDAKDVIKEIEDFDSLEALRLEGNTVGVEA
],		ARVIAKAL*KKSELKRCHWSDMFTGRLRTEIPPA
			1	LISLGEGLITAGAQLVELDLSDNAFGPDGVQGFE
				ALLKSSACFTLQELKLNNCGMGIGGGKILAAALT
		ł		ECHRKSSAQGKPLALKVFVAGRNRLENDGATAL AEAFRVIGTLEEVHMPQNGINHPGITALAQAFAV
				NPLLRVINLNDNTFTEKGAVAMAETLKTLRQVE
		ĺ		VINFGDCLVRSKGAVAIADAIRGGLPKLKELNLS
				FCEIKRDAALAVAEAMADKAELEKLDLNGNTLG
				EEGCEQLQEVLEGFNMAKVLASLSDDEDEEEEE
				EGEEEEEAEEEEEDEEEEEEEEEEPQQRG
	1			QGEKSATPSRKILDPNTGEPAPVLSSPPPADVSTF
				LAFPSPEKLLRLGPKSSVLIAQQTDTSDPEKVVSA
				FLKVSSVFKDEATVRMAVQDAVDALMQKAFNS SSFNSNTFLTRLLVHMGLLKSEDKVKAIANLYGP
}		1		LMALNHMVQQDYFPKALAPLLLAFVTKPNSALE
				SCSFARHSLLQTLYKV
3559	A	489	2360	IRPRPRGRRRALDSPNAAAPPVYVCRSPGEPTSL
	1	1		VNMASEDIAKLAETLAKTQVAGGQLSFKGKSLK
		j		LNTAEDAKDVIKEIEDFDSLEALRLEGNTVGVEA
				ARVIAKAL*KKSELKRCHWSDMFTGRLRTEIPPA
1		1	l	LISLGEGLITAGAQLVELDLSDNAFGPDGVQGFE ALLKSSACFTLQELKLNNCGMGIGGGKILAAALT
				ECHRKSSAQGKPLALKVFVAGRNRLENDGATAL
				AEAFRVIGTLEEVHMPQNGINHPGITALAQAFAV
1	1		ĺ	NPLLRVINLNDNTFTEKGAVAMAETLKTLRQVE
	j	}		VINFGDCLVRSKGAVAIADAIRGGLPKLKELNLS
1				FCEIKRDAALAVAEAMADKAELEKLDLNGNTLG
	1	1		EEGCEQLQEVLEGFNMAKVLASLSDDEDEEEEE
				EGEEEEEAEEEEEDEEEEEEEEEEPQQRG
ĺ	1			QGEKSATPSRKILDPNTGEPAPVLSSPPPADVSTF LAFPSPEKLLRLGPKSSVLIAQQTDTSDPEKVVSA
]		FLKVSSVFKDEATVRMAVQDAVDALMQKAFNS
}		1	ļ	SSFNSNTFLTRLLVHMGLLKSEDKVKAIANLYGP
				LMALNHMVQQDYFPKALAPLLLAFVTKPNSALE
L	l	L		SCSFARHSLLQTLYKV
3560	A	2	1198	FVRELPRPRPGAATAAIMVSVINTVDTSHEDMIH
L		L	L	DAQMDYYGTRLATCSSDRSVKIFDVRNGGQILIA




SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				DLRGHEGPVWQVAWAHPMYGNILASCSYDRKV IIWREENGTWEKSHEHAGHDSSVNSVCWAPHDY GLILACGSSDGAISLLTYTGEGQWEVKKINNAHT IGCNAVSWAPAVVPGSLIDHPSGQKPNYIKRFAS GGCDNLIKLWKEEEDGQWKEEQKLEAHSDWVR DVAWAPSIGLPTSTIASCSQDGRVFIWTCDDASS NTWSPKLLHKFNDVVWHVSWSITANILAVSGGD NKVTLWKESVDGQWVCISDVNKGQGSVSASVT EGQQNEQ*QDRWGLAPHPPAPGLPLPGPTNQTT GKSPQLQQDYFPRRSYRCSHRLIICLNVIGDAL
3561	A	540	86	WRVKEMTSTLPKALGRKTASRSHTTLQGGSCCP VLWTAKLRCRKLRFPLPPPPPSSSAWPWQGWGI RGEQEAEGPLGETGPPVGPELSGLRQWRKLIKGR YGEWRGSGQKTGQPS*TTMQGGETEENRTETTT GNKQRESEAPWVRHTYIT
3562	A	1920	242	PMMAMPFFERFKSSIQRPSPVLVLSQNTKRESGR KVQSGNINAAKTIADIIRTCLGPKSMMKMLLDP MGGIVMTNDGNAILREIQVQHPAAKSMIEISRTQ DEEVGDGTTSVIILAGEMLSVAEHFLEQQMHPTV VISAYRKALDDMISTLKKISIPVDISDSDMMLNIIN SSITTKAISRWSSLACNIALDAVKMVQFEENGRK EIDIKKYARVEKIPGGIIEDSCVLRGVMINKDVTH PRMRRYIKNPRIVLLDSSLEYKKGESQTDIEITRE EDFTRILQMEEEYIQQLCEDIIQLKPDVVITEKGIS DLAQHYLMRANITAIRRVRKTDNNRIARACGARI VSRPEELREDDVGTGAGLLEIKKIGDEYFTFITDC KDPKACTILLRGASKEILSEVERNFQDAMQVCRN VLLDPQLVPGGGASEMAVAHALTEKSKAMTGV EQWPYRAVAQALEVIPRTLIQNCGASTIRLLTSLR AKHTQENCETWGVNGETGTLVDMKELGIWEPL AVKLQTYKTAVETAVLLLRIDDIVSGHKKKGDD QSRQGGAPDAGQE
3563	A	1571	560	GPSLLGTRGTPNPARTLQIFFLIIGRRLTGRMAAV DDLQFEEFGNAATSLTANPDATTVNIEDPGETPK HQPGSPRGSGREEDDELLGNDDSDKTELLAGQK KSSPFWTFEYYQTFFDVDTYQVFDRIKGSLLPIPG KNFVRLYIRSNPDLYGPFWICATLVFAIAISGNLS NFLIHLGEKTYHYVPEFRKVSIAATIIYAYAWLVP LALWGFLMWRNSKVMNIVSYSFLEIVCVYGYSL FIYIPTAILWIIPHKAVRWILVMIALGISGSLLAMT FWPAVREDNRRVALATIVTIVLLHMLLSVGCLA YFFDAPEMDHLPTTTATPNQTVAAAKSS
3564	A	1	328	NSRVDDFVAHLQRPLLGPASCLGILRPAMTAHSF ALPGIIFTTFWGLVGIAGPWFVPKGPNRGVIITML VATAVCCYLFWLIAILAQLNPLFGPQLKNETIWY VRFLWE
3565	A	2	1081	FVTDFPARSMAATSLMSALAARLLQPAHSCSLRL RPFHLAAVRNEAVVISGRKLAQQIKQEVRQEVEE WVASGNKRPHLSVILVGENPASHSYVLNKTRAA AVVGINSETIMKPASISEEELLNLINKLNNDDNVD GLLVQLPLPEHIDERRICNAVSPDKDVDGFHVIN VGRMCLDQYSMLPATPWGVWEIIKRTGIPTLGK NVVVAGRSKNVGMPIAMLLHTDGAHERPGGDA TVTISHRYTPKEQLKKHTILADIVISAAGIPNLITA DMIKEGAAVIDVGINRVHDPVTAKPKLVGDVDF



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				EGVRQKAGYITPVPGGVGPMTVAMLMKNTIIAA KKVLRLEEREVLKSKELGVATN
3566	A	3	1130	SCRRGRQQQRRNVSLSSQFAHTMAAPAQQTTQP GGGKRKGKAQYVLAKRARRCDAGGPRQLEPGL QGILITCNMNERKCVEEAYSLLNEYGDDMYGPE KFTDKDQQPSGSEGEDDDAEAALKKEVGDIKAS TEMRLRRFQSVESGANNVVFIRTLGIEPEKLVHHI LQDMYKTKKKKTRVILRMLPISGTCKAFLEDMK KYAETFLEPWFKAPNKGTFQIVYKSRNNSHVNR EEVIRELAGIVCTLNSENKVDLTNPQYTVVVEIIK AVCCLSVVKDYMLFRKYNLQEVVKSPKDPSQLN SKQGNGKEAKLESADKSDQNNTAEGKNNQQVP ENTEELGQTKPTSNPQVVNEGGAKPELASQATE GSKSNENDFS
3567	A	248	3498	GKKDSSPWTCPFHPPLQLFFVIRNTRQLGDFHLA KIKVRNYWTADGDLDIGAKNVKLYVNRNLIFNG KLDKGDREAPADHSILVDQKNEKSEQLEEAMNA HSEESKGTHEMAGASGDKELGLGCSPPAETLAD AKLSSQGNVSGKRKNSTNCRKDSLSQLEEYLRLS AVPTSMGDMPSAPATSPPVKCPPVHEEPSLIQQL ENLMGRKICEPPGKTPSWLQPSPTGKDRKQGGR KPKPLWLSPEKPLAWKGRLPSDDVIGEGPGETEA RDKGLRHEPGWGTSRSVNTKERPQRATTKVHSD DSDIFNQPPNRERPASGRRGSRKDAGSSSHGDDQ PASREDTWSSRTPSRSRWRSEQEHTLHESWSSLS AFDRSHRGRISNTELPGDILDELLQQKSSRHSDLP PSKKGEQPGLSRGQDGYSGETDAGGDFKIPVLPY GQRLVIDIKSTWGDRHYVGLNGIEIFSSKGEPVQI SNIKADPPDINILPAYGKDPRVVTNLIDGVNRTQ DDMHVWLAPFTRGRSHSITIDFTHPCHVALIRIW NYNKSRIHSFRGVKDITMLLDTQCIFEGEIAKASG TLAGAPEHFGDTILFTTDDDIŁEAIFYSDEMFDLD VGSLDSLQDEEAMRRPSTADGEGDERPFTQAGL GADERIPELELPSSSPVPQVTTPEPGIYHGICLQLN FTASWGDLHYLGLTGLEVVGKEGQALPIHLHQIS ASPRDLNELPEYSDDSRTLDKLIDGTNITMEDEH MWLIPFSPGLDHVVTIRLDRAESIAGLRFWNYNK SPEDTYRGAKIVHVSLDGLCVSPPEGFLIRKGPG NCHFDFAQEILFVDYLRAQLLPQPARRLDMRSLE CASMDYEAPLMPCGFIFQFQLLTSWGDPYYIGLT GLELYDERGEKIPLSENNIAAFPDSVNSLEGVGG DVRTPDKLIDQVNDTSDGRHMWLAPILPGLVNR VYVIFDLPTTVSMIKLWNYAKTPHRGVKEFGLL VDDLLVYNGILAMVSHLVGGILPTCEPTVPYHTI LFTEDRDIRHQEKHTTISNQAEDQDVQMMNENQ
3568	A	50	1724	IITNAKRKQSVVDPALRPKTCISEKETRRRC AQGGTLSAASRFCRGGLLGPWLHPASEMAATLD LKSKEEKDAELDKRIEALRRKNEALIRRYQEIEE DRKKAELEGVAVTAPRKGRSVEKENVAVESEKN LGPSRRSPGTPRPPGASKGGRTPPQQGGRAGMG RASRSWEGSPGEQPRGGGAGGRGRRGRGSPH LSGAGDTSISDRKSKEWEERRRQNIEKMNEEME KIAEYERNQREGVLEPNPVRNFLDDPRRRSGPLE ESERDRREESRRHGRNWGGPDFERVRCGLEHER QGRRAGLGSAGDMTLSMTGRERSEYLRWKQER



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \perpossible nucleotide insertion
				EKIDQERLQRHRKPTGQWRREWDAEKTDGMFK DGPVPAHEPSHRYDDQAWARPPKPPTFGEFLSQ HKAEASSRRRRKSSRPQAKAAPRAYSDHDDRWE TKEGAASPAPETPQPTSPETSPKETPMQPPEIPAP AHRPPEDEGEENEGEEDEEWEDISEDEEEEEIEVE EGDEEEPAQDHQAPEAAPTGIPCSEQAHGVPFSP EEPLLEPQAPGTPSSPFSPPSGHQPVSDWGEEVEL NSPRTTHLAGALSPGEAWPFESV
3569	A	1	912	MGRVGRAGVQLGRRRTTWAAERTGQAAAGGP GRALRGQRPDLRSGGAADSPAAGRGELYCGVLP RSPWFLSERRRQMADFDTYDDRAYSSFGGGRGS RGSAGGHGSRSQKELPTEPPYTAYVGNLPFNTV QGDIDAIFKDLSIRSVRLVRDKDTDKFKGFCYVE FDEVDSLKEALTYDGALLGDRSLRVDIAEGRKQ DKGGFGFRKGGPDDRGFRDDFLGGRGGSRPGDR RTGPPMGSRFRDGPPLRGSNMDFREPTEEERAQR PRLQLKPRTVATPLNQVANPNSAIFGGARPREEV VQKEQE
3570	A .	1	912	MGRVGRAGVQLGRRRTTWAAERTGQAAAGGP GRALRGQRPDLRSGGAADSPAAGRGELYCGVLP RSPWFLSERRRQMADFDTYDDRAYSSFGGGRGS RGSAGGHGSRSQKELPTEPPYTAYVGNLPFNTV QGDIDAIFKDLSIRSVRLVRDKDTDKFKGFCYVE FDEVDSLKEALTYDGALLGDRSLRVDIAEGRKQ DKGGFGFRKGGPDDRGFRDDFLGGRGGSRPGDR RTGPPMGSRFRDGPPLRGSNMDFREPTEEERAQR PRLQLKPRTVATPLNQVANPNSAIFGGARPREEV VOKEQE
3571	A	28	131	RHFFGNLCAMRAK WRKKRMRRLKRKRRKMRQ RSK
3572	A	3	1202	QSEPHRKVRVDPPVRDRPPPHPPPLLVQRALPGQ GQAEGSDGADGAKRRAMAHQTGIHATEELKEFF AKARAGSVRLIKVVIEDEQLVLGASQEPVGRWD QDYDRAVLPLLDAQQPCYLLYRLDSQNAQGFE WLFLAWSPDNSPVRLKMLYAATRATVKKEFGG GHIKDELFGTVKDDLSFAGYQKHLSSCAAPAPLT SAERELQQIRINEVKTEISVESKHQTLQGLAFPLQ PEAQRALQQLKQKMVNYIQMKLDLERETIELVH TEPTDVAQLPSRVPRDAARYHFFLYKHTHEGDP LESVVFIYSMPGYKCSIKERMLYSSCKSRLLDSV EQDFHLEIAKKIEIGDGAELTAEFLYDEVHPKQH AFKQAFAKPKGPGGKRGHKRLIRGPGENGDDS
3573	A	49	1869	PHCEPNPGAGAMVLLHVLFEHAVGYALLALKEV EEISLLQPQVEESVLNLGKFHSIVRLVAFCPFASS QVALENANAVSEGVVHEDLRLLLETHLPSKKKK VLLGVGDPKIGAAIQEELGYNCQTGGVIAEILRG VRLHFHNLVKGLTDLSACKAQLGLGHSYSRAKV KFNVNRVDNMIIQSISLLDQLDKDINTFSMRVRE WYGYHFPELVKIINDNATYCRLAQFIGNRRELNE DKLEKLEELTMDGAKAKAILDASRSSMGMDISAI DLINIESFSSRVVSLSEYRQSLHTYLRSKMSQVAP SLSALIGEAVGARLIAHAGSLTNLAKYPASTVQIL GAEKALFRALKTRGNTPKYGLIFHSTFIGRAAAK NKGRISRYLANKCSIASRIDCFSEVPTSVFGEKLR EQVEERLSFYETGEIPRKNLDVMKEAMVQAEAE



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methlonine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				EAAAEITRKLEKQEKKRLKKEKKRLAALALASS ENSSSTPEECEETSEKPKKKKKQKPQEVPQENGM EDPSISFSKPKKKKSFSKEELMSSDLEETAGSTSIP KRKKSTPKEETVNDPEEAGHRSRSKKKRKFSKEE PVSSGPEEAVGKSSSKKKKKFHKASQED
3574		284	2032	CGNERTARLWVQPVVSTMPQASEHRLGRTREPP VNIQPRVGSKLPFAPRARSKERRNPASGPNPMLR PLPPRPGLPDERLKKLELGRGRTSGPRPRGPLRA DHGVPLPGSPPPTVALPLPSRTNLARSKSVSSGDL RPMGIALGGHRGTGELGAALSRLALRPEPPTLRR STSLRRLGGFPGPPTLFSIRTEPPASHGSFHMISAR SSEPFYSDDKMAHHTLLLGSGHVGLRNLGNTCF LNAVLQCLSSTRPLRDFCLRRDFRQEVPGGGRA QELTEAFADVIGALWHPDSCEAVNPTRFRAVFQ KYVPSFSGYSQQDAQEFLKLLMERLHLEINRRGR RAPPILANGPVPSPPRRGGALLEEPELSDDDRANL MWKRYLEREDSKIVDLFVGQLKSCLKCQACGY RSTTFEVFCDLSLPIPKKGFAGGKVSLRDCFNLFT KEEELESENAPVCDRCRQKTRSTKKLTVQRFPRI LVLHLNRFSASRGSIKKSSVGVDFPLQRLSLGDF ASDKAGSPVYQLYALCNHSGSVHYGHYTALCR CQTGWHVYNDSRVSPVSENQVASSEGYVLFYQL
3575	A	5	2408	RELDSLADLPERIKPPYANGLSTSHLRSSSVEDVK LIISEGRPTIEVRRCSMPSVICEHTKQFQTISEESN QGSLLTVPGDTSPSPKPEVFSNVPERDLSNVSNIH SSFATSPTGASNSKYVSADRNLIKNTAPVNTVMD SPVHLEPSSQVGVIQNKSWEMPVDRLETLSTRDF ICPNSNIPDQESSLQSFCNSENKVLKENADFLSLR QTELPGNSCAQDPASFMPPQQPCSFPSQSLSDAES ISKHMSLSYVANQEPGILQQKNAVQIISSALDTD NESTKDTENTFVLGDVQKTDAFVPVYSDSTIQEA SPNFEKAYTLPVLPSEKDFNGSDASTQLNTHYAF SKLTYKSSSGHEVENSTTDTQVISHEKENKLESL VLTHLSRCDSDLCEMNAGMPKGNLNEQDPKHC PESEKCLLSIEDEESQQSILSSLENHSQQSTQPEM HKYGQLVKVELEENAEDDKTENQIPQRMTRNK ANTMANQSKQILASCTLLSEKDSESSSPRGRIRLT EDDDPQIHHPRKRKVSRVPQPVQVSPSLLQAKEK TQQSLAAIVDSLKLDEIQPYSSERANPYFEYLHIR KKIEEKRKLLCSVIPQAPQYYDEYVTFNGSYLLD GNPLSKICIPTITPPPSLSDPLKELFRQQEVVRMKL RLQHSIEREKLIVSNEQEVLRVHYRAARTLANQT LPFSACTVLLDAEVYNVPLDSQSDDSKTSVRDRF NARQFMSWLQDVDDKFDKLKTCLLMRQQHEA AALNAVQRLEWQLKLQELDPATYKSISIYEIQEF YVPLVDVNDDFELTPI LRLAWHDGARWPLGTPRAAATRREAAALPPVT
3576		5	1421	LRLAWHDGARWPLGTPRAAATRREAAALPPVT LALLCLDGVFLSSAENDFVHRIQEELDRFLLQKQ LSKVLLFPPLSSRLRYLIHRTAENFDLLSSFSVGE GWKRRTVICHQDIRVPSSDGLSGPCRAPASCPSR YHGPRPISNQGAAAVPRGARAGRWYRGRKPDQ PLYVPRVLRRQEEWGLTSTSVLKREAPAGRDPEE PGDVGAGDPNSDQGLPVLMTQGTEDLKGPGQR CENEPLLDPVGPEPLGPESQSGKGDMVEMATRF



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon,/=possible nucleotide deletion, \=possible nucleotide insertion
				GSTLQLDLEKGKESLLEKRLVAEEEEDEEEVEED GPSSCSEDDYSELLQEITDNLTKKEIQIEKIHLDTS SFMEELPGEKDLAHVVEIYDFEPALKTEDLLATF SEFQEKGFRIQWVDDTHALGIFPCRASAAEALTR EFSVLKIRPLTQGTKQSKLKALQRPKLLRLVKER PQTNATVARRLVARALGLQHKKKERPAVRGPLP P
3577	A		1998	DTRTPGSLEMGPLQFRDVAIEFSLEEWHCLDTAQ RNLYRNVMLENYSNLVFLGIVVSKPDLIAHLEQG KKPLTMKRHEMVANPSGPVICSHFAQDLWPEQN IKDSFQKVILRRYEKRGHGNLQLIKRCESVDECK VHTGGYNGLNQCSTTTQSKVFQCDKYGKVFHK FSNSNRHNIRHTEKKPFKCIECGKAFNQFSTLITH KKIHTGEKPYICEECGKAFKYSSALNTHKRIHTG EKPYKCDKCDKAFIASSTLSKHEIIHTGKKPYKCE ECGKAFNQSSTLTKHKKIHTGEKPYKCEECGKAF NQSSTLTKHKKIHTGEKPYVCEECGKAFKYSRIL TTHKRIHTGEKPYKCNKCGKAFIASSTLSRHEFIH MGKKHYKCEECGKAFIWSSVLTRHKRVHTGEKP YKCEECGKAFKYSSTLSSHKRSHTGEKPYKCEEC GKAFVASSTLSKHEIIHTGKKPYKCEECGKAFNQ SSSLTKHKKIHTGEKPYKCEECGKAFNQSSSLTK HKKIHTGEKPYKCEECGKAFNQSSTLIKHKKIHT REKPYKCEECGKAFHLSTHLTTHKILHTGEKPYR CRECGKAFNHSATLSSHKKIHSGEKPYECDKCG KAFISPSSLSRHEIIHTGEKP
3578	A	1725	445	RPRRRGTHHFSCVLGSFRVSAMFPRVSTFLPLRP LSRHPLSSGSPETSAAAIMLLTVRHGTVRYRSSA LLARTKNNIQRYFGTNSVICSKKDKQSVRTEETS KETSESQDSEKENTKKDLLGIIKGMKVELSTVNV RTTKPPKRRPLKSLEATLGRLRRATEYAPKKRIEP LSPELVAAASAVADSLPFDKQTTKSELLSQLQQH EEESRAQRDAKRPKISFSNIISDMKVARSATARV RSRPELRIQFDEGYDNYPGQEKTDDLKKRKNIFT GKRLNIFDMMAVTKEAPETDTSPSLWDVEFAKQ LATVNEQPLQNGFEELIQWTKEGKLWEFPINNEA GFDDDGSEFHEHIFLEKHLESFPKQGPIRHFMELV TCGLSKNPYLSVKQKVEHIEWFRNYFNEKKDILK ESNIQFKLRPWKFLFRNN
3579	A	1725	445	RPRRGTHHFSCVLGSFRVSAMFPRVSTFLPLRP LSRHPLSSGSPETSAAAIMLLTVRHGTVRYRSSA LLARTKNNIQRYFGTNSVICSKKDKQSVRTEETS KETSESQDSEKENTKKDLLGIIKGMKVELSTVNV RTTKPPKRRPLKSLEATLGRLRRATEYAPKKRIEP LSPELVAAASAVADSLPFDKQTTKSELLSQLQQH EEESRAQRDAKRPKISFSNIISDMKVARSATARV RSRPELRIQFDEGYDNYPGQEKTDDLKKRKNIFT GKRLNIFDMMAVTKEAPETDTSPSLWDVEFAKQ LATVNEQPLQNGFEELIQWTKEGKLWEFPINNEA GFDDDGSEFHEHIFLEKHLESFPKQGPIRHFMELV TCGLSKNPYLSVKQKVEHIEWFRNYFNEKKDILK ESNIQFKLRPWKFLFRNN
3580	A	3673	1619	LYCVAPYSRHLLGRMSHLPMKLLRKKIEKRNLK LRQRNLKFQGASNLTLSETQNGDVSEETMGSRK VKKSKQKPMNVGLSETQNGGMSQEAVGNIKVT

wo	01/57190			PCT/US01/04098
SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
		acqueine c		KSPQKSTVLTNGEAAMQSSNSESKKKKKKKKK MVNDAEPDTKKAKTENKGKSEEESAETTKETEN NVEKPDNDEDESEVPSLPLGLTGAFEDTSFASLO NLVNENTLKAIKEMGFTNMTEIQHKSIRPLLEGR DLLAAAKTGSGKTLAFLIPAVELIVKLRFMPRNO TGVLILSPTRELAMQTFGVLKELMTHHVHTYGL MGGSNRSAEAQKLGNGINIIVATPGRLLDHMQN TPGFMYKNLQCLVIDEADRILDVGFEEELKQIIKI LPTRRQTMLFSATQTRKVEDLARISLKKEPLYVO VDDDKANATVDGLEQGYVVCPSEKRFLLLFTFL KKNRKKKLMVFFSSCMSVKYHYELLNYIDLPVI AIHGKQKQNKRTTTFFQFCNADSGTLLCTDVAA RGLDIPEVDWIVQYDPPDDPKEYIHRVGRTARGI
				NGRGHALLILRPEELGFLRYLKQSKVPLSEFDFS WSKISDIQSQLEKLIEKNYFLHKSAQEAYKSYIRA YDSHSLKQIFNVNNLNLPQVALSFGFKVPPFVDL NVNSNEGKQKKRGGGGGFGYQKTKKVEKSKIF KHISKKSSDSRQFSH
3581	A	23	453	LCRCICIKNITPHCLWDKVLSQFTYILDNLSNFMS HHPHSLRNSCLIRMDLLYWQFTIYTITFCFSHLSQ RLTLSAQHISHRPCLLSYSLLFWKVHHLFLEGFP SPRLDEMSFHQFPQHPVHVSVVHLPIVYKGSMT QVSPH
3582	A	3	950	TRGCGNKMAGKKNVLSSLAVYAEDSEPESDGE, GIEAVGSAAEEKGGLVSDAYGEDDFSRLGGDED GYEEEEDENSRQSEDDDSETEKPEADDPKDNTE AEKRDPQELVASFSERVRNMSPDEIKIPPEPPGRO SNHLQDKIQKLYERKIKEGMDMNYIIQRKKEFRI PSIYEKLIQFCAIDELGTNYPKDMFDPHGWSEDS YYEALAKAQKIEMDKLEKAKKERTKIEFVTGTK KGTTTNATSTTTTTASTAVADAQKRKSKWDSAI PVTTIAQPTILTTTATLPAVVTVTTSASGSKTTVIS AVGTIVKKAKQ
3583	A	3	950	TRGCGNKMAGKKNVLSSLAVYAEDSEPESDGEAGIEAVGSAAEEKGGLVSDAYGEDDFSRLGGDEDGYEEEEDENSRQSEDDDSETEKPEADDPKDNTEAEKRDPQELVASFSERVRNMSPDEIKIPPEPPGRCSNHLQDKIQKLYERKIKEGMDMNYIIQRKKEFRNPSIYEKLIQFCAIDELGTNYPKDMFDPHGWSEDSYYEALAKAQKIEMDKLEKAKKERTKIEFVTGTKKGTTTNATSTTTTTASTAVADAQKRKSKWDSAIPVTTIAQPTILTTTATLPAVVTVTTSASGSKTTVISAVGTIVKKAKQ
3584	A	3	1139	PGSTISSRADRLGAPVLAHPKMAERQEEQRGSPP LRAEGKADAEVKLILYHWTHSFSSQKVRLVIAE KALKCEEHDVSLPLSEHNEPWFMRLNSTGEVPV LIHGENIICEATQIIDYLEQTFLDERTPRLMPDKES MYYPRVQHYRELLDSLPMDAYTHGCILHPELTV DSMIPAYATTRIRSQIGNTESELKKLAEENPDLQE AYIAKQKRLKSKLLDHDNVKYLKKILDELEKVL DQVETELPRRNEETPEEGQQPWLCGESFTLADVS LAVTLHRLKFLGFARRNWGNGKRPNLETYYERV

LKRKTFNKVLGHVNNILISAVLPTAFRVAKKRAP KVLGTTLVVGLLAGVGYFAFMLFRKRLGSMILA LRPRPNYF

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methlonine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \possible nucleotide insertion
3585	A		1777	RRHSPGSPAFAPSSRATAICPRAARAPATLLLALG AVLWPAAGAWELTILHTNDVHSRLEQTSEDSSK CVNASRCMGGVARLFTKVQQIRRAEPNVLLLDA GDQYQGTIWFTVYKGAEVAHFMNALRYDAMA LGNHEFDNGVEGLIEPLLKEAKFPILSANIKAKGP LASQISGLYLPYKVLPVGDEVVGIVGYTSKETPF LSNPGTNLVFEDEITALQPEVDKLKTLNVNKIIAL GHSGFEMDKLIAQKVRGVDVVVGGHSNTFLYT GNPPSKEVPAGKYPFIVTSDDGRKVPVVQAYAF GKYLGYLKIEFDERGNVISSHGNPILLNSSIPEDPS IKADINKWRIKLDNYSTQELGKTIVYLDGSSQSC RFRECNMGNLICDAMINNNLRHTDEMFWNHVS MCILNGGGIRSPIDERNNGTITWENLAAVLPFGG TFDLVQLKGSTLKKAFEHSVHRYGQSTGEFLQV GGIHVVYDLSRKPGDRVVKLDVLCTKCRVPSYD PLKMDEVYKVILPNFLANGGDGFQMIKDELLRH DSGDQDINVVSTYISKMKVIYPAVEGRIKFSTGS HCHGSFSLIFLSLWAVIFVLYQ
3586	A	1399	881	LSNKDVLSPQLKDENSKLRRKLNEVQSFSEAQTE MVRTLERKLEAKMIKEESDYHDLESVVQQVEQN LELMTKRAVKAENHVVKLKQEISLLQAQVSNFQ RENEALRCGQGASLTVVKQNADVALQNLRVVM NSAQASIEQLVSGAETLNLVAEILKSIDRISEVKD EEEDS
3587	A	88	1639	GCVGRGLPLPPRHPTPPSSSSSPFVLLAFLLLVRL DPAVSGKMAAPRPPPARLSGVMVPAPIQDLEAL RALTALFKEQRNRETAPRTIFQRVLDILKKSSHA VELACRDPSQVENLASSLQLITECFRCLRNACIEC SVNQNSIRNLDTIGVAVDLILLFRELRVEQESLLT AFRCGLQFLGNIASRNEDSQSIVWVHAFPELFLS CLNHPDKKIVAYSSMILFTSLNHERMKELEENLN IAIDVIDAYQKHPESEWPFLIITDLFLKSPELVQA MFPKLNNQERVTLLDLMIAKITSDEPLTKDDIPVF LRHAELIASTFVDQCKTVLKLASEEPPDDEEALA TIRLLDVLCEMTVNTELLGYLQVFPGLLERVIDL LRVIHVAGKETTNIFSNCGCVRAEGDISNVANGF KSHLIRLIGNLCYKNKDNQDKVNELDGIPLILDN CNISDSNPFLTQWVIYAIRNLTEDNSQNQDLIAK MEEQGLADASLLKKVGFEVEKKGEKLILKSTRD TPKP
3588	A	3	1462	DSPRNRFEILGRPTRTPTRPGPRPAMEDLDALLSD LETTTSHMPRSGAPKERPAEPLTPPPSYGHQPQT GSGESSGASGDKDHLYSTVCKPRSPKPAAPAAPP FSSSSGVLGTGLCELDRLLQELNATQFNITDEIMS QFPSSKVASGEQKEDQSEDKKRPSLPSSPSPGLPK ASATSATLELDRLMASLSDFRVQNHLPASGPTQP PVVSSTNEGSPSPPEPTGKGSLDTMLGLLQSDLSR RGVPTQAKGLCGSCNKPIAGQVVTALGRAWHPE HFVCGGCSTALGGSSFFEKDGAPFCPECYFERFSP RCGFCNQPIRHKMVTALGTHWHPEHFCCVSCGE PFGDEGFHEREGRPYCRRDFLQLFAPRCQGCQGP ILDNYISALSALWHPDCFVCRECFAPFSGGSFFEH EGRPLCENHFHARRGSLCATCGLPVTGRCVSAL GRRFHPDHFTCTFCLRPLTKGSFQERAGKPYCQP CFLKLFG



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
3589	A		6793	SPPKKSRKCNLSFRLISAERWRFFLLILMEMPRKP RLTLFVQRRIENIATEREFDPEEFYYLLEAAEGHA KEGQGIKTDIPRYIISQLGLNKDPLEEMAHLGNY DSGTAETPETDESVSSNASLKLRKPRESDFETI KLISNGAYGAVYFVRHKESRQRFAMKKINKQNL ILRNQIQQAFVERDILTFAENPFVVSMYCSFETRR HLCMVMEYVEGGDCATLMKNMGPLPVDMARM YFAETVLALEYLHNYGIVHRDLKPDNLLVTSMG HIKLTDFGLSKVGLMSMTTNLYEGHIEKDAREFL DKQVCGTPEYIAPEVILRQGYGKPVDWWAMGII LYEFLVGCVPFFGDTPEELFGQVISDEINWPEKDE APPDAQDLITLLRQNPLERLGTGGAYEVKQHR FFRSLDWNSLLRQKAEFIPQLESEDDTSYFDTRSE KYHHMETEEEDDTNDEDFNVEIRQFSSCSHRFSK VFSSIDRITQNSAEEKEDSVDKTKSTTLPSTETLS WSSEYSEMQQLSTSNSSDTESNRHKLSSGLLPKL AISTEGEQDEAASCPGDPHEEPGKPALPPEECAQ EEPEVTTPASTISSSTLSVGSFSEHLDQINGRSECV DSTDNSSKPSSPASHMARQRLESTEKKKISGKV TKSLSASALSLMIPGDMFAVSPLGSPMSPHSLSSD PSSSRDSSPSRDSSAASASPHQPIVIHSSGKNYGFT IRAIRVYVGDSDIYTVHHIVWNVEEGSPACQAGL KAGDLITHINGEPVHGLVHTEVIELLLKSGNKVSI TTTPFENTSIKTGPARRNSYKSRMVRRSKKSKKK ESLERRRSLFKKLAKQPSPLLHTSRSFSCLNRSLS SGESLPGSPTHSLSPRSPTPSYRSTPDFPSGTNSSQ SSSPSSSAPNSPAGSGHIRPSTLHGLAPKLGGQRY RSGRRKSAGNIPLSPLARTPSPTPQPTSPQRSPSPL LGHSLGNSKIAQAFPSKMHSPPTIVRHIVRPKSAE PPRSPLLKRVQSEEKLSPSYGSDKKHLCSRKHSL EVTQEEVQREQSQREAPLQSLDENVCDVPPLSRA RPVEQGCLKRPVSRKVGRQESVDDLDRDKLKAK VVVKKADGFPEKQESHQKFHGPGSDLENFALFK LEEREKKVYPKAVERSSTFENKASMQEAPPLGSL LKDALHKQASVRASEGAMSDGPVPAEHRQGGG DFRRAPAPGTLQDGLCHSLDRGISGKGEGTEKSS QAKELLRCEKLDSKLANIDYLRKKMSLEDKEDN LCPYLKPKMTAGSHECLPGNPVRPTGGQQEPPPA SESRAFVSSTHAAQMSAVSFVPLKALTGRVDSGT EKPGLVAPESPVRKSPSEYKLEGRSVSCLEPIEGT LDIALLSGPQASKTELPSPESAQSPSPSGDVRASV PPVLPSSSGKKNDTTSARELSPSSLKMNKSYLLEP WFLPPSRGLQNSPAVSLPDPEFKRDRKGPHPTAR SPGTVMESNPQQREGSSPKHQDHTTDPKLLTCLG QNLHSPDLARPRCPLPPEASPSREKPGLRESSERG PPTARSERSAARADTCREPSMELCFPETAKTSDN SKNLLSVGRTHPDFYTGTQAMEKAWAPGGKTN HKDGPGEARPPPRDNSSLHSAGIPCEKELGKVRR GVEPKPEALLARRSLOPPGIESEKSEKLSSFPSLQ
				KDGAKEPERKEQPLQRHPSSIPPPPLTAKDLSSPA ARQHCSSPSHASGREPGAKPSTAEPSSSPQDPPKP VAAHSESSSHKPRPGPDPGPPKTKHPDRSLSSQK PSVGATKGKEPATQSLGGSSREGKGHSKSGPDVF PATPGSQNKASDGIGQGEGGPSVPLHTDRAPLDA KPQPTSGGRPLEVLEKPVHLPRPGHPGPSEPADQ



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end , nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \text{\phi-possible nucleotide insertion}
				KLSAVGEKQTLSPKHPKPSTVKDCPTLCKQTDN RQTDKSPSQPAANTDRRAEGKKCTEALYAPAEG DKLEAGLSFVHSENRLKGAERPAAGVGKGFPEA RGKGPGPQKPPTEADKPNGMKRSPSATGQSSFRS TALPEKSLSCSSSFPETRAGVREASAASSDTSSAK AAGGMLELPAPSNRDHRKAQPAGEGRTHMTKS DSLPSFRVSTLPLESHHPDPNTMGGASHRDRALS VTATVGETKGKDPAPAQPPPARKQNVGRDVTKP SPAPNTDRPISLSNEKDFVVRQRRGKESLRSSPHK KAL
3590	A	3	935	RATTRPKNEVQDYVSVEYLSPHMGGTDPFKYSY PPLVDDDFQTPLCENGPITSEDETSSKEDIESDGK ETLETISNEEQTPLLKKINPTESTSKAEENEKVDS KVKAFKKPLSVFKGPLLHISPAEELYFGSTESGEK KTLIVLTNVTKNIVAFKVRTTAPEKYRVKPSNSS CDPGASVDIVVSPHGGLTVSAQDRFLIMAAEME QSSGTGPAELTQFWKEVPRNKVMEHRLRCHTVE SSKPNTLTLKDNAFNMSDKTSEDICLQLSRLLES NRKLEDQVQRCIWFQQLLLSLTMLLLAFVTSFFY LLYS
3591	A	303	2	GGSWGPLCPVSPAMSLSDPGLGYHPTCWTLRWP PLCSLHALHVFHCLFSSRLGTPVSPRLAMDPNCS CEAGGSCACAGSCKCKKCKCTSCKKSCCSCCPL
3592	A	1052	1779	GKTMMRKMLLAAALSVTAMTAHADYQCSVTP RDDVIVSPQTVQVKGENGNLVITPDGNVMYNGK QYSLNAAQREQAKDYQAELRSTLPWIDEGAKSR VEKARIALDKIIVQEMGESSKMRSRLTKLDAQVK EQMNRIIETRSDGLTFHYKAIDQVRAEGQQLVNQ AMGGILQDSINEMGAKAVLKSGGNPLQNVLGSL GGLQSSIQTEWKKQEKDFQQFGKDVCSRVVTLE DSRKALVGNLK
3593		3	1837	LSFEKVDIQTDNDLTKEMYEGKENVSFELQRDFS QETDFSEASLLEKQQEVHSAGNIKKEKSNTIDGT VKDETSPVEECFFSQSSNSYQCHTITGEQPSGCTG LGKSISFDTKLVKHEIINSEERPFKCEELVEPFRCD SQLIQHQENNTEEKPYQCSECGKAFSINEKLIWH QRLHSGEKPFKCVECGKSFSYSSHYITHQTIHSGE KPYQCKMCGKAFSVNGSLSRHQRIHTGEKPYQC KECGNGFSCSSAYITHQRVHTGEKPYECNDCGK AFNGNAKLIQHQRIHTGEKPYECNECGKGFRCSS QLRQHQSIHTGEKPYQCKECGKGFNNNTKLIQH QRIHTASLAEQLFKASGNHPNWGCCLTISSPGPS VYGPKMNMRGAPNSRLAGGREKRTQDTDFGQC SFLPSHSPSCFEPWNVTDYDSSWYRQKQVLSGV WSSPLSILKLPRTLIRISIHIQEMDTPGEMLMTGR GSLGPTLTTEAPAAAQPGKQGPPGTGRCLQAPGT EPGEQTPEGARELSPLQESSSPGGVKAEEEQRAG AEPGTRPSLARSDDNDHEVGALGLQQGKSPGAG NPEPEQDCAARAPVRAEAVRRMPPGAEAGSVVL DD
3594	A	39	261	RAAMMDTSRVQPIKLAIVIKVLGRTGSQGQCTQ VRVEFMDDTSRSIIRSVKGPVREGDVLTLLESERE ARRLR
3595	A	973	68	GRVGTKHQMADDAGAAGGPGGPGGPGMGNRG GFRGGFGSGIRGRGRGRGRGRGRGRAGGKAE



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				DKEWMPVTKLGRLVKDMKIKSLEEIYLFSLPIKE SEIIDFFLGASLKDEVLKIMPVQKQTRAGQRTRF KAFVAIGDYNGHVGLGVKCSKEVATAIRGAIILA KLSIVPVRRGYWGNKIGKPHTVPCKVTGRCGSV LVRLIPAPRGTGIVSAPVPKKLLMMAGIDDCYTS ARGCTATLGNFAKATFDAISKTYSYLTPDLWKE TVFTKSPYQEFTDHLVKTHTRVSVQRTQAPAVA TT
3596	A	106	2960	DERRVGAADMFGRSRSWVGGGHGKTSRNIHSL DHLKYLYHVLTKNTTVTEQNRNLLVETIRSITEIL IWGDQNDSSVFDFFLEKNMFVFFLNILRQKSGRY VCVQLLQTLNILFENISHETSLYYLLSNNYVNSII VHKFDFSDEEIMAYYISFLKTLSLKLNNHTVHFF YNEHTNDFALYTEAIKFFNHPESMVRIAVRTITL NVYKVSLDNQAMLHYIRDKTAVPYFSNLVWFIG SHVIELDDCVQTDEEHRNRGKLSDLVAEHLDHL HYLNDILIINCEFLNDVLTDHLLNRLFLPLYVYSL ENQDKGGERPKISLPVSLYLLSQVFLIIHHAPLVN SLAEVILNGDLSEMYAKTEQDIQRSSAKPSIRCFI KPTETLERSLEMNKHKGKRRVQKRPNYKNVGEE EDEEKGPTEDAQEDAEKAKGTEGGSKGIKTSGES EEIEMVIMERSKLSELAASTSVQEQNTTDEEKSA AATCSESTQWSRPFLDMVYHALDSPDDDYHALF VLCLLYAMSHNKGMDPEKLERIQLPVPNAAEKT TYNHPLAERLIRIMNNAAQPDGKIRLATLELSCL LLKQQVLMSAGCIMKDVHLACLEGAREESVHLV RHFYKGEDIFLDMFEDEYRSMTMKPMNVEYLM MDASILLPPTGTPLTGIDFVKRLPCGDVEKTRAI RVFFMLRSLSLQLRGEPETQLPLTREEDLIKTDDV LDLNNSDLIACTVITKDGGMVQRSLAVDIYQMS LVEPDVSRLGWGVVKFAGLLQDMQVTGVEDDS RALNITIHKPASSPHSKPFPILQATFIFSDHIRCIIAK QRLAKGRIQARRMKMQRIAALLDLPIQPTTEVLG FGLGSSTSTQHLPFRFYDQGRRGSSDPTVQRSVF ASVDKVPGFAVAQCINEHSSPSLSSQSPPSAGSP
3597	A	427	277	GVRRIQHHWAQMHECNVHTYASLFCLFLLHTG KLCCLNSHRHFHCIKYSK
3598	A	1	503	FRPRTKKATAMYLEHYLDSIENLPCELQRNFQL MRELDQRTEDKKAEIDILAAEYISTVKTLSPDQR VERLQKIQNAYSKCKEYSDDKVQLAMQTYEMV DKHIRRLDADLARFEADLKDKMEGSDFESSGGR GLKKGRGQKEKRGSRGRGRRTSEEDTPKKKKH KGG
3599	A		3907	KTITALAFSPDGKYLVTGESGHMPAVRVWDVAE HSQVAELQEHKYGVACVAFSPSAKYIVSVGYQH DMIVNVWAWKKNIVVASNKVSSRVTAVSFSED CSŸFVTAGNRHIKFWYLDDSKTSKVNATVPLLG RSGLLGELRNNLFTDVACGRGKKADSTFCITSSG LLCEFSDRRLLDKWVELRVYPEVKDSNQACLPP SSFITCSSDNTIRLWNTESSGVHGSTLHRNILSSDL IKIIYVDGNTQALLDTELPGGDKADASLLDPRVGI RSVCVSPNGQHLASGDRMGTLRVHELQSLSEML KVEAHDSEILCLEYSKPDTGLKLLASASRDRLIH VLDAGREYSLQQTLDEHSSSITAVKFAASDGQVR



SEQ ID NO:	Method	Predicted beginning nucleotide	Predicted end nucleotide location	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine,
		location corresponding to first amino	corresponding to last amino acid residue of	N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion,
		acid residue of peptide sequence	peptide sequence	\=possible nucleotide insertion
				MISCGADKSIYFRTAQKSGDGVQFTRTHHVVRK TTLYDMDVEPSWKYTAIGCQDRNIRIFNISSGKQ
1				KKLFKGSQGEDGTLIKVQTDPSGIYIATSCSDKNL
ļ			ĺ	SIFDFSSGECVATMFGHSEIVTGMKFSNDCKHLIS
				VSGDSCIFVWRLSSEMTISMRQRLAELRQRQRGG
l		ļ		KQQGPSSPQRASGPNRHQAPSMLSPGPALSSDSD
]	KEGEDEGTEEELPALPVLAKSTKKALASVPSPAL
				PRSLSHWEMSRAQESVGFLDPAPAANPGPRRRG
				RWVQPGVELSVRSMLDLRQLETLAPSLQDPSQD SLAIIPSGPRKHGQEALETSLTSQNEKPPRPQASQ
		ŀ	l	PCSYPHIRLLSQEEGVFAQDLEPAPIEDGIVYPEP
				SDNPTMDTSEFQVQAPARGTLGRVYPGSRSSEK
				HSPDSACSVDYSSSCLSSPEHPTEDSESTEPLSVD
				GISSDLEEPAEGDEEEEEEGGMGPYGLQEGSPQ
•		-	!	TPDQEQFLKQHFETLASGAAPGAPVQVPERSESR
				SISSRFLLQVQTRPLREPSPSSSSLALMSRPAQVPQ ASGEQPRGNGANPPGAPPEVEPSSGNPSPQQAAS
Ì				VLLPRCRLNPDSSWAPKRVATASPFSGLQKAQS
		ļ		VHSLVPQERHEASLQAPSPGALLSREIEAQDGLG
				SLPPADGRPSRPHSYQNPTTSSMAKISRSISVGEN
				LGLVAEPQAHAPIRVSPLSKLALPSRAHLVLDIPK
				PLPDRPTLAAFSPVTKGRAPGEAEKPGFPVGLGK
				AHSTTERWACLGEGTTPKPRTECQAHPGPSSPCA QQLPVSSLFQGPENLQPPPPEKTPNPMECTKPGA
			1	ALSQDSEPAVSLEQCEQLVAELRGSVRQAVRLY
				HSVAGCKMPSAEQSRIAQLLRDTFSSVRQELEAV
				AGAVLSSPGSSPGAVGAEQTQALLEQYSELLLRA VERRMERKL
3600	A	1688	916	IPGSTISCSMALCEAAGCGSALLWPRLLLFGDSIT
			Ì	QFSFQQGGWGASLADRLVRKCDVLNRGFSGYN
				TRWAKIILPRLIRKGNSLDIPVAVTIFFGANDSAL
1		1		KDENPKQHIPLEEYAANLKSMVQYLKSVDIPENR VILITPTPLCETAWEEQCIIQGCKLNRLNSVVGEY
		}		ANACLQVAQDCGTDVLDLWTLMQDSQDFSSYL
				SDGLHLSPKGNEFLFSHLWPLIEKKVSSLPLLLPY
				WRDVAEAKPELSLLGDGDH
3601	A	44	223	VHFPLIPQLAKCFWTMNRAARNKSEKRYYSEFL
3602	A	37	1124	QIAHLFNYGLSSFLREFIIFLIKLLQ
3002	<u> </u>	3'	1124	VPKPASGKRRLEFRPQDSKACAATPHSPGRITSR TRGSQKVRSVPPRLPWAQASASTDWEGLRGVPG
	ļ]	J	PALRRENFLEAAASGRSGRTPTGGVGFRDVGGP
				HFPIFPAAHFLWCNLHTPRRPACNAPWHSPVGEI
1	ľ	1		SPPPRESQLRRDPEVHFESPAHPLGFRLLPGRGLP
				ANAVTVETAAMAAPRQIPSHIVRLKPSCSTDSSF
]]			TRTPVPTVSLASRELPVSSWQVTEPSSKNLWEQI CKEYEAEQPPFPEGYKVKQEPVITVAPVEEMLFH
<u> </u>				GFSAEHYFPVSHFTMISRTPCPQDKSETINPKTCS
				PKEYLETFIFPVLLPGMASLLHQAKKEKCFEVVL
				QMTPSGGKACVWGHLPSSSHTI
3603	A	286	587	NISNKAEVSSHPSVISHSMDSFGQPRPEDNQSVLR
		-		RMQKKYWKTKQVFIKATGKKEDEHLVASDAEL
2604	-	102	2440	DAKLEVFHSVQETCTELLKIIEKYQLRLNGMKS
3604	A	103	2440	QPRRRVFPAAGRGPGRKCSQWGRQASVSFEDVT VDFSKEEWQHLDPAQRRLYWDVTLENYSHLLS
		1		VGYOIPKSEAAFKLEOGEGPWMI.EGEAPHOSCS
L	<u>L</u>	1		VGYQIPKSEAAFKLEQGEGPWMLEGEAPHQSCS

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methlonine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				GEAIGKMQQQGIPGGIFFHCERFDQPIGEDSLCSI LEELWQDNDQLEQRQENQNNLLSHVKVLIKERG YEHKNIEKIIHVTTKLVPSIKRLHNCDTILKHTLN SHNHNRNSATKNLGKIFGNGNNFPHSPSSTKNEN AKTGANSCEHDHYEKHLSHKQAPTHHQKIHPEE KLYVCTECVMGFTQKSHLFEHQRIHAGEKSREC DKSNKVFPQKPQVDVHPSVYTGEKPYLCTQCGK VFTLKSNLITHQKIHTGQKPYKCSECGKAFFQRS DLFRHLRIHTGEKPYECSECGKGFSQNSDLSIHQ KTHTGEKHYECNECGKAFTRKSALRMHQRIHTG EKPYVCADCGKAFIQKSHFNTHQRIHTGEKPYEC SDCGKSFTKKSQLHVHQRIHTGEKPYICTECGKV FTHRTNLTTHQKTHTGEKPYMCAECGKAFTDQS NLIKHQKTHTGEKPYKCNGCGKAFIWKSRLKIH QKSHIGERHYECKDCGKAFIQKSTLSVHQRIHTG EKPYVCPECGKAFIQKSHFIAHHRIHTGEKPYECS DCGKCFTKKSQLRVHQKIHTGEKPNICAECGKAF TDRSNLITHQKIHTREKPYECGDCGKTFTWKSRL NIHQKSHTGERHYECSKCGKAFIQKATLSMHQII HTGKKPYACTECQKAFTDRSNLIKHQKMHSGEK RYKASD
3605	A	3	322	SFRMSGRGKGGKGLGKGGAKRHRKVLRDNIQGI TKPAIRRLARRGGVKRISGLIYEETRGVLKVFLEN VIRDAVTYTEHAKRKTVTAMDVVYALKRQGRT LYGFGG
3606	A		1749	VPVTAEAKLMGFTQGCVTFEDVAIYFSQEEWGL LDEAQRLLYRDVMLENFALITALVCWHGMEDE ETPEQSVSVEGVPQVRTPEASPSTQKIQSCDMCV PFLTDILHLTDLPGQELYLTGACAVFHQDQKHHS AEKPLESDMDKASFVQCCLFHESGMPFTSSEVG KDFLAPLGILQPQAIANYEKPNKISKCEEAFHVGI SHYKWSQCRRESSHKHTFFHPRVCTGKRLYESS KCGKACCCECSLVQLQRVHPGERPYECSECGKS FSQTSHLNDHRRIHTGERPYVCGQCGKSFSQRAT LIKHHRVHTGERPYECGECGKSFSQSSNLIEHCRI HTGERPYECDECGKAFGSKSTLVRHQRTHTGEK PYECGECGKLFRQSFSLVVHQRIHTTARPYECGQ CGKSFSLKCGLIQHQLIHSGARPFECDECGKSFSQ RTTLNKHHKVHTAERPYVCGECGKAFMFKSKL VRHQRTHTGERPFECSECGKFFRQSYTLVEHQKI HTGLRPYDCGQCGKSFIQKSSLIQHQVVHTGERP YECGKCGKSFTQHSGLILHRKSHTVERPRDSSKC GKPYSPRSNIV
3607	A	92	331	AMAGPGPGPGDPDEQYDFLFKLVLVGDASVGKT CVVQRFKTGAFSERQGSTIGVDFTMKTLEIQGKR VKLQIWDTAGQER
3608	A	545	379	AIKGYIHLSAPRNRYMHTTASNGRMLFMKVTM YMRRGVQIMGWSVRMAFMACFTQ
3609	A	118	873	VWMAWQVSLLELEDRLQCPICLEVFKESLMLQC GHSYCKGCLVSLSYHLDTKVRCPMCWQVVDGS SSLPNVSLAWVIEALRLPGDPEPKVCVHHRNPLS LFCEKDQELICGLCGLLGSHQHHPVTPVSTVCSR MKEELAALFSELKQEQKKVDELIAKLVKNRTRIV NESDVFSWVIRREFQELRHPVDEEKARCLEGIGG HTRGLVASLDMQLEQAQGTRERLAQAECVLEQF



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \
3610			987	GNEDHHEFIWKFHSMASR DPRVRPPLLQPPPPLLPRLVILKMAPLDLDKYVEI ARLCKYLPENDLKRLCDYVCDLLLEESNVQPVS TPVTVCGDIHGQFYDLCELFRTGGQVPDTNYIFM GDFVDRGYYSLETFTYLLALKAKWPDRITLLRG NHESRQITQVYGFYDECQTKYGNANAWRYCTK VFDMLTVAALIDEQILCVHGGLSPDIKTLDQIRTI ERNQEIPHKGAFCDLVWSDPEDVDTWAISPRGA GWLFGAKVTNEFVHINNLKLICRAHQLVHEGYK FMFDEKLVTVWSAPNYCYRCGNIASIMVFKDVN TREPKLFRAVPDSERVIPPRTTTPYFL
3611	A	2459	869	AEKMTAELREAMALAPWGPVKVKKEEEEENF PGQASSQQVHSENIKVWAPVQGLQTGLDGSEEE EKGQNISWDMAVVLKATQEAPAASTLGSYSLPG TLAKSEILETHGTMNFLGAETKNLQLLVPKTEIC EEAEKPLIISERIQKADPQGPELGEACEKGNMLK RQRIKREKKDFRQVIVNDCHLPESFKEEENQKCK KSGGKYSLNSGAVKNPKTQLGQKPFTCSVCGKG FSQSANLVVHQRIHTGEKPFECHECGKAFIQSAN LVVHQRIHTGQKPYVCSKCGKAFTQSSNLTVHQ KIHSLEKTFKCNECEKAFSYSSQLARHQKVHITE KCYECNECGKTFTRSSNLIVHQRIHTGEKPFACN DCGKAFTQSANLIVHQRSHTGEKPYECKECGKA FSCFSHLIVHQRIHTAEKPYDCSECGKAFSQLSCL IVHQRIHSGDLPYVCNECGKAFTCSSYLLIHQRIH NGEKPYTCNECGKAFRQRSSLTVHQRTHTGEKP YECEKCGAAFISNSHLMRHHRTHLVE
3612	A	318	2245	SPMAEAAL VNTPQIPMVTEEFVKPSQGHVTFEDI AVYFSQEEWGLLDEAQRCLYHDVMLENFSLMA SVGCLHGIEAEEAPSEQTLSAQGVSQARTPKLGP SIPNAHSCEMCILVMKDILYLSEHQGTLPWQKPY TSVASGKWFSFGSNLQQHQNQDSGEKHIRKEESS ALLLNSCKIPLSDNLFPCKDVEKDFPTILGLLQHQ TTHSRQEYAHRSRETFQQRRYKCEQVFNEKVHV TEHQRVHTGEKAYKRREYGKSLNSKYLFVEHQR THNAEKPYVCNICGKSFLHKQTLVGHQQRIHTRE RSYVCIECGKSLSSKYSLVEHQRTHNGEKPYVCN VCGKSFRHKQTFVGHQQRIHTGERPYVCMECGK SFIHSYDRIRHQRVHTGEGAYQCSECGKSFIYKQ SLLDHHRIHTGERPYECKECGKAFIHKKRLLEHQ RIHTGEKPYVCIICGKSFIRSSDYMRHQRIHTGER AYECSDCGKAFISKQTLLKHHKIHTRERPYECSE CGKGFYLEVKLLQHQRIHTREQLCECNECGKVF SHQKRLLEHQKVHTGEKPCECSECGKCFRHRTS LIQHQKVHSGERPYNCTACEKAFIYKNKLVEHQ RIHTGEKPYECGKCGKAFNKRYSLVRHQKVHIT EEP
3613	A	817	3345	NQSHPDSETVTVEGGRRKMKSNQERSNECLPPK KREIPATSRSSEEKAPTLPSDNHRVEGTAWLPGN PGGRGHGGGRHGPAGTSVELGLQQGIGLHKALS TGLDYSPPSAPRSVPVATTLPAAYATPQPGTPVSP VQYAHLPHTFQFIGSSQYSGTYASFIPSQLIPPTAN PVTSAVASAAGATTPSQRSQLEAYSTLLANMGS LSQTPGHKAEQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQ

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last a mino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methlonine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				PAQQNQYVHISSSPQNTGRTASPPAIPVHLHPHQ TMIPHTLTLGPPSQVVMQYADSGSHFVPREATK KAESSRLQQAIQAKEVLNGEMEKSRRYGAPSSA DLGLGKAGGKSVPHPYESRHVVVHPSPSDYSSR DPSGVRASVMVLPNSNTPAADLEVQQATHREAS PSTLNDKSGLHLGKPGHRSYALSPHTVIQTTHSA SEPLPVGLPATAFYAGTQPPVIGYLSGQQQAITY AGSLPQHLVIPGTQPLLIPVGSTDMEASGAAPAIV TSSPQFAAVPHTFVTTALPKSENFNPEALVTQAA YPAMVQAQIHLPVVQSVASPAAAPPTLPPYFMK GSIIQLANGELKKVEDLKTEDFIQSAEISNDLKIDS STVERIEDSHSPGVAVIQFAVGEHRAQVSVEVLV EYPFFVFGQGWSSCCPERTSQLFDLPCSKLSVGD
				VCISLTLKNLKNGSVKKGQPVDPASVLLKHSKA DGLAGSRHRYAEQENGINQGSAQMLSENGELKF PEKMGLSAAPFLTKIEPSKPAATRKRRWSAPESR KLEKSEDEPPLTLPKPSLIPQEVKICIEGRSNVGK
3614	A	3	114	FFESRLRCKCCEPRGSWARFGCWRLQPEFKPKQ LEG
3615	A	3	1603	DAWALTNQFSDSKQHIEVLKESLTAKEQRAAILQ TEVDALRLRLEEKETMLNKKTKQIQDMAEEKGT QAGEIHDLKDMLDVKERKVNVLQKKIENLQEQL RDKEKQMSSLKERVKSLQADTTNTDTALTTLEE ALAEKERTIERLKEQRDRDEREKQEEIDNYKKDL KDLKEKVSLLQGDLSEKEASLLDLKEHASSLASS GLKKDSRLKTLEIALEQKKEECLKMESQLKKAH EAALEARASPEMSDRIQHLEREITRYKDESSKAQ AEVDRLLEILKEVENEKNDKDKKIAELESLTSRQ VKDQNKKVANLKHKEQVEKKKSAQMLEEARRR EDNLNDSSQQLQDSLRKKDDRIEELEEALRESVQ ITAEREMVLAQEESARTNAEKQVEELLMAMEKV KQELESMKAKLSSTQQSLAEKETHLTNLRAERR KHLEEVLEMKQEALLAAISEKDANIALLELSSSK KKTQEEVAALKREKDRLVQQLKQQTQNRMKLM ADNYEDDHFKSSHSNQTNHKPSPDQDEEEGIWA
3616		244	1420	RRRWRARGGLVPTLAWAEATGAYVPGRDKPDL PTWKRNFRSALNRKEGLRLAEDRSKDPHDPHKI YEFVNSGVGDFSQPDTSPDTNGGGSTSDTQEDIL DELLGNMVLAPLPDPGPPSLAVAPEPCPQPLRSPS LDNPTPFPNLGPSENPLKRLLVPGEEWEFEVTAF YRGRQVFQQTISCPEGLRLVGSEVGDRTLPGWP VTLPDPGMSLTDRGVMSYVRHVLSCLGGGLAL WRAGQWLWAQRLGHCHTYWAVSEELLPNSGH GPDGEVPKDKEGGVFDLGPFIVGSLGPPDLITFTE GSGRSPRYALWFCVGESWPQDQPWTKRLVMVK VVPTCLRALVEMARVGGASSLENTVDLHISNSHP LSLTSDQYKAYLQDLVEGMDFQGPGES
3617	A	852	304	RGGLLSKMARVLKAAAANAVGLFSRLQAPIPTV RASSTSQPLDQVTGSVWNLGRLNHVAIAVPDLE KAAAFYKNILGAQVSEAVPLPEHGVSVVFVNLG NTKMELLHPLGRDSPIAGFLQKNKAGGMHHICIE VDNINAAVMDLKKKKIRSLSEEVKIGAHGKPVIF LHPKDCGGVLVELEQA
3618	Α	3	5992	DNIDETYGVNVQFESDEEEGDEDVYGEVREEAS DDDMEGDEAVVRCTLSANMYVDEILVWCASEL



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \possible nucleotide insertion
		peptide		NIPEFFPLESPHKKVGYGLSSRTWLQGGGKVIEA GRDLLVASGELMSSKKKDLHPRDIDAFWLQRQL SRFYDDAIVSQKKADEVLEILKTASDDRECENQL VLLLGFNTFDFIKVLRQHRMMILYCTLLASAQSE AEKERIMGKMEADPELSKFLYQLHETEKEDLIRE ERSRRERVRQSRMDTDLETMDLDQGGEALAPRQ VLDLEDLVFTQGSHFMANKRCQLPDGSFRRQRK GYEEVHVPALKPKPFGSEEQLLPVEKLPKYAQA GFEGFKTLNRIQSKLYRAALETDENLLLCAPTGA GKTNVALMCMLREIGKHINMDGTINVDDFKIIYI APMRSLVQEMVGSFGKRLATYGITVAELTGDHQ LCKEEISATQIIVCTPEKWDIITRKGGERTYTQLV RLIILDEIHLLHDDRGPVLEALVARAIRNIEMTQE DVRLIGLSATLPNYEDVATFLRVDPAKGLFYFDN SFRPVPLEQTYVGITEKKAIKRFQIMNEIVYEKIM EHAGKNQVLVFVHSRKETGKTARAIRDMCLEKD TLGFLREGSASTEVLRTEAGCKNIELKDLLPY GFAIHHAGMTRVDRTLVEDLFGDKHIQVLVSTA TLAWGVNLPAHTVIIKGTQVYSPEKGRWTELGA LDILQMLGRAGRPQYDTKGEGILITSHGELQYYL SLLNQQLPIESQMVSKLPDMLNAEIVLGNVQNA KDAVNWLGYAYLYIRMLRSPTLYGISHDDLKGD PLLDQRRLDLVHTAALMLDKNNLVKYDKKTGN FQVTELGRIASHYYITNDTVQTYNQLLKPTLSEIE LFRVFSLSSEFKNITVREEEKLELQKLLERVPIPVK ESIEEPSAKINVLLQAFISQLKLEGFALMADMVY VTQSAGRLMRAIFEIVLNRGWAQLTDKTLNLCK MIDKRMWQSMCPLRQFRKLPEEVVKKIEKKNFP FERLYDLNHNEIGELIRMPKMGKTIHKYVHLFPK LELSVHLQPITRSTLKVELTITPDFQWDEKVHGSS EAFWILVEDVDSEVILHHEYFLLKAKYAQDEHLI TFFVPVFEPLPPQYFIRVVSDRWLSCETQLPVSFR HLILPEKYPPPTELLDLQPLPVSALRNSAFESLYQ DKFPFFPPIQTQVFNTVYNSDDNVFVGAPTGSGK TICAEFAILRMLLQNSEGRCVYITPMRLWQEQVY MDWYEKFQDRLNKKVVLLTGETSTDLKLLGKG NIIISTPEKWDILSRRWKQRKNVQNINLFVVDEV HLIGGENGPVLEVICSRMRYISSQIERPIRIVALSSS LSNAKDVAHWLGCSATSTFNFHPNVRPVPLELHI QGFNISHTQTRLLSMAKPVFHAITKHSPKKPVIVF VPSRKQTRLTAIDILTTCAADIQRQRFLHCTEKDL IPYLEKLSDSTLKETLLNGVGYLHEGLSPMERRL VEQLFSSGAIQVVVASRSLCWGMNVAAHLVIIM
				DTLYYNGKIHAYVDYPIYDVLQMVGHANRPLQ DDEGRCVIMCQGSKKDFFKKFLYEPLPVESHLD HCMHDHFNAEIVTKTIENKQDAVDYLTWTFLYR RMTQNPNYYNLQGISHRHLSDHLSELVEQTLSDL EQSKCISIEDEMDVAPLNLGMIAAYYYINYTTIEL FSMSLNAKTKVRGLIEIISNAAEYENIPIRHHEDN LLRQLAQKVPHKLNNPKFNDPHVKTNLLLQAHL SRMQLSAELQSDTEEILSKAIRLIQACVDVLSSNG WLSPALAAMELAQMVTQAMWSEDSYLRRLPPF PSGLFKRCTDKGVESVFDIMEMEDEERNALLQLT DSQIADVARFCNRYPNIELSYEVVDKDSIRSGGP VVVLVQLEREEEVTGPVIAPLFPQKREEGWWVV



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
	-			IGDAKSNSLISIKRLTLQQKAKVKLDFVAPATGG RHNTLYFMSDAYMGCDQEYKFSVDVKEAETDS DSD
3619	A	3	5992	DNIDETYGVNVQFESDEEEGDEDVYGEVREEAS DDDMEGDEAVVRCTLSANMYVDEILVWCASEL NIPEFFPLESPHKKVGYGLSSRTWLQGGGKVIEA GRDLLVASGELMSSKKKDLHPRDIDAFWLQRQL SRFYDDAIVSQKKADEVLEILKTASDDRECENQL VLLLGFNTFDFIKVLRQHRMMILYCTLLASAQSE AEKERIMGKMEADPELSKFLYQLHETEKEDLIRE ERSRRERVRQSRMDTDLETMDLDQGGEALAPRQ VLDLEDLVFTQGSHFMANKRCQLPDGSFRRQRK GYEEVHVPALKPKPFGSEEQLLPVEKLPKYAQA GFEGFKTLNRIQSKLYRAALETDENLLLCAPTGA GKTNVALMCMLREIGKHINMDGTINVDDFKIIYI APMRSLVQEMVGSFGKRLATYGITVAELTGDHQ LCKEEISATQIIVCTPEK WDIITRKGGERTYTQLV RLIILDEIHLLHDDRGPVLEALVARAIRNIEMTQE DVRLIGLSATLPNYEDVATFLRVDPAKGLFYFDN SFRPVPLEQTYVGITEKKAIKFFQIMNEIVYEKIM EHAGKNQVLVFVHSRKETGKTARAIRDMCLEKD TLGLFLREGSASTEVLRTEAEQCKNLELKDLLPY GFAIHHAGMTRVDRTLVEDLFGDKHIQVLVSTA TLAWGVNLPAHTVIIKGTQVYSPEKGRWTELGA LDILQMIGRAGRPQYDTKGEGILITSHGELQYYL SLLNQQLPIESQMVSKLPDMLNAEIVLGNVQNA KDAVNWLGYAYLYIRMLRSPTLYGISHDDLKGD PLLDQRRLDLVHTAALMLDKNNLVKYDKKTGN FQVTELGRIASHYYITNDTVQTYNQLLKPTLSEIE LFRVFSLSSEFKNITVREEEKLELQKLLERVPIPVK ESIEEPSAKINVLLQAFISQLKLEGFALMADMVY VTQSAGRLMRAIFEIVLNRGWAQLTDKTLNLCK MIDKRMWQSMCPLRQFRKLPEEVVKKIEKKNFP FERLYDLNHNEIGELIRMPKMGKTHKYVHLFPK LELSYHLQPITRSTLKVELTITPDFQWDEKVHGSS EAFWILVEDVDSEVILHHEYFLLKAKYAQDEHLI TFFVPVFEPLPPQYFIRVVSDRWLSCETQLPVSFR HLILPEKYPPPTELLDLQPLPVSALRNSAFESLYQ DKFPFFNPIQTQVFNTVYNSDDNVFVGAPTGSGK TICAEFAILRMLLQNSEGRCVYITPMRLWQEQVY MDWYEKFQDRLNKKVVLLTGETSTDLKLLGKG NIIISTPEKWDILSRRWKQRKNVQNINLFVVDEV HLIGGENGPVLEVICSRMRYISSQIERPIRIVALSSS LSNAKDVAHWLGCSATSTFNFHPNVRPVPLELHI QGFNISHTQTRLLSMAKPVFHAITKHSPKKRVIVF VPSRKQTRLTAIDILTTCAADIQRGFLHCTEKDL IPYLEKLSDSTLKETLLNGVGYLHEGLSPMERRL VEQLFSSGAIQVVVASRSLCWGMNVAAHLVIIM DTLYYNGKIHAYVDFPIYDVLQMVGHANRPLQ DDEGRCVMCQGSKKDFFKKFLYEPLPVESHLD HCMHDHFNAEIVTKTIENKQDA VDYLTWTFLYR RMTQNPNYYNLQGISHRHLSDHLSELVEQTLSDL EQSKCISIEDEMDVAPLNLGMIAAYYYINYTTIEL FSMSLNAKTKVRGLIEIISNAAEVENIPIRHHEDN LLRQLAQKVPHKLNNPKFNDPHVKTNLLLQAHL



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last a mino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \
				SRMQLSAELQSDTEEILSKAIRLIQACVDVLSSNG WLSPALAAMELAQMVTQAMWSEDSYLRRLPPF PSGLFKRCTDKGVESVFDIMEMEDEERNALLQLT DSQIADVARFCNRYPNIELSYEVVDKDSIRSGGP VVVLVQLEREEEVTGPVIAPLFPQKREEGWWVV IGDAKSNSLISIKRLTLQQKAKVKLDFVAPATGG RHNTLYFMSDAYMGCDQEYKFSVDVKEAETDS DSD
3620	A	1205	323	VIKMALAARLLPQFLHSRSLPCGAVRLRTPAVAE VRLPSATLCYFCRCRLGLGAALFPRSARALAASA LPAQGSRWPVLSSPGLPAAFASFPACPQRSYSTE EKPQQHQKTKMIVLGFSNPINWVRTRIKAFLIWA YFDKEFSITEFSEGAKQAFAHVSKLLSQCKFDLL EELVAKEVLHALKEKVTSLPDNHKNALAANIDEI VFTSTGDISIYYDEKGRKFVNILMCFWYLTSANIP SETLRGASVFQVKLGNQNVETKQLLSASYEFQR EFTQGVKPDWTIARIEHSKLLE
3621	A	2	2995	SSSRSRHSSISPVRLPLNSSLGAELSRKKKERAAA AAAAKMDGKESSYERSGSYSGRSPSPYGRRRSSS PFLSKRSLSRSPLPSRKSMKSRSRSPAYSRHSSSH SKKKRSSSRSRHSSISPVRLPLNSSLGAELSRKKK ERAAAAAAKMDGKESSYERSGSYSGRSPSPYG RRRSSSPFLSKRSLSRSPLPSRKSMKSRSRSPAYS RHSSSHSKKKRSSSRSRHSSISPVRLPLNSSLGAEL SRKKKERAAAAAAAKMDGKESKGSPVFLPRKE NSSVEAKDSGLESKKLPRSVKLEKSAPDTELVNV THLNTEVKNSSDTGKVKLDENSEKHLVKDLKAQ GTRDSKPIALKEEIVTPKETETSEKETPPPLPTIASP PPPLPTTTPPPQTPPLPPLPPIPALPQQPPLPPSQPA FSQVPASSTSTLPPSTHSKTSAVSSQANSQPPVQV SVKTQVSVTAAIPHLKTSTLPPLPLPPLLPGDDDM DSPKETLPSKPVKKEKEQRTRHLLTDLPLPPELPG GDLSPPDSPEPKAITPPQQPYKKRPKICCPRYGER RQTESDWGKRCVDKFDIIGIIGEGTYGQVYKAKD KDTGELVALKKVRLDNEKEGFPITAIREIKILRQL IHRSVVNMKEIVTDKQDALDFKKDKGAFYLVFE YMDHDLMGLLESGLVHFSEDHIKSFMKQLMEGL EYCHKKNFLHRDIKCSNILLNNSGQIKLADFGLA RLYNSEESRPYTNKVITLWYRPPKLLLGEERYTP AIDVWSCGCILGELFTKKPIFQANLELAQLELISR LCGSPCPAVWPDVIKLPYFNTMKPKKQYRRLR EEFSFIPSAALDLLDHMLTLDPSKRCTAEQTLQSD FLKDVELSKMAPPDLPHWQDCHELWSKKRRQ RQSGVVVEEPPPSKTSRKETTSGTSTEPVKNSSPA PPQPAPGKVESGAGDAIGLADITQQLNQSELAVL LNLLQSQTDLSIPQMAQLLNIHSNPEMQQQLEAL NQSISALTEATSQQQDSETMAPEESLKEAPSAPVI LPSAEQTTLEASSTPADMQNILAVLLSQLMKTQE PAGSLEENNSDKNSGPQGPRRTPTMPQEEAAGRS NGGNAL
3622	A	16	390	TPERGSAYPETAAVRRPAGECPITMSDLEAKLST EHLGDKIKDEDIKLRVIGQDSSEIHFKVKMTTPLK KLKKSYCQRQGVPVNSLRFLFEGQRIADNHTPEE
3623	A	2	1544	LGMEEEDVIEVYQEQIGGHSTV PPPAPGPDGLNEGCLHRLSMPHQRPRTCAMNPE



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \-possible nucleotide insertion
				LTMESLGTLHGARGGGSGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG
3624	A	27	2152	SARKAEAATSGTAARDGSVGRNLVPPPSASAPK AEVESNEKDNRPEEEEQVIHEDDERPSEKNEFSR RKRSKSEDMDNVQSKRRRYMEEEYEAEFQVKIT AKGDINQKLQKVIQWLLEEKLCALQCAVFDKTL AELKTRVEKIECNKRHKTVLTELQAKIARLTKRF EAAKEDLKKRHEHPPNPPVSPGKTVNDVNSNNN MSYRNAGTVRQMLESKRNVSESAPPSFQTPVNT VSSTNLVTPPAVVSSQPKLQTPVTSGSLTATSVLP APNTATVVATTQVPSGNPQPTISLQPLPVILHVPV AVSSQPQLLQSHPGTLVTNQPSGNVEFISVQSPPT VSGLTKNPVSLPSLPNPTKPNNVPSVPSPSIQRNP TASAAPLGTTLAVQAVPTAHSIVQATRTSLPTVG PSGLYSPSTNRGPIQMKIPISAFSTSSAAEQNSNTT PRIENQTNKTIDASVSKKAADSTSQCGKATGSDS SGVIDLTMDDEESGASQDPKKLNHTPVSTMSSSQ PVSRPLQPIQPAPPLQPSGVPTSGPSQTTIHLLPTA PTTVNVTHRPVTQVTTRLPVPRAPANHQVVYTT LPAPPAQAPLRGTVMQAPAVRQVNPQNSVTVRV PQTTTYVVNNGLTLGSTGPQLTVHHRPPQVHTEP PRPVHPAPLPEAPQPQRLPPEAGSTSRPSEATLEV SHAFRVKMAIVLVMECPGGGSKLCHC
3625	Ä		1115	ASPFLRPQGHDSGEREPFSQTPGLMQPFSIPVQIT LQGSRRRQGRTAFPASGKKRETDYSDGDPLDVH KRLPSSTGEDRAVMLGFAMMGFSVLMFFLLGTT ILKPFMLSIQREESTCTAIHTDIMDDWLDCAFTCG VHCHGQGKYPCLQVF.VNLSHPGQKALLHYNEE AVQINPKCFYTPKCHQDRNDLLNSALDIKEFFDH KNGTPFSCFYSPASQSEDVILIKKYDQMAIFHCLF WPSLTLLGGALIVGMVRLTQHLSLLCEKYSTVV RDEVGGKVPYIEQHQFKLCIMRRSKGRAEKS
3626	A	231	921	SSVVEFSALSVSMACLSPSQLQKFQQDGFLVLEG FLSAEECVAMQQRIGEIVAEMDVPLHCRTEFSTQ EEEQLRAQGSTDYFLSSGDKIRFFEKGVFDEKG NFLVPPEKSINKIGHALHAHDPVFKSITHSFKVQT LARSLGLQMPVVVQSMYIFKQPHFGGEVSPHQD ASFLYTEPLGRVLGVWIAVEDATLENGCLWFIPG SHTSGVSRRMVRAPVGSAPGTSFLGSEPARDNSL FVPTPVQRGALVLIHGEVVHKSKQNLSDRSRQA YTFHLMEASGTTWSPENWLQPTAELPFPQLYT INSSPRTGRDHQELNLHTERDSRSQRAVLKIPRQ

7H 7	1.55	J 70		
SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methlonine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \
				NPGIFYWIFLPSRSHSASHGSRQRQVSCQGTQDEI LKMRNTFAELKNSLEALSSRMDQAEERIGTQAG VQWRDHGSLQPQPPEFKQCFHLSLPSSWDYRAC LS
3628	A	2	810	GCKHLLQNSWYDPRVREADRVGQRARRPRAAM DWLMGKSKAKPNGKKPAAEERKAYLEPEHTKA RITDFQFKELVVLPREIDLNEWLASNTTTFFHHIN LQYSTISEFCTGETCQTMAVCNTQYYWYDERGK KVKCTAPQYVDFVMSSVQKLVTDEDVFPTKYG REFPSSFESLVRKICRHLFHVLAHIYWAHFKETLA LELHGHLNTLYVHFILFAREFNLLDPKETAIMDD LTEVLCSGGRRGSTVGAVGMGPAAGAPGAQNH VKER
3629	A	699	1604	CSHGSSAVSAWSPLFQASEVERQLSMQVHALRE DFREKNSSTNQHIIRLESLQAEIKMLSDRKRELEH RLSATLEENDLLQGTVEELQDRVLILERQGHDKD LQLHQSQLELQEVRLSCRQLQVKVEELTEERSLQ SSAATSTSLLSEIEQSMEAEELEQEREQLTLLSVE MTALKEERDRLRVTSEDKEPKEQLQKAIRDRDE AIAKKNAVELELAKCRMDMMSLNSQLLDAIQQ KLNLSQQLEAWQDDMHRVIDRQLMDTHLKERS QPAAALCRGHSAGRGDEPSIAEGKRLFSFFRKI
3630	A	423	1	PAKVLTLDIYLSKTEGAQVDEPVVITPRAEDCGD WDDMEKRSSGRRSGRRRGSQKSTDSPGADAELP ESAARDDAVFDDEVAPNAASDNASAEKKVKSPR AALDGGVASAASPESKPSPGTKGQLRGESDRSK QPPPASSP
3631	A	2082	674	WSGFWQLPGVRGVGSAPGGDGAEFTSRRGSSRR PGAACPGCRGAGSERAPGGMGRRRAPELYRAPF PLYALQVDPSTGLLIAAGGGGAAKTGIKNGVHF LQLELINGRLSASLLHSHDTETRATMNLALAGDI LAAGQDAHCQLLRFQAHQQQGNKAEKAGSKEQ GPRQRKGAAPAEKKCGAETQHEGLELRVENLQA VQTDFSSDPLQKVVCFNHDNTLLATGGTDGYVR VWKVPSLEKVLEFKAHEGEIEDLALGPDGKLVT VGRDLKASVWQKDQLVTQLHWQENGPTFSSTP YRYQACRFGQVPDQPAGLRLFTVQIPHKRLRQPP PCYLTAWDGSNFLPLRTKSCGHEVVSCLDVSES GTFLGLGTVTGSVAIYIAFSLQCLYYVREAHGIV VTDVAFLPEKGRGPELLGSHETALFSVAVDSRCQ LHLLPSRRSVPVWLLLLLCVGLIIVTILLLQSAFPG FL
3632	A	942	40	PWCQRVEVRSCGSSKRSCSRWSGSSWDGSRSLG RGLNHTSLNRSPPFTPDTMTHCCSPCCQPTCCRT TCCRTTCWKPTTVTTCSSTPCCQPSCCVPSCCQP CCHPTCCQNTCCRTTCCQPTCVASCCQPSCCSTP CCQPTCCGSSCCGQTSCGSSCCQPICGSSCCQPCC HPTCYQTICFRTTCCQPTCCQPTCCRNTSCQPTCC GSSCCQPCCHPTCCQTICRSTCCQPSCVTRCCSTP CCQPTCGGSSCCSQTCNESSYCLPCCRPTCCQTT CYRTTCCRPSCCCSPCCVSSCCQPSCC
3633	A	605	3004	GPEGYRGRRARHPSLGSTTGHCGGGRGAEGTGT DPAAPAARLNVDGLLVYFPYDYIYPEQFSYMRE LKRTLDAKGHGVLEMPSGTGKTVSLLALIMAYQ RAYPLEVTKLIYCSRTVPEIEKVIEELRKLLNFYE

	_
,	\

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				KQEGEKLPFLGLALSSRKNLCIHPEVTPLRFGKD VDGKCHSLTASYVRAQYQHDTSLPHCRFYEEFD AHGREVPLPAGIYNLDDLKALGRRQGWCPYFLA RYSILHANVVVYSYHYLLDPKIADLVSKELARK AVVVFDEAHNIDNVCIDSMSVNLTRRTLDRCQG NLETLQKTVLRIKETDEQRLRDEYRRLVEGLREA SAARETDAHLANPVLPDEVLQEAVPGSIRTAEHF LGFLRRLLEYVKWRLRVQHVVQESPPAFLSGLA QRVCIQRKPLRFCAERLRSLLHTLEITDLADFSPL TLLANFATLVSTYAKGFTIIIEPFDDRTPTIANPIL HFSCMDASLAIKPVFERFQSVIITSGTLSPLDIYPK ILDFHPVTMATFTMTLARVCLCPMIIGRGNDQVA ISSKFETREDIAVIRNYGNLLLEMSAVVPDGIVAF FTSYQYMESTVASWYEQGILENIQRNKLLFIETQ DGAETSVALEKYQEACENGRGAILLSVARGKVS EGIDFVHHYGRAVIMFGVPYVYTQSRILKARLEY LRDQFQIRENDFLTFDAMRHAAQCVGRAIRGKT DYGLMVFADKRFARGDKRGKLPRWIQEHLTDA NLNLTVDEGVQVAKYFLRQMAQPFHREDQLGL
3634	A	159	384	SLLSLEQLESEETLKRIEQIAQQL LKMSSKTASTNNIAQARRTVQQLRLEASIERIKV SKASADLMSYCEEHARSDPLLIGIPTSENPFKDKK TCIIL
3635	A	5	409	TELSQLEKAHPPADMGRRKSKRKPPPKKKMTGT LETQFTCPFCNHEKSCDVKMDRARNTGVISCTV CLEEFQTPITCILGNLGFFQRVGRGLESGPCSSGP LCALVQGQSRPEEQVPPSDFCGVRRCRAGFQCQ
3636	A	48	282	DHLKSCYQDSHEDPTKMKRFLFLLLTISLLVMVQ IQTGLSGQNDTSQTSSPSASSSMSGGIFLFFVANAI IHLFCFS
3637	A	1	1248	ARAGSVVGSAAARGPPAGCRCERAARLPSSPAR RRRCDWVEDGAGRMEILMTVSKFASICTMGAN ASALEKEIGPEQFPVNEHYFGLVNFGNTCYCNSV LQALYFCRPFREKGLAYKSQPRKKESLLTCLADL FHSIATQKKKVGVIPPKKFITRLRKENELFDNYM QQDAHEFLNYLLNTIADILQEERKQEKQNGRLPN GNIDNENNNSTPDPTWVHEIFQGTLTNETRCLTC ETISSKDEDFLDLSVDVEQNTSITHCLRGFSNTET LCSEYKYYCEECRSKQEAHKRMKVKKLPMILAL HLKRFKYMDQLHRYTKLSYRVVFPLELRLFNTS GDATNPDRMYDLVAVVVHCGSGPNRGHYIAIV KSHDFWLLFDDDIVEKIDAQAIEEFYGLTSDISKN SESGYILFYQSRD
3638	A	11	630	PAGIPVSTISSDRRASTDLTRKMKPDETPMFDPNL LKEVDWSQNTATFSPAISPTHPGEGLVLRPLCTA DLNRGFFKVLGQLTETGVVSPEQFMKSFEHMKK SGDYYVTVVEDVTLGQIVATATLIIEHKFIHSCAK RGRVEDVVVSDECRGKQLGNLLLSTLTLLSKKL NCYKITLECLPQNVGFYKKFGYTVSEENYMCRR FLK
3639	A		1200	PRVRLLRPSRSRSCRGLLSTRAPGPSPFRSLHSSPL LPHAMKSPFYRCQNTTSVEKGNSAVMGGVLFST GLLGNLLALGLLARSGLGWCSRRPLRPLPSVFY MLVCGLTVTDLLGKCLLSPVVLAAYAQNRSLRV LAPALDNSLCQAFAFFMSFFGLSSTLQLLAMALE



		_
)		
,		

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Typtophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				CWLSLGHPFFYRRHITLRLGALVAPVVSAFSLAF CALPFMGFGKFVQYCPGTWCFIQMVHEEGSLSV LGYSVLYSSLMALLVLATVLCNLGAMRNLYAM HRRLQRHPRSCTRDCAEPRADGREASPQPLEELD HLLLLALMTVLFTMCSLPVIYRAYYGAFKDVKE KNRTSEEAEDLRALRFLSVISIVDPWIFIIFRSPVFR IFFHKIFIRPLRYRSRCSNSTNMESSL
3640	A	930	182	PLPPPTLAMFLTRSEYDRGVNTFSPEGRLFQVEY AIEAIKLGSTAIGIQTSEGVCLAVEKRITSPLMEPS SIEKIVEIDAHIGCAMSGLIADAKTLIDKARVETQ NHWFTYNETMTVESVTQAVSNLALQFGEEDADP GAMSRPFGVALLFGGVDEKGPQLFHMDPSGTFV QCDARAIGSASEGAQSSLQEVYHKSMTLKEAIKS SLIILKQVMEEKLNATNIELATVQPGQNFHMFTK EELEEVIKDI
3641	A	2	1254	PTGQGGRRAEARSCLLSKAMLGRSGYRALPLGD FDRFQQSSFGFLGSQKGCLSPERGGVGTGADVPQ SWPSCLCHGLISFLGFLLLLVTFPISGWFALKIVPT YERMIVFRLGRIRTPQGPGMVLLLPFIDSFQRVDL RTRAFNVPPCKLASKDGAVLSVGADVQFRIWDP VLSVMTVKDLNTATRMTAQNAMTKALLKRPLR EIQMEKLKISDQLLLEINDVTRAWGLEVDRVELA VEAVLQPPQDSPAGPNLDSTLQQLALHFLGGSM NSMAGGAPSPGPADTVEMVSEVEPPAPQVGARS SPKQPLAEGLLTALQPFLSEALVSQVGACYQFNV VLPSGTQSAYFLDLTTGRGRVGHGVPDGIPDVV VEMAEADLRALLCRELRPLGAYMSGRLKVKGD LAMAMKLEAVLRALK
3642	A	1	237	RRGEIDMATEGDVELELETETSGPERPPEKPRKH DSGAADLERVTDYAEEKEIQSSNLETAMSVIGDR RSREQKAKQER
3643	A	94	541	RKERRRRRRMEAVVFVFSLLDCCALIFLSVYFII TLSDLECDYINARSCCSKLNKWVIPELIGHTIVTV LLLMSLHWFIFLLNLPVATWNIYRYIMVPSGNM GVFDPTEIHNRGQLKSHMKEAMIKLGFHLLCFF MYLYSMILALIND
3644	A	95	2808	TSCRHFPITSEDPLNYLLILTVERIYAYQALPLGFL FCSRDPVPEYLNHCGVKYVLISDRASFCALHIFFS PFRNVFRPAAGGGIAPPPRLWFQPSLSDAEMEIPK LLPARGTLQGGGGGIPAGGGRVHRGPDSPAGQ VPTRRLLLPRGPQDGGPGRREEASTASRGPGPS LFAPRPHQPSGGGGGGDDFFLVLLDPVGGDVE TAGSGQAAGPVLREEAEEGPGLQGGESGANPAG PTALGPRCLSAVPTPAPISAPGPAAAFAGTVTIHN QDLLLRFENGVLTLATPPPHAWEPGAAPAQQPG CLIAPQAGFPHAAHPGDCPELPPDLLLAEPAEPAP APAPEEEAEGPAAALGPRGPLGSGPGVVLYLCPE ALCGQTFAKKHQLKMHLLTHSSSQGQRPFKCPL GGCGWTFTTSYKLKRHLQSHDKLRPFGCPAEGC GKSFTTVYNLKAHMKGHEQENSFKCEVCEESFP TQAKLGAHQRSHFEPERPYQCAFSGCKKTFITVS ALFSHNRAHFREQELFSCSFPGCSKQYDKACRLK IHLRSHTGERPFLCDFDGCGWNFTSMSKLLRHKR KHDDDRRFMCPVEGCGKSFTRAEHLKGHSITHL STKPFVCPVAGCCARFSARSSLYIHSKKHLQDVD



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				TWKSRCPISSCNKLFTSKHSMKTHMVKRHKVGQ DLLAQLEAANSLTPSSELTSQRQNDLSDAEIVSLF SDVPDSTSAALLDTALVNSGILTIDVASVSSTLAG HLPANNNNSVGQAVDPPSLMATSDPPQSLDTSLF FGTAATGFQQSSLNMDEVSSVSVGPLGSLDSLA MKNSSPEPQALTPSSKLTVDTDTLTPSSTLCENSV SELLTPAKAEWSVHPNSDFFGQEGETQFGFPNAA GNHGSQKERNLITVTGSSFLV
3645	A	2194	1707	TVSFHKTMASLKCSTVVCVICLEKPKYRCPACRV PYCSVVCFRKHKEQCNPETRPVEKKIRSALPTKT VKPVENKDDDDSIADFLNSDEEEDRVSLQNLKN LGESATLRSLLLNPHLRQLMVNLDQGEDKAKLM RAYMQEPLFVEFADCCLGIVEPSQNEES
3646		85	1948	ERGGGKAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
3647	A	46	5007	PTGDACVSTSCELASALSHLDASHLTENLPKAAS ELGQQPMTELDSSSDLISSPGKKGAAHPDPSKTS VDTGQVSRPENPSQPASPRVTKCKARSPVRLPHE GSPSPGEKAAAPPDYSKTRSASETSTPHNTRRVA ALRGAGPGAEGMTPAGAVLPGDPLTSQEQRQGA PGNHSKALEMTGIHAPESSQEPSLLEGADSVSSR APQASLSMLPSTDNTKEACGHVSGHCCPGGSRE SPVTDIDSFIKELDASAARSPSSQTGDSGSQEGSA QGHPPAGAGGGSSCRAEPVPGGQTSSPRRAWAA GAPAYPQWASQPSVLDSINPDKHFTVNKNFLSN YSRNFSSFHEDSTSLSGLGDSTEPSLSSMYGDAE DSSSDPESLTEAPRASARDGWSPPRSRVSLHKED PSESEEEQIEICSTRGCPNPPSSPAHLPTQAAICPAS AKVLSLKYSTPRESVASPREKVACLPGSYTSGPD SSQPSSLLEMSSQEHETHADISTSQNHRPSCAEET TEVTSASSAMENSPLSKVARHFHSPPIILSSPNMV NGLEHDLLDDETLNQYETSINAAASLSSFSVDVP KNGESVLENLHISESQDLDDLLQKPKMIARRPIM AWFKEINKHNQGTHLRSKTEKEQPLMPARSPDS KIQMVSSSQKKGVTVPHSPPQPKTNLENKDLSKK SPAEMLLTNGQKAKCGPKLKRLSLKGKAKVNSE APAANAVKAGGTDHRKPLISPQTSHKTLSKAVS QRLHVADHEDPDRNTTAAPRSPQCVLESKPPLAT



PCT/US01/04098

WO 01/57190

SEO ID Method Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, Predicted Predicted end NO: E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, beginning nucleotide I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, nucleotide location location corresponding N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, corresponding to last amino T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, to first amino acid residue of X=Unknown, *=Stop codon, /=possible nucleotide deletion. acid residue of peptide \=possible nucleotide insertion peptide sequence sequence SGPLKPSVSDTSIRTFVSPLTSPKPVPEQGMWSRF **HMAVLSEPDRGCPTTPKSPKCRAEGRAPRADSG** PVSPAASRNGMSVAGNRQSEPRLASHVAADTAQ **PRPTGEKGGNIMASDRLERTNQLKIVEISAEAVSE** TVCGNKPAESDRRGGCLAQGNCQEKSEIRLYRQ VAESSTSHPSSLPSHASQAEQEMSRSFSMAKLAS SSSSLQTAIRKAEYSQGKSSLMSDSRGVPRNSIPG GPSGEDHLYFTPRPATRTYSMPAOFSSHFGREGH PPHSLGRSRDSQVPVTSSVVPEAKASRGGLPSLA NGQGIYSVKPLLDTSRNLPATDEGDIISVQETSCL VTDKIKVTRRHYCYEQNWPHESTSFFSVKQRIKS **FENLANADRPVAKSGASPFLSVSSKPPIGRRSSGS** IVSGSLGHPGDAAARLLRRSLSSCSENOSEAGTL LPOMAKSPSIMTLTISRONPPETSSKGSDSELKKS LGPLGIPTPTMTLASPVKRNKSSVRHTOPSPVSRS KLQELRALSMPDLDKLCSEDYSAGPSAVLFKTEL EITPRRSPGPPAGGVSCPEKGGNRACPGGSGPKT SAAETPSSASDTGEAAQDLPFRRSWSVNLDQLLV SAGDOORLOSVLSSVGSKSTILTLIQEAKAOSENE **EÓVCFIVLNRKEGSGLGFSVAGGTDVEPKSITVH** RVFSQGAASQEGTMNRGDFLLSVNGASLAGLAH GNVLKVLHQAQLHKDALVVIKKGMDQPRPSAR **QEPPTANGKGLLSRKTIPLEPGIGRSVAVHDALC** VEVLKTSAGLGLSLDGGKSSVTGDGPLVIKRVY KGGAAEOAGIIEAGDEILAINGKPLVGLMHFDA WNIMKSVPEGPVOLLIRKHRNSS 3648 337 1564 KSRLSVTLMPVOLSEHPEWNESMHSLRISVGGLP VLASMTKAADPRFRPRWKVVLTFFVGAAILWLL CSHRPAPGRPPTHNAHNWRLGQAPANWYNDTY PLSPPQRTPAGIRYRIAVIADLDTESRAQEENTWF TYLKKGYLTFSDSGDKVAVEWDKDHGVLESHL **AEKGRGMELSDLIVFNGKLYSVDDRTGVVYOIE** GSKAVPWVILSDGDGTVEKGFKAEWLAVKDER LYVGGLGKEWTTTTGDVVNENPEWVKVVGYK GSVDHENWVSNYNALRAAAGIQPPGYLIHESAC WSDTLORWFFLPRRASOERYSEKDDERKGANLL LSASPDFGDIAVSHVGAVVPTHGFSSFKFIPNTDD OIIVALKSEEDSGRVASYIMAFTLDGRFLLPETKI GSVKYEGIEFI 3649 ī 775 **PTRPGSGSAGGARVGSGEFGVEMAALAPLPPLPA** A QFKSIQHHLRTAQEHDKRDPVVAYYCRLYAMQ TGMKIDSKTPECRKFLSKLMDQLEALKKQLGDN **EAITOEIVGCAHLENYALKMFLYADNEDRAGRF HKNMIKSFYTASLL!DVITVFGELTDENVKHRKY** ARWKATYIHNCLKNGETPOAGPVGIEEDNDIEEN EDAGAASLPTOPTOPSSSSTYDPSNMPSGNYTGI **QIPPGAHAPANTPAEVPHSTGVAK** 3650 20 963 KMAATLGPLGSWQQWRRCLSARDGSRRLLLLL Ā LLGSGQGPQQVGAGQTFEYLKREHSLSKPYQGE APRPCFLRDWELQVHFKIHGQGKKNLHGDGLAI WYTKDRMQPGPVFGNMDKFVGLGVFVDTYPNE **EKQQERVFPYISAMVNNGSLSYDHERDGRPTEL** GGCTAIVRNLHYDTFLVIRYVKRHLTIMMDIDGK HEWRDCIEVPGVRLPRGYYFGTSSITGDLSDNHD VISLKLFELTVERTPEEEKLHRDVFLPSVDNMKL



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				PEMTAPLPPLSGLALFLIVFFSLVFSVFAIVIGIÏLY NKWOEOSRKRFY
3651	A		1218	RSWAYVKKCKNNMCPNRGLHDGPEPCWLHHA AGTVSAVQARGLQPSQSRSRPRVPGLATALAYG PAHTPPLSRIGWAMQPPPPGPLGDCLRDWEDLQ QDFQNIQVSAAADAGSPPSRVSLAQGQGSGSPGC KPSLPAEAEGAAQELENQMKERQGLFFDMEAYL PKKNGLYLSLVLGNVNVTLLSKQAKFAYKDEYE KFKLYLTIILILISFTCRFLLNSRVTDAAFNFLLVW YYCTLTIRESILINNGSRIKGWWVFHHYVSTFLSG VMLTWPDGLMYQKFRNQFLSFSMYQSFVQFLQ YYYQSGCLYRLRALGERHTMDLTVEGFQSWMW RVLTFLLPFLFFGHFWQLFNALTLFNLAQDPQCK EWQVLMCGFPFLLLFLGNFFTTLRVVHHKFHSQ RHGSKKD
3652	A	640	164	VTTSCIIPFAFGLGVRASERLAEIDMPYLLKYQPM MQTIGQKYCMDPAVIAGVLSRKSPGDKILVNMG DRTSMVQDPGSQAPTSWISESQVFQTTEVLTTRI TELQRRFPTWTPDQYLRGGLCAYSGGAGYVRSS QDLSCDFCNDVLARAKYLKRHGF
3653	A	2	909	IVRRDWQEVSDIHLAMANCKMTKSIRFPALEHC YTGGEVVLPKDQEEWKRRTGLLLYENYGQSETG LICATYWGMKIKPGFMGKATPPYDVQFHMEASV ENCIIVSMNTADPGSQGITHSLLLQVIDDKGSILPP NTEGNIGIRIKPVRPVSLFMCYEGDPEKTAKVEC GDFYNTGDRGKMDEEGYICFLGRSDDIINASGYR IGPAEVESALVEHPAVAESAVVGSPDPIRGEVVK AFIVLTPQFLSHDKDQLTKELQQHVKSVTAPYKY PRKVEFVSELPKTITGKIERKELRKKETGQM
3654	A	2	909	IVRRDWQEVSDIHLAMANCKMTKSIRFPALEHC YTGGEVVLPKDQEEWKRRTGLLLYENYGQSETG LICATYWGMKIKPGFMGKATPPYDVQFHMEASV ENCIIVSMNTADPGSQGITHSLLLQVIDDKGSILPP NTEGNIGIRIKPVRPVSLFMCYEGDPEKTAKVEC GDFYNTGDRGKMDEEGYICFLGRSDDIINASGYR IGPAEVESALVEHPAVAESAVVGSPDPIRGEVVK AFIVLTPQFLSHDKDQLTKELQQHVKSVTAPYKY PRKVEFVSELPKTITGKIERKELRKKETGQM
3655	A	2	2364	SPGPSLPESAESLDGSQEDKPRGSCAEPTFTDTG MVAHINNSRLKAKGVGQHDNAQNFGNQSFEEL RAACLRKGELFEDPLFPAEPSSLGFKDLGPNSKN VQNISWQRPKDIINNPLFIMDGISPTDICQGILGDC WLLAAIGSLTTCPKLLYRVVPRGQSFKKNYAGIF HFQIWQFGQWVNVVVDDRLPTKNDKLVFVHST ERSEFWSALLEKAYAKLSGSYEALSGGSTMEGL EDFTGGVAQSFQLQRPPQNLLRLRKAVERSSL MGCSIEVTSDSELESMTDKMLVRGHAYSVTGLQ DVHYRGKMETLIRVRNPWGRIEWNGAWSDSAR EWEEVASDIQMQLLHKTEDGEFWMSYQDFLNN FTLLEICNLTPDTLSGDYKSYWHTTFYEGSWRTG SSAGGCRNHPGTFWTNPQFKISLPEGDDPEDDAE GNVVVCTCLVALMQKNWRHARQQGAQLQTIGF VLYAVPKEFQNIQDVHLKKEFFTKYQDHGFSEIF TNSREVSSQLRLPPGEYIIIPSTFEPHRDADFLLRV FTEKHSESWELDEVNYAEQLQEEKVSEDDMDQ

		_
,		

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last a mino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				DFLHLFKIVAGEGKEIGVYELQRLLNRMAIKFKS FKTKGFGLDACRCMINLMDKDGSGKLGLLEFKI LWKKLKKWMDIFRECDQDHSGTLNSYEMRLVIE KAGIKLNNKVMQVLVARYADDDLIIDFDSFISCF LRLKTMFTFFLTMDPKNTGHICLSLEQVLGEGW EGICRIAPACPSTPPPPSSDVPGPASCPRLFPPWDL LPVSTVAADDHVGIEAL
3656	A	3	174	PLCTHYLLPELPEKSSRTSPRSRPGNMLSGDPHLP QPLCHCLDHCPCCFSGKRLVA
3657	A	1		DTRSTYHNAHSLPTYVKSPAPCQMTYIKSPAPCQ TQTCYVQGASPCQSYYVQAPASGSTSQYCVTDP CSAPCSTSYCCLAPRTFGVSPLRRWIQRPQNCNT GSSGCCENSGSSGCCGSGGCGCSCGCGSSGCCL GIIPMKSRSPALL
3658	A	92	1537	SEAPVQPQPYTMTSFYSTSSCPLGCTMAPGARNV FVSPIDVGCQPVAEANAASMCLLANVAHANRVR VGSTPLGRPSLCLPPTSHTACPLPGTCHIPGNIGIC GAYGKNTLNGHEKETMKFLNDRLANYLEKVRQ LEQENAELETTLLERSKCHESTVCPDYQSYFRTIE ELQQKILCSKAENARLIVQIDNAKLAADDFRIKL ESERSLHQLVEADKCGTQKLLDDATLAKADLEA QQESLKEEQLSLKSNHEQEVKILRSQLGEKFRIEL DIEPTIDLNRVLGEMRAQYEAMVETNHQDVEQ WFQAQSEGISLQAMSCSEELQCCQSEILELRCTV NALEVERQAQHTLKDCLQNSLCEAEDRYGTELA QMQSLISNLEEQLSEIRADLERQNQEYQVLLDVK ARLENEIATYRNLTPLQSLFHACLLYFLSKLWPC HRWVSLWPWSQHGEMILKARVRRLRLVALGSG VPSPCPVFLOD
3659	A	2	402	DLLQCLNQLYSASTEMSCQQSQQQCQPPPKCTP KCPPKCTPKCPPKCPPKCPPQYSAPCPPPVSSCCG SSSGGCCSSEGGGCCLSHHRPRQSLRRRPQSSSC CGSGSGQQSGGSSCCHSSGGSGCCHSSGGCC
3660	A	26	710	CSAVEVKMAARTAFGAVCRRLWQGLGNFSVNT SKGNTAKNGGLLLSTNMKWVQFSNLHVDVPKD LTKPVVTISDEPDILYKRLSVLVKGHDKAVLDSY EYFAVLAAKELGISIKVHEPPRKIERFTLLQSVHI YKKHRVQYEMRTLYRCLELEHLTGSTADVYLEY IQRNLPEGVAMEVTKFCFFIFLDTIRTVTRTHQGA NLGNTIRRKRRKQVIKPQGGHFCLNLK
3661	A	2	370	DVSVAASEPTVYRNPTKMSCQQNQQQCQPPPKC PIPKYPPKCPSKCASSCPPPISSCCGSSSGGCCSSG GCGCCSSEGGGCCLSHHRHHRSHCHRPKSSNCY GSGSGQQSGGSGCCSGGGCC
3662	A	205	1277	RKSLPHPNPQKMLKKPLSAVTWLCIFIVAFVSHP AWLQKLSKHKTPAQPQLKAANCCEEVKELKAQ VANLSSLLSELNKKQERDWVSVVMQVMELESN SKRMESRLTDAESKYSEMNNQIDIMQLQAAQTV TQTSAGKETSPLRERGVPPHLQHCFYIPPDDFLGS PELEVFCDMETSGGGWTIIQRRKSGLVSFYRDW KQYKQGFGSIRGDFWLGNEHIHRLSRQPTRLRVE MEDWEGNLRYAEYSHFVLGNELNSYRLFLGNY TGNVGNDALQYHNNTAFSTKDKDNDNCLDKCA QLRKGGYWYNCCTDSNLNGVYYRLGEHNKHLD GITWYGWHGSTYSLKRVEMKIRPEDFKP

SEQ ID	Method	Predicted	Predicted end	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid,
NO:		beginning nucleotide location corresponding to first amino acid residue of peptide sequence	nucleotide location corresponding to last amino acid residue of peptide sequence	E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \possible nucleotide insertion
3663	A	64	1456	LSSAKETLAQMYNTVWNMEDLDLEYAKTDINC GTDLMFYIEMDPPALPPKPPKPTTVANNGMNNN MSLQDAEWYWGDISREEVNEKLRDTADGTFLV RDASTKMHGDYTLTLRKGGNNKLIKIFHRDGKY GFSDPLTFSSVVELINHYRNESLAQYNPKLDVKL LYPVSKYQQDQVVKEDNIEAVGKKLHEYNTQF(EKSREYDRLYEEYTRTSQEIQMKRTAIEAFNETIK IFEEQCQTQERYSKEYIEKFKREGNEKEIQRIMHN YDKLKSRISEIIDSRRRLEEDLKKQAAEYREIDKR MNSIKPDLIQLRKTRDQYLMWLTQKGVRQKKL NEWLGNENTEDQYSLVEDDEDLPHHDEKTWNV GSSNRNKAENLLRGKRDGTFLVRESSKQGCYAC SVVVDGEVKHCVINKTATGYGFAEPYNLYSSLK ELVLHYQHTSLVQHNDSLNVTLAYPVYAQQRR
3664	A	944	406	GATVEDQSCNFGSLRWVVSVPHISARSCPDPLLS RTGRVPGGRGAGLPRHHSPRCCLQVFFNGANVR QVDVPTLTGAFGILAAHVPTLQVLRPGLVVVHA EDGTTSKYFVSSGSIAVNADSSVQLLAEEAVTLD MLDLGAAKANLEKAQAELVGTADEATRAEIQIR IEANEALVKALE
3665	A .	98	1388	ASQLAFGGKLTSTPSRDFQGCGRGAVTCCSFHEIR RHQSGRCLSTGMAPNLKGRPRKKKPCPQRRDSFSGVKDSNNNSDGKAVAKVKCEARSALTKPKNNHNCKKVSNEEKPKVAIGEECRADEQAFLVALYKYMKERKTPIERIPYLGFKQINLWTMFQAAQKLGGYETITARRQWKHIYDELGGNPGSTSAATCTRRHYERLILPYERFIKGEEDKPLPPIKPRKQENSSQENENKTKVSGTKRIKHEIPKSKKEKENAPKPQDAAEVSSEQEKEQETLISQKSIPEPLPAADMKKKIEGYQEFSAKPLASRVDPEKDNETDQGSNSEKVAEEAGEKGPTPPLPSAPLAPEKDSALVPGASKQPLTSPSALVDSKQESKLCCFTESPESEPQEASFPRLPHHTCHRWQTRMRRRMTNCPPWQITLPTAP
3666	A	113	1492	LLQEMCTKTIPVLWGCFLLWNLYVSSSQTIYPGI KARITQRALDYGVQAGMKMIEQMLKEKKLPDL SGSESLEFLKVDYVNYNFSNIKISAFSFPNTSLAF VPGVGIKALTNHGTANISTDWGFESPLFVLYNSF AEPMEKPILKNLNEMLCPIIASEVKALNANLSTLI VLTKIDNYTLLDYSLISSPEITENYLDLNLKGVFY PLENLTDPPFSPVPFVLPERSNSMLYIGIAEYFFKS ASFAHFTAGVFNVTLSTEEISNHFVQNSQGLGNV LSRIAEIYILSQPFMVRIMATEPPIINLQPGNFTLDI PASIMMLTQPKNSTVETIVSMDFVASTSVGLVIL GQRLVCSLSLNRFRLALPESNRSNIEVLRFENILSS ILHFGVLPLANAKLQQGFPLPNPHKFLFVNSDIEV LEGFLLISTDLKYETSSKQQPSFHVWEGLNLISRQ WRGKSAP
3667	Α	1	181	FRGRLGSGRNGGGSMNAPPAFESFLLFEGEKITIN KDTKVPNACLFTINKEDHTLGNIIK
3668	A	212	431	VAGEAVPFFPMMYSEPLKPSYLALVLWYFLLTG YCITKPEVIFKIEQGEEPWILEKGFPSQCHPAKYL WCLHD
3669	A	458	1056	FSGVCFAGIAGSMATLLHDAVMNPAEVVKQRLQ MYNSQHRSAISCIRTVWRTEGLGAFYRSYTTQLT MNIPFQSIHFITYEFLQEQVNPHRTYNPQSHIISGG



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methlonine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
, ,				LAGALAAAATTPLDVCKTLLNTQENVALSLANIS GRLSGMANAFRTVYQLNGLAGYFKGIQARVIYQ MPSTAISWSVYEFFKYFLTKRQLENRAPY
3670	A	145	298	RNPCPLTFLPSTLMVLLLSLTFFSALTFHSICQLRN TGVEVDIVFQRVSFL
3671	A	3	462	ILKVAKKERTMSSLPVPYKLPVSLSVGSCVIIKGT PIHSFINDPQLQVDFYTDMDEDSDIAFRFRVHFG NHVVMNRREFGIWMLEETTDYVPFEDGKQFELC IYVHYNEYEIKVNGHTHLRALSHRIPPSFVEDGC KCPRRYLPWTSVCVCN
3672	A	1	1028	HYAKLGTRPRLKFMSSPSLSDLGKREPAAAADE RGTQQRRACANATWNSIHNGVIAVFQRKGLPDQ ELFSLNEGVRQLLKTELGSFFTEYLQNQLLTKGM VILRDKIRFYEGQKLLDSLAETWDFFFSDVLPML QAIFYPVQGKEPSVRQLALLHFRNAITLSVKLED ALARAHARVPPAIVQMLLVLQGVHESRGVTEDY LRLETLVQKVVSPYLGTYGLHSSEGPFTHSCILEK RLLRRSRSGDVLAKNPVVRSKSYNTPLLNPVQE HEAEGAAAGGTSIRRHSVSEMTSCPEPQGFSDPP GQGPTGTFRSSPAPHSGPCPSRLYPTTQPPEQGLD PTRS
3673	A	2	712	RPPRVWYPELRELSAAAPRWSHRTAPGIMVFYF TSSSVNSSAYTIYMGKDKYENEDLIKHGWPEDI WFHVDKLSSAHVYLRLHKGENIEDIPKEVLMDC AHLVKANSIQGCKMNNVNVVYTPWSNLKKTAD MDVGQIGFHRQKDVKIVTVEKKVNEILNRLEKT KVERFPDLAAEKECRDREERNEKKAQIQEMKKR EKEEMKKKREMDELRSYSSLMKVENMSSNQDG NDSDEFM
3674	A	2	712	RPPRVWYPELRELSAAAPRWSHRTAPGIMVFYF TSSSVNSSAYTIYMGKDKYENEDLIKHGWPEDI WFHVDKLSSAHVYLRLHKGENIEDIPKEVLMDC AHLVKANSIQGCKMNNVNVVYTPWSNLKKTAD MDVGQIGFHRQKDVKIVTVEKKVNEILNRLEKT KVERFPDLAAEKECRDREERNEKKAQIQEMKKR EKEEMKKKREMDELRSYSSLMKVENMSSNQDG NDSDEFM
3675	A	921	1321	VTLAKMRVHISSCLKVQEQMANCPKFVPVVPTS QPIPSNIPNRSTFACPYCGARNLDQQELVKHCVE SHRSDPNRVVCPICSAMPWGDPSYKSANFLQHL LHRHKFSYDTFVDYSIDEEAAFQAALALSLSEN
3676	A	3	1856	TLGRWLLGVYETVAPTLACLPRPRLRRRRRRR RRMISRYTRKAVPQSLELKGITKHALNHHPPPEK LEEISPTSDSHEKDTSSQSKSDITRESSFTSADTGN SLSAFPSYTGAGISTEGSSDFSWGYGELDQNATE KVQTMFTAIDELLYEQKLSVHTKSLQEECQQWT ASFPHLRILGRQIITPSEGYRLYPRSPSAVSASYET TLSQERDSTIFGIRGKKLHFSSSYAHKASSIAKSSS FCSMERDEEDSIIVSEGIIEEYLAFDHIDIEEGFHG KKSEAATEKQKLGYPPIAPFYCMKEDVLAYVFD SVWCKVVSCMEQLTRSHWEGFASDDESNVAVT RPDSESSCVLSELHPLVLPRVPQSKVLYITSNPMS LCQASRHQPNVNDLLVHGMPLQPRNLSLMDKLL DLDDKLLMRPGSSTILSTRNWPNRAVEFSTSSLS YTVQSTRRRNPPPRTLHPISTSHSCAETPRSVEEIL



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				RGARVPVAPDSLSSPSPTPLSRNNLLPPIGTAEVE HVSTVGPQRQMKPHGDSSRAQSAVVDEPNYQQ PQERLLLPDFFPRPNTTQSFLLDTQYRRSCAVEYP HQARPGRGSAGPQLHGSTKSQSGGRPVSRTRQG P
3677	A	246	757	MRLQGAIFVLLPHLGPILVWLFTRDHMSGWCEG PRMLSWCPFYKVLLLVQTAIYSVVGYASYLVWK DLGGGLGWPLALPLGLYAVQLTISWTVLVLFFT VHNPGLALLHLLLLYGLVVSTALIWHPINKLAAL LLLPYLAWLTVTSALTYHLWRDSLCPVHQPQPT EKSD
3678	A	20	1508	RGKAEFFLAMAGTNALLMLENFIDGKFLPCSSYI DSYDPSTGEVYCRVPNSGKDEIEAAVKAAREAFP SWSSRSPQERSRVLNQVADLLEQSLEEFAQAESK DQGKTLALARTMDIPRSVQNFRFFASSSLHHTSE CTQMDHLGCMHYTVRAPVGVAGLISPWNLPLY LLTWKIAPAMAAGNTVIAKPSELTSVTAWMLCK LLDKAGVPPGVVNIVFGTGPRVGEALVSHPEVPL ISFTGSQPTAERITQLSAPHCKKLSLELGGKNPAII FEDANLDECIPATVRSSFANQGEICLCTSRIFVQK SIYSEFLKRFVEATRKWKVGIPSDPLVSIGALISK AHLEKVRSYVKRALAEGAQIWCGEGVDKLSLPA RNQAGYFMLPTVITDIKDESCCMTEEIFGPVTCV VPFDSEEEVIERANNVKYGLAATVWSSNVGRVH RVAKKLQSGLVWTNCWLIRELNLPFGGMKSSGI GREGAKDSYDFFTEIKTITVKH
3679	A .	1862	502	MAGTKPYMEIQTTIREYYEHLYANKLENLEEMD KFLDTYTLPRLNQEEVESLNRPITGSEIEAIINSLP TKKIPGPDRFTAKFYQRYKEELSNLIHYLGLSHH LLALNFIIVSFGKKSAWSSAQVKVTDTDFDGVEV RVFEGPPKPEEPLKRSVVYIHGGGWALASAKIRY YDELCTAMAEELNAVIVSIEYRLVPKVYFPEQIH DVVRATKYFLKPEVLQKYMVDPGRICISGDSAG GNLAAALGQQFTQDASLKNKLKLQALIYPVLQA LDFNTPSYQQNVNTPILPRYVMVKYWVDYFKG NYDFVQAMIVNNHTSLDVEEAAAVRARLNWTS LLPASFTKNYKPVVQTTGNARIVQELPQLLDARS APLIADQAVLQLLPKTYILTCEHDVLRDDGIMYA KRLESAGVEVTLDHFEDGFHGCMIFTSWPINFSV GIRTRNSYIKWLDQNL
3680	A	249	2146	RSWGAPWFWRMRLLRRHMPLRLAMVGCAFV LFLFLLHRDVSSREEATEKPWLKSLVSRKDHVLD LMLEAMNNLRDSMPKLQIRAPEAQQTLFSINQSC LPGFYTPAELKPFWERPPQDPNAPGADGKAFQK SKWTPLETQEKEEGYKKHCFNAFASDRISLQRSL GPDTRPPECVDQKFRRCPPLATTSVIIVFHNEAWS TLLRTVYSVLHTTPAILLKEIILVDDASTEEHLKE KLEQYVKQLQVVRVVRQEERKGLITARLLGASV AQAEVLTFLDAHCECFHGWLEPLLARIAEDKTV VVSPDIVTIDLNTFEFAKPVQRGRVHSRGNFDWS LTFGWETLPPHEKQRRKDETYPIKSPTFAGGLFSI SKSYFEHIGTYDNQMEIWGGENVEMSFRVWQC GGQLEIIPCSVVGHVFRTKSPHTFPKGTSVIARNQ VRLAEVWMDSYKKIFYRRNLQAAKMAQEKSFG DISERLQLREQLHCHNFSWYLHNVYPEMFVPDL



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Typtophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion TPTFYGAIKNLGTNQCLDVGENNRGGKPLIMYS CHGLGGNQYFEYTTQRDLRHNIAKQLCLHVSKG
	ł		}	ALGLGSCHFTGKNSQVPKDEEWELAQDQLIRNS GSGTCLTSQDKKPAMAPCNPSDPHQLWLFV
3681	A	2982	1869	LKDTLKSQMTQEASDEAEDMKEAMNRMIDELN KQVSELSQLYKEAQAELEDYRKRKSLEDVTAEY IHKAEHEKLMQLTNVSRAKAEDALSEMKSQYSK VLNELTQLKQLVDAQKENSVSITEHLQVITTLRT AAKEMEEKISNLKEHLASKEVEVAKLEKQLLEE KAAMTDAMVPRSSYEKLQSSLESEVSVLASKLK ESVKEKEKVHSEVVQIRSEVSQVKREKENIQTLL KSKEQEVNELLQKFQQAQEELAEMKRYSESSK LEEDKDKKINEMSKEVTKLKEALNSLSQLSYSTS SSKRQSQQLEALQQQVKQLQNQLAECKKQHQE VISVYRMHLLYAVQGQMDEDVQKVLKQILTMC KNQSQKK
3682	A	447	1024	AQALTAGRQLALAAPFIAPISPISLPRLNPPSQSW NSTPFFKVKLPPQKEVITSDELMAHLGNCLLSIKP QEKSEGLQLNFQQNVDDAMTVLPKLATGLDVN VRFTGVSDFEYTPECSVFDLLGIPLYHGWLVDPQ QSPEAVRAVGKLSYNQL/VGEDHHLQTLQ*HQP RDRKPDCRAVPGDHRGPSDLPRTV
3683	A	2	942	LEIKQEEKFVGQCIKEELMHGECVKEEKDFLKKE IVDDTKVKEEPPINHPVGCKRKLAMSRCETCGTE EAKYRCPRCMRYSCSLPCVKKHKAELTCNGVRD KTAYISIQQFTEMNLLSDYRFLEDVARTADHISR DAFLKRPISNKYMYFMKNRARRQGINLKLLPNG FTKRKENSTFFDKKKQQFCWHVKLQFPQSQA\ST *KKRVPDDKTINEILKPYIDPEKSDPVIRQRLKAYI RSQTGVQILMKIEYMQQNLVRYYELDPYKSLLD NLRNKVIIEYPTLHVVLKGSNNDMKVLHQVKSE STKNVGNEN
3684	A	119	1533	SLQENVQEKRVRVCPGLGGLLPNGTPSITAAAAP QVLWRHVQPGCSHHLHACVIRAACRAGEGHAD RHAGPPET/PVTLPSSWPWSSPWERQCPMH\L*AP GHAFRPVPTEHRRGWAALGHHRAAAGPLREPAS GSQPAPASC*PECHHGCPEQTRQCQDLLREAVV APEQRG*PCAHLQT*ATATTLCPQVPAGRVWQP GHSCHLLPHRHDGSH*HHCAAHRRPVTRRQAAH GVPLPDACYSPHHTLPAAPPPATRPAGHTATHPE *GGDLTPVPDGPHDCPRDVQGIPGAGGGSQLAPC CPPFPAAPVSVQGTQGLGPKNVLH*QWEGIRWQ KEPE/PGPPPEVELKRGAKCRIGDHGLGAVLGQG EYAS*SPSIPW*ASSSACPPLHPTP/TVYTQSPAAA PGWTRPPSP/PPPGLYPGP/PASHAPGVRGGISHQL YSLP*LCRECCSCP/PPPPAHGGRCPSLLPPEALAK LLL
3685	A	101	438	AWVLQCKINTELQTEVVMLKSMVLWLGEQVQS LQLQQQLHCHFNHTHICVTNLEYN/KEYPWDLV KAHLQGASTSNITFDIGELQKK/ILDLNKQTQEFQ PSL*AWTEFQQGLE
3686	Α .	105	845	VSDVVKNQLVEVQCRQDGCDAVENVHQMFMF NWFTDCLWTLFLSNYQPSVESSSPGGSATSDDHE FDPSADMLVHDFDDERTLEEEEMMEGETNFSSEI EDLAREGDMPIHELLSLYGYGSTVRLPEEDEEEE



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				EEEEEGEDDEDADNDDNSGCSGENKEENIKDSS GQEDETQSSNDDPSQSVASQDAQEIIRPRRCKYF DTNSEVEEESEEDEDYIP/SIISFFQSSDGI*SSSSSE DWKKEIMVGS
3687	A	49	1225	PVLVTSLRMREADTLRPPQLMEVSADIISTVEFN HTGELLATGDKGGRVVIFQREPESKNAPHSQGE YDVYSTFQSHEPEFDYLKSLEIEEKINKIKWLPQQ NAAHSLLSTNDKTIKLWKITERDKRPEGYNLKDE EGKLKDLSTVTSLQVPVLKPMDLMVEVSPRRIFA NGHTYHINSISVNSDCETYMSADDLRINLWHLAI TDRSFTP\NIVDIKPANMEDLTEVITASEFHPHHC NLFVYSSSKGSLRLCDMRAAALCDKHSKLFEEPE DPSNRSFFSEIIS\SVSDVKFSHSDRYMLTR\DYLT VKVWDLNMEARPIETYQVHDYLRSKLCSLYEND CIFDKFECAWNGSDR/IIMTGAYNNFFRMFDRNT KRDVTLEASRGSSKPRAVL
3688	A	1	401	KKVPGRLSEMSFSLNFTLPANTTSSPVT\DCGPSL GLAAGIPLLVATALLVALLFTLIHRRRSSIEAMEE SDRPCEISEIDDNPKISENPRRSPTHEKNTMGAQE AHIYVKTVAGSEEPVHDRYRPTIEMERRR
3689	A	698	889	GRVLVHCAMGVSRSATLVLAFLMIYENMTLVEA IPDGAGPPQISALTQAFVRQLQVLDNRLGRE
3690	A	61	153	MGAHLVRRYLGDASVEPDPLQMPTFPPDYGF
3691	Α	61	153	MGAHLVRRYLGDASVEPDPLQMPTFPPDYGF
3692		3	2831	PLVRRLLRQTLRRVGGARAVREAVMRAVLTWR DKAEHCINDIAFKPDGTQLILAAGSRLLVYDTSD GTLLQPLKGHKDTVYCVAYAKDGKRFASGSAD KSVIIWTSKLEGILKYTHNDAIQCVSYNPITHQLA SCSSSDFGLWSPEQKSVSKHKSSSKIICCSWTNDG QYLALGMFNGIISIRNKNGEEKVKIERPGGSLSPI WSICWNPSSRWESFWMNRENEDAEDVIVNRYIQ EIPSTLKSAVYSSQGSEAEEEPEEEDDSPRDDNL EERNDILAVADWG\QKVSFYQLSGKQIGKDRAL NFDPCCISYFTKGEYILLGGSDKQVSLFTKDGVR LGTVGEQNSWVWTGQAKPDSNYVVGGCQDGTI SFYQLIFSTVHGLYKDRYAYRDSMTDVIVQHLIT EQKVRIKCKELVKKIAIYRNRLAIQLPEKILIYELY SEDLSDMHYRVKEKIIKKFECNLLVVCANHIILC QEKRLQCLSFSGVKEREWQMESLIRYIKVIGGPP GREGLLVGLKNGQILKIFVDNLFAIVLLKQATAV RCLDMSASRKKLAVVDENDTCLVYDIDTKELLF QEPNANSVAWNTQCEDMLCFSGGGYLNIKASTF PVHRQKLQGFVVGYNGSKIFCLHVFSISAVEVPQ SAPMYQYLDRKLFKEAYQIACLGVTDTDWRELA MEALEGLDFETAKKERKKRGETNNDLFLADVFS YQGKFHEAAKLYKRSGHENLALEMYTDLCMFE YAKDFLGSGDPKETKMLITKQADWARNIKEPKA AVEMYISAGEHVKAIEICGDHGWVDMLIDIARK LDKAEREPLLLCATYLKKLDSPGYAAETYLKMG DLKSLVQLHVETQRWDEAFALGEKHPEFKDDIY MPYAQWLAENDRFEEAQKAFHKAGRQREAVQV LEQLTNNAVAESRFNDAAYYYWMLSMQCLDIA QDPAQKD
3693	A	3	1099	SSFPTCMRTVFHSNTSVSSLLHRPGHVTPQLTIHG GWRHHRDHTAIDEWDFNPSKFLIYTCLLLFSVLL



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				PLRLDGIIQWSYWAVFAPIWLWKLLVVAGASVG AGVWARNPRYRTEGEACVEFKAMLIAVGIHLLL LMFEVLVCDRVERGTHFWLLVFMPLFFVSPVSV AACVWGFRHDRSLELEILCSVNILQFIFIALKLDRI IHWPWLVVFVPLWILMSFLCLVVLYYIVWSLLFL RSLDVVAEQRRTHVTMAISWITIVVPLLTFEVLL VHRLDGHNTFSYVSIFVPLWLSLLTLMATTFRRK GGNHWWFAIRRDF/CQDQLPQPTGKPPPPPLTDH HGEKALPLQNKDRGSWPASRGSPRLL
3694	A	483	761	PRSLIDYKSYMDTKLLVARFLEQSSCTMTPDIHE LVENIKSVLKSDEEHMEEAITSASFLEQIMAHSX QHIRAHKLPXETAGLXTSELRXLTP
3695	A	483	761	PRSLIDYKSYMDTKLLVARFLEQSSCTMTPDIHE LVENIKSVLKSDEEHMEEAITSASFLEQIMAHSX QHIRAHKLPXETAGLXTSELRXLTP
3696	A	456	733	LSAALWEEPILSLWSETKELTNRGKMNYPQIGPH RPHVKGLRVRPGPGTLSNAPKSLCPGMSNSDRGI H\GGEGQGPGKRAGHLGRGGGMSFL
3697	A	877	1873	VWL*TLS*HTCALMTVCRSCLVKYLEENNTCPT CRIVIHQSHPLQYIGHDRTMQDIVYKLVPGLQEA EMRKQREFYHKLGMEVPGDIKGETCSAKQHLDS HRNGETKADDSSNKEAAE
3698	A	1	572	KQCGIPHEVVRDENSSVYAEVSRLLLATGHWKR LRRDNPRFNLMLGERNRLPFGRLGHEPGLVQLV NYYRGADKLCRKASLVKLIKTSPELAESCTWFPE SYVIYPTNLKTPVAPAQNGIQPPISNSRTDEREFFL ASYNRKKEDGEGNVWIAKSSAGAKVWVQW*M TDLEEEIDIPSPVGLGLESEWPL
3699	A	2008	2432	LHCKMGALETQTHPCSQNMLRSLQKCCCKVEE HHLQPVQVLQTLLHSATAGTGCRRPARPPPAPPT PTPWRSRQSGKQSERAS*LKGRGRYGLGALGGR GGRALGGSRWPPPLPGETLFSGCKHRRRRRGSD AAPGEEAGT
3700	A	33	1318	GYQIGMALASGPARRALAGSGQLGLGGFGAPRR GAYEWGVRSTRKSEPPPLDRVYEIPGLEPITFAG KMHFVPWLARPIFPPWDRGYKDPRFYRSPPLHE HPLYKDQACYIFHHRCRLLEGVKQALWLTKTKL IEGLPEKVLSLVDDPRNHIENQDECVLNVISHARL WQTTEEIPKRETYCPVIVDNLIQLCKSQILKHPSL ARRICVQNSTFSATWNRESLLLQVRGSGGARLST KDPLPTIASREEIEATKNHVLETFYPISPIIDLHECN IYDVKNDTGFQEGYPYPYPHTLYLLDKANLRPH RLQPDQLRAKMILFAFGSALAQARLLYGNDAKV LEQPVVVQSVGTDGRVFHFLVFQLNTTDLDSNE GVKNLAWVDSDQLLYQHFWCLPVIKKRVVVEP VGPVGFKPETFRKFLALYLHGAA
3701	A	86	465	WTLCGPEAGMVGYDPKPDGRNNTKFQVAVAGS VSGLVTRALISPFDVIKIRFQLQHERLSRSDPSAK YHGILQASRQILQEEGPTAFWKGHVPAQILSIGY GAVQFLSFEMLTELVHRGSVYDARE
3702	A	166	814	GFWEKTNQSSHSMDPLGAPSQFVDVDTLPSWGD SCQDELNSSDTTAEIFQEDTVRSPFLYNKDVNGK VVLWKGDVALLNCTAIVNTSNESLTDKNPVSESI FMLAGPDLKEDLQKLKGCRTGEAQLTKGFNLAA RFIIHTVGPKYKSRYRTAAESSLYSCYRNVLQLA



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				KEQSMSSVGFCVINSAKRGYPLKDATHIALRTVR RFLEIHGETIEKVV
3703	A	128	1255	SLGPSPKSATIPCCGDTMAPEEDAGGEALGGSFW EAGNYRRTVQRVEDGHRLCGDLVSCFQERARIE KAYAQQLADWARKWRGTVEKGPQYGTLEKAW HAFFTAAERLSALHLEVREKLQGQDSERVRAWQ RGAFHRPVLGGFRESRAAEDGFRKAQKPWLKRL KEVEASKKSYHAARKDEKTAQTRESHAKADSA VSQEQLRKLQERVERCAKEAEKTKAQYEQTLAE LHRYTPRYMEDMEQAFETCQAAERQRLLFFKD MLLTLHQHLDLSSSEKFHELHRDLHQGIEAASDE EDLRWWRSTHGPGMAMNWPQFEEWSLDTQRTI SRKEKGGRSPDEVTLTSIVPTRDGTAPPPQSPGSP GTGQDEEWSDEESP
3704	A	1	271	ARGEDLALATGGGPDTVTHSNMPCPNSLVYDC WLNIKECSVGEHTFEDLGLCPGRNQREKKRSYK DFLREEEKIAAQVRNSSKKKLKDSE
3705	A	170	1318	LNWANLVIMWPREEEKEKVQDYSLGGLSPDLRI DVSRKKKILKAYDEDEDEDLYPDIHPPPSLPLPG QFTCPQCRKSFTRRSFRPNLQLANMVQIIRQMCP TPYRGNRSNDQGMCFKHQEALKLFCEVDKEAIC VVCRESRSHKQHSVLPLEEVVQEYKAKLQGHVE PLRKHLEAVQKMKAKEERRVTELKSQMKSELA AVASEFGRLTRFLAEEQAGLERRLREMHEAQLG RAGAAASRLAEQAAQLSRLLAEAQERSQQGGLR LLQDIKETFNRCEEVQLQPPEVWSPDPCQPHSHD FLTDAIVRKMSRMFCQAARVDLTLDPDTAHPAL MLSPDRRGVRLAERRQEVADHPKRFSADCCVLG AQGFRSGRHYWEVCMGP
3706	A	204	1996	SRERQTTWMDHNFAPAPPEMQSHGAPGPGTSFS HSHVLGRPIRPSRLPGGGSPLTPVLRKTIHLDTFP QSHIPQTSSRLGLGARTRSVPPQETGIALGASLSP LPTSSLVPRKLSSISLTLHQNSQARSLDRPLSHWE ELPTPGKKAAPHEGGRVSSPGSPPVTLVPGGRVH SEGPGNPGLTKSNRMLATEKPLVSSYLALPFQSR LAQSAPVLAEPGSLGQGHLVSVTDHMPTRASPG KGKPRARGIPRPRGRLQRANTTVNLTAMDTRTD AARHLATMATNRPSLAINLATPNTSQLDTGTEFP ALDIKLGTARDLSSVGTVKSGKTVNLATAGTIKP GTAMNLTTVGTTKPGMVMDLIASEPDKLGKAM ATRSTAKPDMTTEGIAMDSATSDPVKPDTITATV GTSRLETAMALARVNRAKLGTAKNSLALDTSR MGTAVGSVVPVTPDPATGKTTLGSVNNLTISDV ATCLLMPSRSTDLALDNTNAAMDRATEPASLDL ATEYKGKCRNLVGDGLGCREGEVCELGDGSMK PMSINSNLLGYIGIDTIIEQMRKKTMKTGFDFNIM VVGTEGCGAAAGLVAGSTKDPISFPQ
3707	A	3	549	SSSISRDFLGQAACASGTMLRWLRDFVLPTAACQ DAEQPMRYETLFQALDRNGDGVVDIGELQEGLR NLGIPLGQDAEEKIFTTGDVNKDGKLDFEEFMKY LKDHEKKMKLAFKSLDKNNDGKIEASEIVQSLQ TLGLTISEQQAELILQSIDVDGTMTVDWNEWRD
	İ	1	l .	YFLFNPVTDIEEIIR



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \possible nucleotide insertion
				LYVISTFKLQTKSSATIFGLYSSTDNSKYFEFTVM GRLSKAILRYLKNDGKVHLVVFNNLQLADGRRH RILLRLSNLQRGAGSLELYLDCIQVDSVHNLPRA FAGPSQKPETIELRTFQRKPQDFLEELKLVVRGSL FQVASLQDCFLQQSEPLAATGTGDFNRQFLGQM TQLNQLLGEVKDLLRQEVNETSFLRNTITECQAC GPLKFQSPTPSTVVPPASPAPPTRPPRRCDSNPCF RGVQCTDSRDGFQCGPCPEGYTGNGITCIDVDEC KYHPCYPGEHCINLSPGFRCDACPVGFTGPMVQ GVGISFAKSNKQVCTDIDECRNGACVPNSICVNT LGSYRCGPCKPGYTGDQIRGCKAERNCRNPELN PCSVNAQCIEERQGDVTCVCGVGWAGDGYICGK DVDIDSYPDEELPCSARNCKKDNCKYVPNSGQE DADRDGIGDACDEDADGDGILNEQDNCVLIHNV DQRNSDKDIFGDACDNCLSVLNNDQKDTDGDG RGDACDDDMDGDGIKNILDNCPKFPNRDQRDK
3709	A	144	417	DGDGVGDACDSCPDVSNPNQ TQAMEGLLHYINPAHAISLLSALNEERLKGQLCD VLLIVGDQKFRAHKNVLAASSEYFQSLFTNKENE SQTVFQLDFCEPDAFDNVLNYIY
3710	A	245	688	FGMLKNKGHSSKKDNLAVNAVALQDHILHDLQ LRNLSVADHSKTQVQKKENKSLKRDTKAIIDTGL KKTTQCPKLEDSEKEYVLDPKPPPLTLAQKLGLI GPPPPPLSSDEWEKVKQRSLLQGDSVQPCPICKE EFELRPQVFSIRG
3711	A	3	773	SLEMSSDGEPLSRMDSEDSISSTIMDVDSTISSGRS TPAMMNGQGSTTSSSKNIAYNCCWDQCQACFNS SPDLADHIRSIHVDGQRGGVFVCLWKGCKVYNT PSTSQSWLQRHMLTHSGDKPFKCVVGGCNASFA SQGGLARHVPTHFSQQNSSKVSSQPKAKEESPSK AGMNKRRKLKNKRRRSLARPHDFFDAQTLDAIR HRAICFNLSAHIESLGKGHSVVFHSTVSILLFFQIK YKTLQKNISTIISKSLKI
3712	A	2	344	RATWHNAGKEREAVQLMAGAEKRVKASHSFLR GLFGGNTRIEEACEMYTRAANMFKMAKNWSAA GNAFCQAAKLHMQLQSKHDSATSFVDAGNAYK KADPQGKTARHVACYLCV
3713	A	20	974	GAAATACSSSSSSSGAPATWAAHGPGKDVASPS SVSLSPRRSRLLVLRCGLRRNPERPSSSPALRRLL LLLLLLLLLLGFLLSPGPERGVGGGRFGRRLAL LWAAALGHVVSGKVMSRRAPGSRLSSGGGGG TNYSRSWNDWQPRTDSASADPGNLKYSSSRDRG GSSSYGLQPSNSAVVSRQRHDDTRVHADIQNDE KGGYSVNGGSGENTYGRKSLGQELRVNNVTSPE FTSVQHGSRALATKDMRKSQERSMSYCDESRLS YLLRRITRENDRDRRLATVKQLKEFIQQPENKLV LVKQLDILAAVHDVLNER
3714	A .	237	458	IFALKSPSYLLPCCTPEGKMDHKQLCWSHPQKSG QSSRSCCICSNQHGLIWKYSLNMCLQCCHQYVK DIGFIKL
3715	A	970	1524	LCTLSPGISGTAGSCLTTEPGTELGTSFAQNGFYH EAVVLFTQALKLNPQDHRLFGNRSFCHERLGQP AWALADAQVALTLRPGWPRGLFRLGKALMGLQ RFREAAAVFQETLRGGSQPDAARELRSCLLHLTL QGQRGGICAPPLSPGALQPLPHAELAPSGLPSLRC



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methlonine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
0716				PRSTALRSPGLSPLLH
3716	A	85	308	QGLPSTMVKLGCSFSGKPGKDPGDQDGAAMDS VPLISPLDISQLQPPLPDQVVIKTQTEYQLSSPDQQ NYTKSR
3717	A	58	618	GAGCTSPGLWARKAAARCLPTYPSRAQPSNVGR RRRRPGLGALAAGVPAMAESVERLQQRVQELE RELAQERSLQVPRSGDGGGGRVRIEKMSSEVVD SNPYSRLMALKRMGIVSDYEKIRTFAVAIVGVGG VGSVTAEMLTRCGIGKLLLFDYDKVELANMNRL FFQPHQAGLSKVQAAGHTPEE
3718	A .	3	593	RGAGGRAGGRADGQPNMADQRQRSLSTSGESL YHVLGLDKNATSDDIKKSYRKLALKYHPDKNPD NPEAADKFKEINNAHAILTDATKRNIYDKYGSLG LYVAEQFGEENVNTYFVLSSWWAKALFVFCGLL TCCYCCCLCCCFNCCCGKCKPKAPEGEETEFY VSPEDLEAQLQSDEREATDTPIVIQPASATEP
3719	A	2	2173	SGGVRMGSRADGPRTSGHVTGKMAVFPWHSRN RNYKAEFASCRLEAVPLEFGDYHPLKPITVTESK TKKVNRKGSTSSTSSSSSSSVVDPLSSVLDGTDPL SMFAATADPAALAAAMDSSRRKRDRDDNSVVG SDFEPWTNKRGEILARYTTTEKLSINLFMGSEKG KAGTATLAMSEKVRTRLEELDDFEEGSQKELLN LTQQDYVNRIEELNQSLKDAWASDQKVKAPKN VHPGKLVYERIFSMCVDSRSVLPDHFSPENANDT AKETCLNWFFKIASIRELIPRFYVEASILKCNKFLS KTGISECLPRLTCMIRGIGDPL\GSVYARAYL\SRV GMEVAPHLKETLNKNFFDFLLTFKQIHGDTVQN QLVVQGVELPSYLPLYPPAMDWIFQCISYHAPEA LLTEMMERCKKLGNNALLLNSVMSAFRAEFIAT RSMDFIGMIKECDESGFPKHLLFRSLGLNLALAD PPESDRLQILNEAWKVITKLKNPQDYINCAEVWV EYTCKHFTKREVNTVLADVIKHMTPDRAFEDSY PQLQLIIKKVIAHFHDFSVLFSVEKFLPFLDMFQK ESVRVEVCKCI\RTPLSSINKSPPRTRSS*MPFCMF ARPCMTL/CNALTLEDEKRMLSYLINGFIKMVSF GRDFEQQLSFYVESRSMFCNLEPVLVQLIHSVNR LAMETRKVMKGNHSRKTAAFVRSWGAYWFITIP SLAGIFTRLNLYLHSG
3720	A	24	296	ENLFRAGFAFSLLRSSFYISKTYCSWFSNLISGSL ADFNSKGTRDYSPRQMAVRE/KVFDVIIRCFKRH GAEVIDTPVFELKVRNGQEETTW
3721	A	2	310	PSCLTCVGHCSIGGSCTMIGIMMPECHCSLHMTG PRCEEHVFILQQPGHIASILIPLLVLLLALVAGVV FWHKRRVQGAKGFQHQRMTNGAMNVEIGNPTY K
3722	Α	75	722	MELVAGCYEQVLFGFAVHPEPEACGDHEQWTL VADFTHHAHTASLSAVAVNSRFVVTGSKDETIHI YDMKKKIEHGALVHHSGTITCLKFYGNRHLISGA EDGLICIWDAKKWECLKSIKAHKGQVTFLSIHPS GKLALSVGTDKTLRTWNLVEGRSAFIKNIKQNA HIVEWSPRGEQYVVIIQNKIDIYQLDTASISGTITN EKRISSVKFLSES
3723	A	110	316	MELSDNRRSGGLEGLAEKCPNLTYLNLSGNKIK DLSTVEALVSGTVLSLDLLFLVKFSEICLCLLISI
3724	A	3	406	VDRGTEAWQRDPAFSGLQRVGGVDVSFVKGDS

		4

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Typtophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				VRACASLGVLSFPELEVVYEESRMVSLTAPYVSG FLAFREVPFLLELVQQLREKEPGLMPQVLLVDGN GVLHHRGFGVACHLGVLTDLPCVGVAKKLLQV DG
3725	A	3	406	VDRGTEAWQRDPAFSGLQRVGGVDVSFVKGDS VRACASLGVLSFPELEVYYEESRMVSLTAPYVSG FLAFREVPFLLELVQQLREKEPGLMPQVLLVDGN GVLHHRGFGVACHLGVLTDLPCVGVAKKLLQV DG
3726	A	.1	433	SSDDRSLFRRLKLNYAIFDEGHMLKNMGSIRYQ HLMTINANNRLLLTGTPVQNNLLELMSLLNFVM PHMFSSSTSEIRRMFSSKTKSADEQSIYEKERIAH AKQIIKPFILRRVKEEVLKQLPPKKDRIELCAMSE KQEQLYLG
3727	A	6	383	RIPRGKACXTVLGRSTGELEGFASSRLPPQPCGW GQSSDLLSRIDLDELMKKDEPPLDFPDTLEGFEY AFNEKGQLRHIKTGEPFVFNYREHLHRWNQKRY EALGEIITKYVYELLEKDCNSKKVS
3728	A		2452	EIAGAAAENMLGSLLCLPGSGSVLLDPCTGSTISE TTSEAWSVEVLPSDSEAPDLKQEERLQELESCSG LGSTSDDTDVREVSSRPSTPGLSVVSGISATSEDIP NKIEDLRSECSSDFGGKDSVTSPDMDEITHDFLYI LQPKQHFQHIEAEADMRIQLSSSAHQLTSPPSQSE SLLAMFDPLSSHEGASAVVRPKVHYARPSHPPPD PPILEGAVGGNEARLPNFGSPMF*LPAEMEAFKQ RHS/YTPERLVRSRSS\DIVSSVRRPMSDPSWNRR P\GNEERELPPAAAIGATSLVAAPHSSSSSPSKDSS RGETEERKDSDDEKSDRNRPWWRKRFVSAMPK APIPFRKKEKQEKDKDDLGPDRFSTLTDDPSPRLS AQAQVAEDILDKYRNAIKRTSPSDGAMANYEST EVMGDGESAHDSPRDEALQNISADDLPDSASQA AHPQDSAFSYRDAKKKLRLALCSADSVAFPVLT\ HSTRNGLPDHTDPEDNEIVCFLKVQIAEAINLQD KNLMAQLQETMRCVCRFDNRTCRKLLASIAEDY RKRAPYIAYLTRCRQGLQTTQAHLERLLQRVLR DKEVANRYFTTVCVRLLLESKEKKIREFIQDFQK LTAADDKTAQVEDFLQFLYGAMAQDVIWQNAS EEQLQDAQLAIERSVMNRIFKLAFYPNQDGDILR DQVLHEHIQRLSKVVTANHRALQIPEVYLREAP WPSAQSEIRTISAYKTPRDKVQCILRMCSTIMNLL SLANEDSVPGADDFVPVLVFVLIKANPPCLLSTV QYISSFYASCLSGEESYWWMQFTAAVEFIKTIDD RK
3729	A	3	2452	EIAGAAAENMLGSLLCLPGSGSVLLDPCTGSTISE TTSEAWSVEVLPSDSEAPDLKQEERLQELESCSG LGSTSDDTDVREVSSRPSTPGLSVVSGISATSEDIP NKIEDLRSECSSDFGGKDSVTSPDMDEITHDFLYI LQPKQHFQHIEAEADMRIQLSSSAHQLTSPPSQSE SLLAMFDPLSSHEGASAVVRPKVHYARPSHPPPD PPILEGAVGGNEARLPNFGSPMF*LPAEMEAFKQ RHS/YTPERLVRSRSS\DIVSSVRRPMSDPSWNRR P\GNEERELPPAAAIGATSLVAAPHSSSSSPSKDSS RGETEERKDSDDEKSDRNRPWWRKRFVSAMPK APIPFRKKEKQEKDKDDLGPDRFSTLTDDPSPRLS AQAQVAEDILDKYRNAIKRTSPSDGAMANYEST



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \; possible nucleotide insertion
,				EVMGDGESAHDSPRDEALQNISADDLPDSASQA AHPQDSAFSYRDAKKKLRLALCSADSVAFPVLT\ HSTRNGLPDHTDPEDNEIVCFLKVQIAEAINLQD KNLMAQLQETMRCVCRFDNRTCRKLLASIAEDY RKRAPYIAYLTRCRQGLQTTQAHLERLLQRVLR. DKEVANRYFTTVCVRLLLESKEKKIREFIQDFQK LTAADDKTAQVEDFLQFLYGAMAQDVIWQNAS EEQLQDAQLAIERSVMNRIFKLAFYPNQDGDILR DQVLHEHIQRLSKVVTANHRALQIPEVYLREAP WPSAQSEIRTISAYKTPRDKVQCILRMCSTIMNLL SLANEDSVPGADDFVPVLVFVLIKANPPCLLSTV QYISSFYASCLSGEESYWWMQFTAAVEFIKTIDD RK
3730	A	3	2452	EIAGAAAENMLGSLLCLPGSGSVLLDPCTGSTISE TTSEAWSVEVLPSDSEAPDLKQEERLQELESCSG LGSTSDDTDVREVSSRPSTPGLSVVSGISATSEDIP NKIEDLRSECSSDFGGKDSVTSPDMDEITHDFLYI LQPKQHFQHIEAEADMRIQLSSSAHQLTSPPSQSE SLLAMFDPLSSHEGASAVVRPKVHYARPSHPPPD PPILEGAVGGNEARLPNFGSPMF*LPAEMEAFKQ RHS/YTPERLVRSRSS\DIVSSVRRPMSDPSWNRR P\GNEERELPPAAAIGATSLVAAPHSSSSSPSKDSS RGETEERKDSDDEKSDRNRPWWRKRFVSAMPK APIPFRKKEKQEKDKDDLGPDRFSTLTDDPSPRLS AQAQVAEDILDKYRNAIKRTSPSDGAMANYEST EVMGDGESAHDSPRDEALQNISADDLPDSASQA AHPQDSAFSYRDAKKKLRLALCSADSVAFPVLT\ HSTRNGLPDHTDPEDNEIVCFLKVQIAEAINLQD KNLMAQLQETMRCVCRFDNRTCRKLLASIAEDY RKRAPYIAYLTRCRQGLQTTQAHLERLLQRVLR DKEVANRYFTTVCVRLLLESKEKKIREFIQDFQK LTAADDKTAQVEDFLQFLYGAMAQDVIWQNAS EEQLQDAQLAIERSVMNRIFKLAFYPNQDGDILR DQVLHEHIQRLSKVVTANHRALQIPEVYLREAP WPSAQSEIRTISAYKTPRDKVQCILRMCSTIMNLL SLANEDSVPGADDFVPVLVFVLIKANPPCLLSTV QYISSFYASCLSGEESYWWMQFTAAVEFIKTIDD RK
3731	A	1	1305	VNTAMHEAKLMEECDELVEIIQQRKQMIAVKIK ETKVMKLRKLAQQVANCRQCLERSTVLINQAEH ILKENDQARFLQSAKNIAERVAMATASSQVLIPDI NFNDAFENFALDFSREKKLLEGLDYLTAPNPPSIR EELCTASHDTITVHWISDDEFSISSYELQYTIFTGQ ANFISLYNSVDSWMIVPNIKQNHYTVHGLQSGTR YIFIVKAINQAGSRNSEPTRLKTNSQPFKLDPKMT HKKLKISNDGLQMEKDESSLKKSHTPERFSGTGC YVYGVLHNSDNS*MFISLSFPLSHRYAIGIAYKSA PKNEWIGKNASSWVFSRCNSNFVVRHNNKEML VDVPPHLKRLGVLLDYDNY/NMLSFYDPANSL\H LHTFDVTF\ILPVCPTFTIWNKSLMILSGLPAPDFI DYPERQECNCRPQESPYVSGMKTCH
3732	A	127	2832	LGQRLSLVPRPSLKRRLGKRLSLGLRERMMSLW WS/GPKVRTQATTGARPKTETKSVPAARPKTEAQ AMSGARPKTEVQVMGGARPKTEAQGITGARPKT DARAVGGARSKTDAKAIPGARPKDEAQAWAQS

4	

SEQ ID Method NO:	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
			EFGTEAVSQAEGVSQTNAVAWPLATAESGSVTK SK\ACLWIEN*SMWM/PETFPGTQGQKGIQPWFG PGEETNMGSWCYSRPRAREEASNESGFWSADET STASSFWTGEETSVRSWPREESNTRSRHRAKHQT NPRSRPRSKQEAYVDSWSGSEDEASNPFSFWVG ENTNNLFRPRVREEANIRSKLRTNREDCFESESED EFYKQSWVLPGEEAN\IDSGTETKKILILPWKLRA QKDVDSDRVKQEPRFEEEVIIGSWFWAEKEASLE GGASAICESEPGTEEGAIGGSAYWAEEKSSLGAV AREEAKPESEEEAIFGSWFWDRDEACFDLNPCPV YKVSDRFRDAAEELNASSRPQTWDEVTVEFKPG LFHGVGFRSTSPFGIPEEASEMLEAKPKNLELSPE GEEQESLLQPDQPSPEFTFQYDPSYRSVREIREHL RARESAESESWSCSCIQCELKIGSEEFEEFLLLMD KIRDPFIHEISKIAMGMRSASQFTRDFIRDSGVVS LIETLLNYPSSRVRTSFLENMIHMAPPYPNLNMIE TFICQVCEETLAHSVDSLEQLTGNKGCFRHLTMT IDYHTLIAN*YGPGFPLLF*PQAQCGETKFHVLK MLLNLSENPAVAKKLFSAKALSIFVGLFNIEETN DNIQIVIKMFQNISNIIKSGKMSLIDDDFSLEPLISA FREFEELAKQLQAQIDNQNDPEATGTTAFVGKG
3733 A	2	3274	NNPSANRERLSPSVFCPGAQEAESLPARRVRGEE QRLLLEEVGARTADGIPEGW DVPLIRIEEDTGEIFTTGARIDREKLCAGIPRDEHC FYEVEVAILPDEIFRLVKIRFLIEDINDNAPLFPAT VINISIPENSAINSKYTLPAAVDPDVGINGVQNYE LIKSQNIFGLDVIETPGGDKMPQLIVQKELDREEK DTYVMKVKVEDGGFPQRSSTAILQVSVTDTNDN HPVFKETEIEVSIPENAPVGTSVTQLHATDADIGE NAKIHFSFSNLVSNIARRLFHLNATTGLITIKEPLD REETPNHKLLVLASDGGLMPARAMVLVNVTDV NDNVPSIDIRYIVNPVNDTVVLSENIPLNTKIALIT VTDKDADHNGRVTCFTDHEIPFRLRPVFSNQFLL ETAAYLDYESTKEYAIKLLA\ADAGKPPLNQSAM LFIKVKDENDNAPVFTQSFVTVSIPENNSPGIQLT KVSAMDADSGPNAKINYLLGPDAPPEFSLDCRT GMLTVVKKLDREKEDKYLFTILAKDNGVPPLTS NVTVFVSIIDQNDNSPVFTHNEYNFYVPENLPRH GTVGLITVTDPDYGDNSAVTLSILDENDDFTIDSQ TGVIRPNISFDREKQESYTFYVKAEDGGRVSRSSS AKVTINVVDVNDNKPVFIVPPSNCSYELVLPSTN PGTVVFQVIAVDNDTGMNAEVRYSIVGGNTRDL FAIDQETGNITLMEKCDVTDLGLHRVLVKANDL GQPDSLFSVVIVNLFVNESVTNATLINELVPQKH LKHQ*PQILEIADVSSPTSDYVKILVAAVAGTITV VVVIFITAVVRCRQAPHLKAAQKNMQNSEWATP NPENRQMIMMKKKKKKKKKKSPKNLLLNVVTIEE TKADDVDSDGNRVTLDLPIDLEEQTMGKYNWV TTPTTFKPDSPDLARHYKSASPQPAFQIQPETPLN LKHHIIQELPLDNTFVACDSISNCSSSSSDPYSVSD CGYPVTTFEVPVSVHTRPPVDLEVGGAQSGQVAI LTSSLMELLLCLMVAAFLPLELRPLGQQNVMSW EQEAKILLVGYWGDGEWCHFHFHHLIPGPVNPG



SEQID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \
3,31				QLITSLGLQEFDIARNVLELIYAQTLVWIGIFFCPL LPFIQMIMLFIMFYSKNISLMMNFQPPSKAWRAS QMMTFFIFLLFFPSFTGVLCTLAITIWRLKPSADC GPFRGLPLFIHSIYSWIDTLSTRPGYLWVVWIYRN LIGSVHFFFILTLIVLIITYLYWQITEGRKIMIRLLH EQIINEGKDKMFLIEKLIKLQDMEKKANPSSLVLE RREVEQQGFLHLGEHDGSLDLRSRRSVQEGNPR A
3735	A		432	VEVCRRYLWKMTVDASQNVQCCVIFSHFPFIFN NLSKIKLLHTDTLLKIESKKHKAYLRSAAIEEERE SEFALRPTFDLTVRRNHLIEDVLNQLSQFENEDL RKELWVSFSGEIGYDLGGS/VKKEIFYCLFAEMIQ PEYGMFMY
3736	A	1542	343	KGAPSFVRLYQYPNFAGPHAALANKSFFKADKV TMLWNKKATAVLVIASTDVDKTGASYYGEQTL HYIATNGESAVVQLPKNGPIYDVVWNSSSTEFCA VYGFMPAKATIFNLKCDPVFDFGTGPRNAAYYS PHGHILVLAGFGNLILQI*AD/IMKVWNVKNYKLI SKPVASDSTYFAWCPDGEHILTATCAPRLRVNN GYKIWHYTGSILHKYDVPSNAELWQVSWQPFLD GIFPAKTITYQAVPSEVPNEEPKVATAYRPPALRN KPITNSKLHEEEPPQNMKPQSGNDKPLSKTALKN QRKHEAKKAAKQEARSDKSPDLAPTPAPQSTPR NTVSQSISGDPEIDKKIKNLKKKLKAIEQLKEQAA TGKQLEKNQLEKIQKETALLQELEDLELGI
3737	A	3190	664	VAMGTPRAQHPPPPQLLFLILLSCPWIQGLPLKEE EILPEPGSETPTVASEALAELLHGALLRRGPEMG YLPGPPLGPEGGEEETTTTIITTTTVTTTVTSPVLC NNNISEGEGYVESPDLGSPVSRTLGLLDCTYSIHV YPGYGIEIQVQTLNLSQEEELLVLAGGGSPGLAP RLLANSSMLGEGQVLRSPTNRLLLHFQSPRVPRG GGFRIHYQAYLLSCGFPPRPAHGDVSVTDLHPGG TATFHCDSGYQLQGEETLICLNGTRPSWNGETPS CMASCGGTIHNATLGRIVSPEPGGAVGPNLTCR WVIEAAEGRRLHLHFERVSLDEDNDRLMVRSGG SPLSPVIYDSDMDDVPERGLISDAQSLYVELLSET PANPLLLSLRFEAFEEDRCFAPFLAHGNVTTTDPE YRPGALATFSCLPGYALEPPGPPNAIECVDPTEPH WNDTEPACKAMCGGELSEPAGVVLSPDWPQSY SPGQDCVWGVHVQEEKRILLQVEILNVREGDML TLFDGDGPSARVLAQLRGPQPRRRLLSSGPDLTL QFQAPPGPPNPGLGQGFVLHFKEVPRNDTCPELP PPEWGWRTASHGDLIRGTVLTYQCEPGYELLGS DILTCQWDLSWSAAPPACQKIMTCADPGEIANG HRTASDAGFPVGSHVQYRCLPGYSLEGAAMLTC YSRDTGTPKWSDRVPKCALKYEPCLNPGVPENG YQTLYKHHYQAGESLRFFCYEGFELIGEVTITCV PGHPSQWTSQPPLCKVTQTTDPSRQLEGGNLAL AILLPLGLVIVLGSGVYIYYTKLQGKSLFGFSGSH SYSPITVESDFSNPLYEAGDTREYEVSI
3738	A	3190	664	VAMGTPRAQHPPPPQLLFLILLSCPWIQGLPLKEE EILPEPGSETPTVASEALAELLHGALLRGPEMG YLPGPPLGPEGGEEETTTTIITTTTVTTTVTSPVLC NNNISEGEGYVESPDLGSPVSRTLGLLDCTYSIHV

?

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide, sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				YPGYGIEIQVQTLNLSQEEELLVLAGGGSPGLAP RLLANSSMLGEGQVLRSPTNRLLLHFQSPRVPRG GGFRIHYQAYLLSCGFPPRPAHGDVSVTDLHPGG TATFHCDSGYQLQGEETLICLNGTRPSWNGETPS CMASCGGTIHNATLGRIVSPEPGGAVGPNLTCR WVIEAAEGRRLHLHFERVSLDEDNDRLMVRSGG SPLSPVIYDSDMDDVPERGLISDAQSLYVELLSET PANPLLLSLRFEAFEEDRCFAPFLAHGNVTTTDPE YRPGALATFSCLPGYALEPPGPPNAIECVDPTEPH WNDTEPACKAMCGGELSEPAGVVLSPDWPQSY SPGQDCVWGVHVQEEKRILLQVEILNVREGDML TLFDGDGPSARVLAQLRGPQPRRRLLSSGPDLTL QFQAPPGPPNPGLGQGFVLHFKEVPRNDTCPELP PPEWGWRTASHGDLIRGTVLTYQCEPGYELLGS DILTCQWDLSWSAAPPACQKIMTCADPGEIANG HRTASDAGFPVGSHVQYRCLPGYSLEGAAMLTC YSRDTGTPKWSDRVPKCALKYEPCLNPGVPENG YQTLYKHHYQAGESLRFFCYEGFELIGEVTITCV PGHPSQWTSQPPLCKVTQTTDPSRQLEGGNLAL AILLPLGLVIVLGSGVYIYYTKLQGKSLFGFSGSH
3739	A	734	445	SYSPITVESDFSNPLYEAGDTREYEVSI LLEPEPAEEYTEQSEVEST/EGMILI*CCLYFAAFQ TNVSNIYFALQYVNRQFMAETQFTSGEKEQVDE
3740	A	2	1578	WTVETVEVRVLCIAKLLSLSSVSNFYLY MAHYITFLCMVLVLLLQNSVLAEDGEVRSSCRT APTDLVFILDGSYSVGPENFEIVKKWLVNITKNF DIGPKFIQVGVVQYSDYPVLEIPLGSYDSGEHLTA AVESILYLGGNTKTGKAIQFALDYLFAKSSRFLT KIAVVLTDGKSQDDVKDAAQAARDSKITLFAIG VGSETEDAELRAIANKPSSTYVFYVEDYIAISKIR EVMKQKLCEESVCPTRIPVAARDERGFDILLGLD VNKKVKKRIQLSPKKIKGYEVTSKVDLSELTSNV FPEGLPPSYVFVSTQRFKVKKIWDLWRILTIDG/* PQIAVTLNGVDKILLFTTTSVINGSQVVTFANPQV KTLFDEGWHQIRLLVTEQDVTLYIDDQQIENKPL HPVLGILINGQTQIGKYSGKEETVQFDVQKLRIY CDPEQNNRETACEIPGFCLNGPSDVGSTPAPCICP PGKPGLQGPKGDPGLPGNPGYPGQPGQDGKPVS TESLVISGISGITGYQGIAGTPGVPGSPGIQGARGL. PGYKGEPGRDGDK
3741	A .	5048	1236	MSAPAGSSHPAASARIPPKFGGSAVSGAAAPAGP GAGPAPHQQNGPAQNQMQVPSGYGLHHQNYIA PSGHYSQGPGKMTSLPLDTQCGDYYSALYTVPT QNVTPNTVNQQPGAQQLYSRGPPAPHIVGSTLGS FQGAASSASHLHTSASQPYSSFVNHYNSPAMYS ASSSVASQGFPSTCGHYAMSTVSNAAYPSVSYPS LPAGDTYGQMFTSQNAPTVRPVKDNSFSGQNTA ISHPSPLPPLPSQQHHQQQSLSGYSTLTWSSPGLP STQDNLIRNHTGSLAVANNNPTITVADSLSCPVM QNVQPPKSSPVVSTVLSGSSGSSSTRTPPTANHPV EPVTSVTQPSELLQQKGVQYGEYVNNQASSAPT PLSSTSDDEEEEEEDEEAGVDSSSTTSSASPMPNS YDALEGGSYPDMLSSSASSPAPDPAPEPDPASAP APASAPAPVVPQPSKMAKPLAMAIQHFSLVIRML QHHLFLEYSPSNPVYSGFQQYPQQYPGVNQLSSS



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Vallne, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \possible nucleotide insertion
				IGGLSLQSSPQPESLRPVNLTQERNILPMTPVWAP VPNLNADLKKLNCSPDSFRCTLTNIPQTQALLNK AKLPLGLLLHPFRDLTQLPVITSNTIVRCRSCRTYI NP\FVSFIDQRR*KCNLCYRVNDVPEEFMYNPLT RSYGEPHKRPEVQNS\TVEFIASSDYMLRPPQPAV YLFVLDVSHNAVEAGYLTI/LWCQSLLE\NLDKLP G\DSRT\RIGFMTFD\STYSFLQFTQEGLSQPQMLI VSDIDDVFLPTPDSLLVNLYESKELIKDLLNALPN MFTNTRETHSALGPALQAAFKLMSPTGGRVSVF QTQLPSLGAGLLQSREDPNQRSSTKVVQHLGPAT DFYKKLALDCSGQQTAVDLFLLSSQYSDLASLA CMSKYSAGCIYYYPSFHYTHNPSQAEKLQKDLK RYLTRKIGFEAVMRIRCTKGLSMHTFHGNFFVRS TDLLSLANINPDAGFAVQLSIEESLTDTSLVCFQT ALLYTSSKGERRIRVHTLCLPVVSSLSDVYAGVD VQAAICLLANMAVDRSVSSSLSDARDALVNAVV DSLSAYGSTVSNLQHSALMAPSSLKLFPLYVLAL LKQKAFRTGTSTRLDDRVYAMCQIKSQPLVHLM KMIHPNLYRIDRLTDEGAVHVNDRIVPQPPLQKL SAEKLTREGAFLMDCGSVFYIWVGKGCDNNFIE DVLGYTNFASIPQKMTHLPELDTLSSERARSFIT WLRDSRPLSPILHIVKDESPAKAEFFQHLIEDRTE AAFSYYEFLLHVQQQICK
3742	A	934	68	SMLASQGVLLHPYGVPMIVPAAPYLPGLIQGNQE AAAAPDTMAQPYASAQFAPPQNGIPAEYTAPHP HPAPEYTGQTTVPEHTLNLYPPAQTHSEQSPADT SAQTVSGTRNKQD*RSTDGWPSPKTQTS*KHGK QVSSPSGLHVSNIPFR\FRDPDLRQMF\GQFGKILD VEIIFNERGSKGFGFVTFENSADADRAREK\LHGT VV\EGRKI\EVN\NATARVMTNKKTVNPYTNGWK LNPVVGAVYSPEFYAGTVLLCQANQEGSSMYSA PSTDFRGAKLHTSRPLLSGS
3743	A	3	1456	QFQQA WMQNKVPIPAPNEVLNDRKEDIKLEEKK KTQAEIEQEMATLQYTNPQLLEQLKIERLAQKQV EQIQPPPSSGTPLLGPQPFPGQGPMSQIPQGF/PTA PSISADANEHGS\KGPPGPQGQFRPPGPQGQMGP QGPPLHQGGGGPQGFMGPQGPPQGPPQGLPRPQD MHGPQGMQRHPGPHGPLGPQGPPGPQGSSGPQG HMGPQGPPGPQGHIGPQGPPGPQGHLGPQGPPGT QGMQGPPGPRGMQGPPHPHGIQGGPGSQGIQGP VSQGPLMGLNPKGMQGPPGPRENQGPAPQGMI MGHPPQEMRGPHPPGGLLGHGPQEMRGPQEIRG MQGPPPQGSMLGPPQELRGPPGSQSQQGPPQGSL GPPPQGGMQGPPGPQQQNPARGPHPSQGPIPFQ QQKTPLLGDGPRAPFNQEGQSTGPPPLIPGLGQQ GAQGRIPPLNPGQGPGPNKVS/ERGAPPRHEGRA PPRGRDGFPGPMKTLV
3744	A	1571	652	PLTGRKCPGWTHSGSRRSPRIAEEVPGFPKRAEA SRQFSETADRLELLRRAVMAAARATTPADGEEP APEAEALAAARERSSRFLSGLELVKQGAEARVFR GRFQGRAAVIKHRFPKGYRHPALEARLGRRRTV QEARALLRCRRAGISAPVVFFVDYASNCLYMEEI EGSVTVRD\IFSPLWRLKKTPQGLSNLAKTIGQVL ARMHDEDLIHGDLTTSNMLLKPPLEQLNIVLIDF GLSFISALPEDKGVDLYVLEKAFLSTHPNTETVFE



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Vallne, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \possible nucleotide insertion
-				AFLKSYSTSSKKARPVLKKLDEVRLRGKKRSMV G
3745	A	127	1433	GSHRFSLASPLDPEVGPYCDTPTMRTLFNLLWLA LACSPVHTTLSKSDAKKAASKTLLEKSQFSDKPV QDRGLVVTDLKAESVVLEHRSYCSAKARDRHFA GDVLGYVTPWNSHGYDVTKVFGSKFTQISPVWL QLKRRGREMFEVTGLHDVDQGWMRAVRKHAK GL\P*CLGSCLRTGLTMISG/YVLDSEDEIEELSKT VVQVAKNQHFDGFVVEVWNQLLSQKRVGLIHM LTHLAEALHQARLLALLVIPPAITPGTDQLGMFT HKEFEQLAPVLDGFSLMTYDYSTAHQPGPNAPL SWVRACVQVLDPKSKWRSKILLGLNFYGMDYA TSKDAREPVVGARYIQTLKDHRPRMVWDSQVSE HFFEYKKSRSGRHVVFYPTLKSLQVRLELARELG VGVSIWELGQGLDYFYDLL*VGIAASAVDVFFSK PWSE
3746	A	1	898	IDRAAECRTKPLPMAVSIRGNADSIVACLVLMVL YLIKKRLVACAAVFYGFAVHMKIYPETYILPITL HLLPDRDNDKSLRQFRYTFQACL*ELLKRLCNRT ALMFVAVAGLTFFALSFGFYYEYGWEFLEHTYF YHLTRRDIRHNFSPYFYMLYLTAESKWSFSLGIA AFLPQLILLSAVSFAYYRDLVFCWFLHTSIFVTFN KVCTSQYFLWYLCLLPLVMPLVRMPWKRAVVL LMLWFIGQAMWLAPAYVLEFQGKNTFLFIWLA GLFFLLINCSILIQIISHYKEEPLTERIKYD
3747	A		2325	MVISFQGLVTFGDVAVDFSQEEWEWLNPIQRNL YRKVMLENYRNLASLGLCVSKPDVISSLEQGKEP WTVKRKMTRAWCPDLKAVWKIKELPLKKDFCE GKLSQAVITERLTSYNLEYSLLGEHWDYDALFET QPGLVTIKNLAVDFRQQLHPAQKNFCKNGIWEN NSDLGSAGHCVAKPDLVSLLEQEKEPWMVKREL TGSLFSGQRSVHETQELFPKQDSYAEGVTDRTSN TKLDCSSFRENWDSDYVFGRKLAVGQETQFRQE PITHNKTLSKERERTYNKSGRWFYLDDSEEKVH NRDSIKNFQKSSVVIKQTGIYAGKKLFKCNECKK TFTQSSSLTVHQRIHTGEKPYKCNECGKAFSDGS SFARHQRCHTGKKPYECIECGKAFIQNTSLIRHW RYYHTGEKPFDCIDCGKAFSDHIGLNQHRRIHTG EKPYKCDVCHKSF'RYGSSLTVHQRIHTGEKPYE CDVCRKAFSHHASLT\Q\HQRVHSGEKPFKCKEC GKAFRQNIHLASHLRIHTGEKPFECAECGKSFSIS SQLATHQRIHTGEKPYECKVCSKAFTQKAHLAQ HQKTHTGEKPYECKECGKAFSQTTHLIQHQRVH TGEKPYKCMECGKAFGDNSSCTQHQRLHTGQRP YECIECGKAFKTKSSLICHRRSHTGEKPYECSVC GKAFSHRQSLSVHQRIHSGKKPYECKECRKTFIQI GHLNQHKRVHTGERSYNYKKSRKVFRQTAHLA HHQRIHTGESSTCPSLPSTSNPVDLFPKFLWNPSS LPSP
3748	A	823	1	GGYTKSGYDSACKDFVPHDLEVQIPGRVFLVTG GNSGIGKATALEIAKRGGTVHLVCRDQAPAEDA RGEIIRE\SGNQNIFLHIVDLSDPKKIWKFVENFKQ EHKLHVL\VNNAGCMVNKREAHKKMDFEKNFG CQYSGVCTFLTTRPDPLCWRKNTDPRVIT\VSSG GMLVQKLNNQ*SPVRKNTIWMGTMVYAQNKVS



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				ERQQVVLT\ERWGPRAPG\IHFSSMHPGWA\DTPG VRQAMPGFHVQASGYRLRSEAQGADTMLWLAL SSARSRTAQRP
3749	A	1939		GFLRLSQAT\RQRLSIPVMVLTLDPTRD\QCFGDR FSRLLLDEFLGYDDIL\MSSVKGLAENEENKGFLR NVVSGEHYRFV\SMWMART\SYLAAFANHGQSF TLSVSHACCGYSHHQIFVFIVDLLQMLEMNMAIA FPAAPLLTVILALVGMEAIMSEFFNDTTTAFYIILI VWLADQYDAICCHTSTSKRHWLRFFYLYHFAFY AYHYRFNGQYSSLALVTSWLFIQHSMIYFFHHYE LPAILQHVRIQ\EMLLQAPTLGPGTPTA\LPDDMN NNSGAPATAP\DSAGQPPALGPVSPGASGSPGPV AAAPSSLVAAAASVAAAAGGDLGWMAETAAIIT DASFLSGLSASLLERRPASPLGPAGGLPHAPQDS VPPSDSAASDTTPLGAAVGGPSPASMAPTEAPSE
3750	A	2	844	VGS GLLEPFSKLLSFVIQNAVFTLAYLVELCGLCYRA FTKERDKFYLSRSVVLELLQALKLKSPLPDTNLL LLVQFICADAGTKLAESTILSKQMIASVPGCGTA AMECVRQYINEVLDFM\admhtltklkshmktc SQPLHEDTFGGHLKVGLAQIAAMDISRGNHRDN KAVIRYLPWLYHPPSAMQQGPKEFIECVSHIRLL
				SWLLLGSLTHNAVC/LKWPPLPGLPIPLDAGSHV ADHLIVILIGFPEQSKTSVL\HMCSLFHAF\SLAQL WDSLLARQSGRW
3751	Α ·	431	2	AFTRKCEETAFIVPQCEIIPTE/WVCRRIPTGSSLER NPGVKEGCEFCPPKVEMFFKDDANHDPQWSRQ QLIAAKFGFAALGI/QTEVDIMSHAT*AVFEIPEKS RL\PQNCTPVDMKIEFGVHVTSKEILTDVIDNDS* RHSPS
3752	A	131	1278	AWSGSGLLVLCINTASMPMISVLGKMFLWQREG PGGRWTCQTSRRVSSDPAWAVEWIELPRGLSLSS LGSARTLRGWSRSSRPSSVDSQDLPEVNVGDTV AMLPKSRRALTIQEIAALARSSLHGISQVVKDHV TKPTAMAQGRVAHLIEWKGWSKPSDSPAALESA FSSYSDLSEGEQEARFAAGVAEQFAIAEAKLRA WSSVDGEDSTDDSYDEDFAGGMDTDMAGQLPL GPHLQDLFTGHRFSRPVRQGSVEPESDCSQTVSP DTLCSSLCSLEDGLLGSPARLA\PSCWAMSCFSPN CPPAGKVPSAAW\APLEAQDSLYNSPLTESCLSP AEEEPAPCKDCQPLCPPLTGSWERQRQASDLASS GVVSLDEDEAEPEEQ
3753	A	2	3338	YYSSVRQRVTCEEPRFRECAAALIEGSATEVYAG EWRADRRSGFGVSQRSNGLRYEGEWLGNRRHG YGRTTRPDGSREEGKYKRNRLVHGGRVRSLLPL ALRRGKVKEKVDRAVEGARRAVSAARQRQEIA AARAADALLKAVAASSVAEKAVEAARMAKLIA QDLQPMLEAPGRRPRQDSEGSDTEPLDEDSPGV YENGLTPSEGSPELPSSPASSRQPWRPPACRSPLP PGGDQGPFSSPKAWPEEWGGAGAQAEELAGYE AEDEAGMQGPGPRDGSPLLGGCSDSSGSLREEE GEDEEPLPPLRAPAGTEPEPIAMLVLRGSSSRGPD AGCLTEELGEPAATERPAQPGAANPLVVGAVAL LDLSLAFLFSQLLT SSLLEKMTSSDKDFRFMATSDLMSELQKDSIQLD

\			- 1
,			

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				EDSERKVVKMLLRLLEDKNGEVQNLAVKWLGV PLGAFHASLLHCLLPQLSSPRLAVRKRAVGALGH LATACSTDLFVELADHLLDRLPGPRVPTSPTAIRT LIQCLGSVGRQAGHRLGAHLDRLVPLVEDFCNL DDDELRESCLQAFEAFLRKCPKEMGPHVPNVTS LCLQYIKHDPNYNYDSDEDEEQMETEDSEFSEQE SEDEYSDDDDMSWKVRRAAAKCIAALISSRPDL LPDFHCTLAPVLIRRFKEREENVKADVFTAYIVL LRQTRPPKGWLEAMEEPTQTGSNLHMLRGQVPL VVKALQRQLKDRSVRARQGCFSLLTELAGVLPG SLAEHMPVLVSGIIFSLADRSSSSTIRMDALAFLQ GLLGTEPAEAFHPHLPILLPPVMACVADSFYKIA AEALVVLQELVRALWPLHRPRMLDPEPYVGEMS AVTLARLRATDLDQEVKERAISCMGHLVGHLGD RLGDDLEPTLLLLLDRLRNEITRLPAIKALTLVAV SPLQLDLQPILAEALHILASFLRKNQRALRLATLA ALDALAQSQGLSLPPSAVQAVLAELPALVNESD MHVAQLAVDFLATVTQAQPASLVEVSGPVLSEL LRLLRSPLLPAGVLAAAEGFLQALVGTRPPCVDY AKLISLLTAPVYEQAVDGGPGLHKQVFHSLARC VAALSAACPQ\EAESTASRLVCDARSPHSSTGVK VLAFLSLAEVGQVAGPGHERELKAVLLEALGSPS EDVRAAASYALGRVGAGSLPDFLPFLLEQIEAEP RRQYLLLHSLKEALGAAQPDSLKPYAEDIWALL FQRCEGAEEGTRGVVAECIGKLVLVNPSFLLPRL RKQLAAGRPHTRSTVITAVKFLISDQPHPIDPLLK SFIAVHNKPSLVRDLLDDILPLLYQETKIRRDLIRE VEMGPFKHTVDDGLDVRKAAFECMYSLLESCLG QLDICEFLNHVEDGLKDHYDIRMLTFIMVARLAT LCPAPVLQRVDRLIEPLRATCTAKVKAGSVKQEF EKQDELKRSAMRAVAALLTIPEVGKSPIMADFSS
3755	A	2	3338	QIRSNPELAALFESIQKDSTSAPSTDSMELS SSLLEKMTSSDKDFRFMATSDLMSELQKDSIQLD EDSERKVVKMLLRLLEDKNGEVQNLAVKWLGV PLGAFHASLLHCLLPQLSSPRLAVRKRAVGALGH LATACSTDLFVELADHLLDRLPGPRVPTSPTAIRT LIQCLGSVGRQAGHRLGAHLDRLVPLVEDFCNL DDDELRESCLQAFEAFLRKCPKEMGPHVPNVTS LCLQYIKHDPNYNYDSDEDEEQMETEDSEFSEQE SEDEYSDDDDMSWKVRRAAAKCIAALISSRPDL LPDFHCTLAPVLIRRFKEREENVKADVFTAYIVL LRQTRPPKGWLEAMEEPTQTGSNLHMLRGQVPL VVKALQRQLKDRSVRARQGCFSLLTELAGVLPG SLAEHMPVLVSGIIFSLADRSSSSTIRMDALAFLQ GLLGTEPAEAFHPHLPILLPPVMACVADSFYKIA AEALVVLQELVRALWPLHRPRMLDPEPYVGEMS AVTLARLRATDLDQEVKERAISCMGHLVGHLGD RLGDDLEPTLLLLDRLRNEITRLPAIKALTLVAV SPLQLDLQPILAEALHILASFLRKNQRALRLATLA ALDALAQSQGLSLPPSAVQAVLAELPALVNESD MHVAQLAVDFLATVTQAQPASLVEVSGPVLSEL LRLLRSPLLPAGVLAAAEGFLQALVGTRPPCVDY AKLISLLTAPVYEQAVDGGPGLHKQVFHSLARC VAALSAACPQEAESTASRLVCDARSPHSSTGVK VLAFLSLAEVGQVAGPGHERELKAVLLEALGSPS



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Trytophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				EDVRAAASYALGRVGAGSLPDFLPFLLEQIEAEP RRQYLLLHSLKEALGAAQPDSLKPYAEDIWALL FQRCEGAEEGTRGVVAECIGKLVLVNPSFLLPRL RKQLAAGRPHTRSTVITAVKFLISDQPHPIDPLLK SFIAVHNKPSLVRDLLDDILPLLYQETKIRRDLIRE VEMGPFKHTVDDGLDVRKAAFECMYSLLESCLG QLDICEFLNHVEDGLKDHYDIRMLTFIMVARLAT LCPAPVLQRVDRLIEPLRATCTAKVKAGSVKQEF EKQDELKRSAMRAVAALLTIPEVGKSPIMADFSS QIRSNPELAALFESIQKDSTSAPSTDSMELS
3756	A	112	1361	SLEEQQGRHPSFAPKCASQILGRIMITLITEQLQK QTLDELKCTRFSISLPLPDHADISNCGNSFQLVSE GASWRGLPHCSCAEFQ/DQPQLQLPSLRPEPAPQ TT\HRGNSPKEQPFSQVLRPEPPDPEKLPVPPAPPS KRHCRSLSVPVDLSRWQPVWRPAPSKLWTPIKH RGSGGGGGPQVPHQSPPKRVSSL/SVPPSSQCLFS MCPSSHTLQPSFLQPGPGP\DSSRPCAASPQSGSW ESDAESLSPCPPQRRFSLSPSLGPQASRFLPSARSS PASSPELPWRPRGLRNLPRSRSQPCDLDARKTGV KRRHEEDPRRLRPSLDFDKMNQKPYSGGLCLQE TAREGSSISPPWFMACSPPPLSASCSPTGGSSQVL SESEEEEEGAVRWGRQALSKRTLCQRDFGDLDL NLIEEN
3757	A	413	1	PKPMLQQDFT/SLPDQGLDHIAE/NSYFDARSLCA AELVCKEWQQVTSE*MLWKKLIERMVHAYPLW KGLSEKVW/DQHLFKNRPTDGPPNSFHRSLYPKII QVIETIESNWQCG*HTLQRIQCHSEKSKGVYCLQ YDDEK
3758	A	2	613	FVSGSPWRMDGSTERLEARRPAGRLPWSSRQEM TRRPSLMAGRQHGWSAQQSATVANPVPGANPD LLPHFLGEPEDVYIVKNKPVLLVCKAVPATQIFF KCNGEWVRQVDHVIERSTDGSSGLPTMEVRINV SRQQVEKVFGLEEYWCQCVAWSSSGTTKSQKA YIRIAYLRKNFEQEPLAKEVSLEQGIVLPCRPPEGI PPAE
3759	A	1	561	ADDTLHLWNLRQKRPAILHSLKFCRERVTFCHLP FQSKWLYVGTERGNIHIVNVESFTLSGYVIMWN KAIELSSKSHPGPVVHISDNPMDEGKLLIGFESGT VVLWDLKSKKADYRYTYDEAIHSVAWHHEGKQ FICSHSDGTLTIWNVRSPAKPVQTITPHGKQLKD GKKPEPCKPILKVEFXTTR
3760	A	1	824	LPACRCGCVAGCPSNHGICRCLRASERQVCVMH LKHLRTLLSPQDGAAKVTCMAWSQNNAKFAVC TVDRVVLLYDEHGERRDKFSTKPADMKYGRKS YMVKGMAFSPDSTKIAIGQTDNIIYVYKIGEDWG DKKVICNKFIQTVKFRPVPGTLG*TNIYQYIYL*IQ PGVAFLTSECDFSYCKDGASWLFMVICCLP*SPA VSFPIGD*\SAVTCLQWPAEYIIVFGLAEGKVRLS NTKTNKSSTIYGTESYVVSLTTNCSGKGILSGHA DGYQR
3761	Α .	2253	320	PVIQRCSQPYGFSLLISFFLKCVSETSQQPPSRKVF QLLPSFPTLTRSKSHESQLGNRIDDVSSMRFDLSH GSPQMVRRDIGLSVTHRFSTKSWLSQVCHVCQK SMIFGVKCKHCRLKCHNKCTKEAPACRISFLPLT RLRRTESVPSDINNPVDRAAEPHFGTLPKALTKK



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				EHPPAMNHLDSSSNPSSTTFSTPSSPAPFPTSSNPS SATTPP\NPSP\GQR\DSRFNFPSC/AYFIHHR\Q\QFI FPDISAFAHAAPLPEAADGTRLDDQPKADVLEAH EAEAEEPEAGKSEAEDDEDEVDDLPSSRRPWRG PISRKASQTSVYLQEWDIPFEQVELGEPIGQGRW GRVHRGRWHGEVAIRLLEMDGHNQDHLKLFKK EVMNYRQTRHENVVLFMGACMNPPHLAIITSFC KGRTLHSFVRDPKTSLDINKTRQIAQEIIKGMGYL HAKGIVHKDLKSRNVFYDNG\KVVITDFGLF\GIS GVVP\EGRRENQLKLSHDWLCYLAPEIVREMTPG KDEDQLPFSKAADVYAFGTVWYELQARDWPLK NQAAEASIWQIGSGEGMKRVLTSVSLGKEVSEN LSACWAFDLQERPS\FSLLMDMLEKLPKLNRRLS HPGHF*KSADINSSKVVPRFERFGLGVLESSNPK M
3762	Α	2	1578	MAHYITFLCMVLVLLLQNSVLAEDGEVRSSCRT APTDLVFILDGSYSVGPENFEIVKKWLVNITKNF DIGPKFIQVGVVQYSDYPVLEIPLGSYDSGEHLTA AVESILYLGGNTKTGKAIQFALDYLFAKSSRFLT KIAVVLTDGKSQDDVKDAAQAARDSKITLFAIG VGSETEDAELRAIANKPSSTYVFYVEDYIAISKIR EVMKQKLCEESVCPTRIPVAARDERGFDILLGLD VNKKVKKRIQLSPKKIKGYEVTSKVDLSELTSNV FPEGLPPSYVFVSTQRFKVKKIWDLWRILTIDG/* PQIAVTLNGVDKILLFTTTSVINGSQVVTFANPQV KTLFDEGWHQIRLLVTEQDVTLYIDDQQIENKPL HPVLGILINGQTQIGKYSGKEETVQFDVQKLRIY CDPEQNNRETACEIPGFCLNGPSDVGSTPAPCICP PGKPGLQGPKGDPGLPGNPGYPGQPGQDGKPVS TESLVISGISGITGYQGIAGTPGVPGSPGIQGARGL PGYKGEPGRDGDK
3763	A	3	1267	CKVWRNPLNLFRGAEYNRYTWVTGREPLTYYD MNLSAQDHQTFFTCDSDHLRPADAIMQKAWRE RNPQARISAAHEALEINECATAYILLAEEEATTIA EAEKLFKQALKAGDGCYRRSQQLQHHGSQYEA QHSVLYLPLQ\TRHQCLGVHQKKASNVCQKTRE DQGSSENDERFNEGVPPSEYVQYP*KPF\KALLEL QAYADVQAVLAKYDDISLPKSATICYTAALLKA RAVSDKFSPEAASRRGLSTAEMNAVEAIHRAVEF NPHVPKYLLEMKSLILPPEHILKRGDSEAIAYAFF HLAHWKRVEGALNLLHCTWEGTFRMIPYPLEKG HLFYPYPICTETADRELLPSFHEVSVYPKKELPFFI LFTAGLCSFTAMLALLTHQFPELMGVFAKAVSV CLEGGLGEWMGKAKGIKAA
3764	A	25	1032	RSADGLCGNKDRERGNEFTRNQQAAQEVVNPK KKMKKKYVNSGTVTLLSFAVESECTFLDYIKG GTQINFTVAIDFTASNGNPSQSTSLHYMSPYQLN AYALALTAVGEIIQHYDSDKMFPALGFGAKLPPD GRVSHEFPLNGNQENPSCCGIDGILEAYHRSLRT VQLYGPTNFAPVVTHVARNAAAVQDGSQYSVL LIITDGVISDMAQTKEAIVNG\SKLPMSIIIVGVGQ AEFNAMVELDGDDVRISSRGKLAERDIVQFVPFR DYVDRTGNHVLSMARLARDVLAEIPDQLVSYM KAQGIRPRSPPAAPTHSPSQSPARTPPACPLHTHI LGMMDSPKIGNGLPVIGPGTDIGISSLHMVGYLG



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
		Sequence		KNFDSAKVPSDEYCPACKEKGKLKALKTYRISFQ ESIFLCEDLQCIYPLGSKSLNNLISPDLEECHTPHK PQKRKSLESSYKDSLLLANSKKTRNYIAIDGGKV LNSKHNGEVYDETSSNLPDSSGQQNPIRTADSLE RNEILEADTVDMATTKDPATVDVSGTGRPSPQN EGCTSKLEMPLESKCTSFPQALCVQWKNAYALC WLDCILSALVHSEELKNTVTGLCSKEESIFWRLL TKYNQANTLLYTSQLSGVKDGDCKKLTSEIFAEI ETCLNEVRDEIFISLQPQLRCTLGDMESPVFAFPL LLKLETHIEKLFLYSFSWDFECSQCGHQYQNRH MKSLVTFTNVIPEWHPLNAAHFGPCNNCNSKSQI RKMVLEKVSPIFMLHFVEGLPQNDLQHYAFHFE GCLYQITSVIQYRANNHFITWILDADGSWLECDD LKGPCSERHKKFEVPASEIHIVIWERKISQVTDKE AACLPLKKTNDQHALSNEKPVSLTSCSVGDAAS AETASVTHPKDISVAPRTLSQDTAVTHGDHLLSG PKGLVDNILPLTLEETIQKTASVSQLNSEAFLLEN KPVAENTGILKTNTLLSQESLMASSVSAPCNEKLI QDQFVDISFPSQVVNTNMQSVQLNTEDTVNTKS VNNTDATGLIQGVKSVEIEKDAQİKQFLTPKTEQ LKPERVTSQVSNLKKKETTADSQTTTSKSLQNQS LKENQKKPFVGSWVKGLISRGASFMPLCVSAHN RNTITDLQPSVKGVNNFGGFKTKGINQKASHVSK KARKSASKPPPISKPPAGPPSSNGTAAHPHAHAA SEVLEKSGSTSCGAQLNHSSYGNGISSANHEDLV EGQIHKLRLKLRKKLKAEKKKLAALMSSPQSRT VRSENLEQVPQDGSPNDCESIEDLLNELPYPIDIA NESACTTVPGVSLYSSQTHEEILAELLSPTPVSTE LSENGEGDFRYLGMGDSHIPPPVPSEFNDVSQNT HIRQDHNYCSPTKKNPCEVQPDSLTNNACVRTL NLESPMKTDIFDEFFSSSALNALANDTLDLPHFDE YLFENY
3766	A	3	1622	AQQIVYRNVMLENYKNLVSLGYQLTKPDVILRL EKGEEPWLVEREIHQETHPDSETAFEIKSSVSSRSI FKDKQSCDIKMEGMARNDLWYLSLEEVWKCRD QLDKYQENPERHLRQVAFTQKKVLTQERVSESG KYGGNCLLPAQLVLREYFHKRDSHTKSLKHDLV LNGHQDSCASNSNECGQTFCQNIHLIQFARTHTG DKSYKCPDNDNSLTHGSSLGISKGIHREKPYECK ECGKFFSWRSNLTRHQLIHTGEKPYECKECGKSF SRSSHLIGHQKTHTGEEPYECKECGKSFSWFSHL VTHQRTHTGDKLYTCNQCGKSF/VHSSRLIRHQR THTGEKPYECPECGKSFRQSTHLILHQRTHVRVR PYECNECGKSYSQRSHLVVHHRIHTGLKPFECKD CGKCFSRSSHLYSHQRTHTGEKPYECHDCGKSFS QSSALIVHQRIHTGEKPYECCQCGKAFIRKNDLIK HQRIHVGEETYKCNQCGIIFSQNSPFIVHQIAHTG EQFLTCNQCGTALVNTSNLIGYQTNHIRENAY
3767	A	3	1622	AQQIVYRNVMLENYKNLVSLGYQLTKPDVILRL EKGEEPWLVEREIHQETHPDSETAFEIKSSVSSRSI FKDKQSCDIKMEGMARNDLWYLSLEEVWKCRD QLDKYQENPERHLRQVAFTQKKVLTQERVSESG KYGGNCLLPAQLVLREYFHKRDSHTKSLKHDLV LNGHQDSCASNSNECGQTFCQNIHLIQFARTHTG DKSYKCPDNDNSLTHGSSLGISKGIHREKPYECK



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon,/=possible nucleotide deletion, \=possible nucleotide insertion
				ECGKFFSWRSNLTRHQLIHTGEKPYECKECGKSF SRSSHLIGHQKTHTGEEPYECKECGKSFSWFSHL VTHQRTHTGDKLYTCNQCGKSF/VHSSRLIRHQR THTGEKPYECPECGKSFRQSTHLILHQRTHVRVR PYECNECGKSYSQRSHLVVHHRIHTGLKPFECKD CGKCFSRSSHLYSHQRTHTGEKPYECHDCGKSFS QSSALIVHQRIHTGEKPYECCQCGKAFIRKNDLIK HQRIHVGEETYKCNQCGIIFSQNSPFIVHQIAHTG
3768	A	185	2258	EQFLTCNQCGTALVNTSNLIGYQTNHIRENAY SIIIKMSRKISKESKKVNISSSLESEDISLETTVPTD DISSSEEREGKVRITRQLIERKELLHNIQLLKIELS QKTMMIDNLKVDYLTKIEELEEKLNDALHQKQL LTLRLDNQLAFQQKDASKYQELMKQEMETILLR QKQLEETNLQLREKAGDVRRSLRDFELTEEQYIK LKAFPEDQLSIPEYVSVRFYELVNPLRKEICELQV KKNILAEELSTNKNQLKQLTETYEEDRKNYSEV QIRCQRLALELADTKQLIQQGDYRQENYDKVKS ERDALEQEVIELRRKHEILEASHMIQTKERSELSK EVVTLEQTVTLLQKDKEYLNRQNMELSVRCAHE EDRLERLQAQLEESKKAREEMYEKYVASRDHY KTEYENKLHDELEQIRLKTNQEIDQLRNASREMY ERENRNLREARDNAVAEKERAVMAEKDALEKH DQLLDRYRE\LQ\LSTESKVTEFLHQSKLKSFESE RVQLLQEETARNLTQCQLECEKYQKKLEVLTKE FYSLQASSEKRITELQAQNSEHQARLDIYEKLEK ELDEIIMQTAEIENEDEAERVLFSYGYGANVPTT AKRRLKQSVHLARRVLQLEKQNSLI/LKRSGTSK GPSNTAFTRSLTEANSLLNQTQQPYRYLIESVRQ RDSKIDSLTESIAQL/ERKDVSNLNKEKSALLQTN GIKMAL\DL\DQLLNHP
3769	A	3	2297	DAAEFRVVADAMKVIGFKPEEIQTVYKILAAILH LGNLKFVVDGDTPLIENGKVVSIIAELLSTKTDM VEKALLYRTVATGRDIIDKQHTEQEASYGRDAF AKAIYERLFCWIVTRINDIIEVKNYDTTIHGKNTV IGVLDIYGFEIFDNNSFEQFCINYCNEKLQQLFIQL VLKQEQEEYQREGIPWKHIDYFNNQIIVDLVEQQ HKGIIAILDDACMNVGKVTDEMFLEALNSKLGK HAHFSSRKLCASDKILEFDRDFRIRHYAGDVVYS VIGFIDKNKDTLFQDFKRLMYNSSNPVLKNMWP EGKLSITEVTKRPLTAATLFKNSMIALVDNLASK EPYYVRCIKPNDKKSPQIFDDERCRHQVEYLGLL ENVRVRRAGFAFRQTYEKFLHRYKMISEFTWPN HDLPSDKEAVKKLIERCGFQDDVAYGKTKIFIRT PRTLFTLEELRAQMLIRIVLFLQKVWRGTLARMR YKRTKAALTIIRYYRRYKVKSYIHEVARRFHGVK TMRDYGKHVKWPSPPKVLRRFEEALQTIFNRWR ASQLIKSIPASDLPQVRAKVAAVEMLKGQRADL GLQRAWEGNYLASKPDTPQTSGTFVPVANELKR KDKYMNVLFSCHVRKVNRFSKVEDRAIFVTDRH LYKMDPTKQYKVMKTIPLYNLTGLSVSNGKDQL VVFHTKDNKDLIVCLFSKQPTHESRIGELVGVLV NHFKSEKRHLQVNVTNPVQCSLHGKKCTVSVE
3770	A	3	6276	HKVAAPDVVVPTLDTVRHEALLYTWLAEHKPL VLCGPPGSGKTMTLFSALRALPDMEVVGLNFSS



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
		peptide		ATTPELLLKTFDHYCEYRRTPNGVVLAPVQLGK WLVLFCDEINLPDMDKYGTQRVISFIRQMVEHG GFYRTSDQTWVKLERIQFVGACNPPTDPGRKPLS HRFLRHVPVVYVDYPGPASLTQIYGTFNRAMLR LIPSLRTYAEPLTAAMVEFYTMSQERFTQDTQPH YIYSPREMTR WVRGIFEALRPLETLPVEGLIRIWA HEALRLFQDRLVEDEERRWTDENIDTVALKHFP NIDREKAMSRPILYSNWLSKDYIPVDQEELRDYV KARLK VFYEEELDVPLVLFNEVLDHVLRIDRIFR QPQGHLLLIGVSGAGKTTLSRFVAWMNGLSVYQ IKVHRKYTGEDFDEDLRTVLRRSGCKNEKLAFIM DESNVLDSGFLERMNTLLANGEVPGLFEGDEYA TLMTQCKEGAQKEGLMLDSHEELYKWFTSQVIR NLHVVFTMNPSSEGLKDRAATSPALFNRCVLNW FGDWSTEALYQVGKEFTSKMDLEKPNYIVPDYM PVVYDKLPQPPSHREAIVNSCVFVHQTLHQANA RLAKRGGRTMAITPRHYLDFINHYANLFHEKRSE LEEQQMHLNVGLRKIKETVDQVEELRRDLRIKS QELEVKNAAANDKLKKMVKDQQEAEKKKVMS QEIQEQLHKQQEVIADKQMSVKEDLDKVEPAVI EAQNAVKSIKKQHLVEVRSMANPPAAVKLALES ICLLLGESTTDWKQIRSIIMRENFIPTIVNFSAEEIS DAIREKMKKNYMSNPSYNYEIVNRASLACGPMV KWAIAQLNYADMLKRVEPLRNELQKLEDDAKD NQQKANEVEQMIRDLEASIARYKEEYAVLISEAQ AIKADLAAVEAKVNRSTALLKSLSAERERWEKT SETFKNQMSTIAGDCLLSAAFIAYAGYFDQQMR QNLFTTWSHHLQQANIQFRTDIARTEYLSNADER LRWQASSLPADDLCTENAIMLKRFNRYPLIIDPS GQATEFIMNEYKDRKITRTSFLDDAFRKNLESAL RFGNPLLVQDVESYDPVLNPVLNREVRRTGGRV LITILGDQDIDLSPSFVIFLSTRDPTVEFPPDLCSRV TFVNFTVTRSSLQSQCLNEVLKAERPDVDEKRSD LLKLQGEFQLRLRQLEKSLLQALNEVKGRILDDD TIITTLENLKREAAEVTRKVEETDIVMQEVETVS QQYLPLSTACSSIYFTMESLKQIHFLYQYSLQFFL DIYHNVLYENPNLKGVTDHTQRLSIITKDLFQVA FNRVARGMILHQDHTTFAMLLARIKLKGTVGEPT YDAEFQHFLRGNEIVLSAGSTPRIQGLTVEQAEA VVRLSCLPAFKDLIAKVQADEQFGIWLDSSSPEQ TVPYLWSEETPATPIGQAHRLLLIQAFRPDRLLA MAHMFVSTNLGESFMSIMEQPLDLTQIVGTEVKP
				NTPVLMCSVPGYDASGHVEDLAAEQNTQITSIAI GSAEGFNQADKAINTAVKSGRWVMLKNVHLAP GWLMQLEKKLHSLQPHACFRLFLTMEINPKVPV NLLRAGRIFVFEPPPGVKANMLRTFSSIPVSRICK SPNERARLYFLLAWFHAIIQERLRYAPLGWSKKY EFGESDLRSACDTVDTWLDDTAKGRQNISPDKIP WSALKTLMAQSIYGGRVDNEFDQRLLNTFLERL FTTRSFDSEFKLACKVDGHKDIQMPDGIRREEFV QWVELLPDTQTPSWLGLPNNAERVLLTTQGVD MISKMLKMQMLEDEDDLAYAETEKKTRTDSTS DGRP\AWMRTLHTTASNWLHLIPQTLSHLKRTVE NIKDPLFRFFE\REVKMGAKLLQ\DVRQDLADV\V QVCEGKKKQTNYLRTLI\NELVKGILP\RSWSHY





SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				TVPAG\MTVIQWGVPISARRI\KQLQNISL\AAASG GAKELKNIHVCLGGLFVPEAYITATRQYVAQAN SWSLEELCLEVNVTTSQGATLDACSFGVTGLKL QGATCNNNKLSLSNAISTALPLTQLRWVKQTNT EKKASVVTLPVYLNFTRADLIFTVDFEIATKEDPR SFYERGVAVLCTE
3771	A		2043	LPLLHAGFNRRFMENSSIIACYNELIQIEHGEVRS QFKLRACNSVFTALDHCHEAIEITSDDHVIQYVN PAFERMMGYHKGELLGKELADLPKSDKNRADL LDTINTCIKKGKEWQGVYYARRKSGDSIQQHVKI TPVIGQGGKIRHFVSLKKLCCTTDNNKQIHKIHR DSGDNSQTEPHSFRYKNRRKESIDVKSISSRGSDA PSLQNRRYPSMARIHSMTIEAPITKVINIINAAQEN SPVTVAEALDRVLEILRTTELYSPQLGTKDEDPH TSDLVGGLMTDGLRRLSGNEYVFTKNVHQSHSH LAMPITINDVPPCISQLLDNEESWDFNIFELEAITH KRPLVYLGLKVFSRFGVCEFLNCSETTLRAWFQ VIEANYHSSNAYHNSTHAADVLHATAFFLGKER VKGSLDQLDEVAALIAATVHDVDHPGRTNSFL\C NAGSELAVLYNDT\AV\LESHHTALAFQ\LTVKDT K\CNIFKNID/RGNHYRTLRQAIIDMVLATEMTKH FEHVNKFVNSINKPMAAEIEGSDCECNPAGKNFP ENQILIKRMMIKCADVANPCRPLDLCIEWAGRIS EEYFAQTDEEKRQGLPVVMPVFDRNTCSIPKSQI SFIDYFITDMFDAWDAFAHLPALMQHLADNYKH WKTLDDLKCKSLRLPSDRLKPSHRGGLLTDKGH CESQ
3772	A	1013	50	TLVHADGFPSLHITETCLAYREKRIGIDLVHDTVE HELIKEAEIIQGIMALLTRTLEEASEQIRMNRSAK YNLEKDLKDKFVALTIDDICFSLNNNSPNIRYSEN AVRIEPNSVSLEDWLDFSSTNVEKADKQRNNSL MLKALVD\RILSQTANYLRKQCDVVHTAFKNGL KDTKDARDQLADHLAK\VMEEIASQEKNITALEK AILDQEGPAKVAHTRLETRTHRPNVELCRDVAQ YRLMKEVQEITHNVARLKETLA\QAQAELKGLH RRQLALQEEIQVKENTIYIDEVLCMQMRKSIPLR DGEDHGVWAGGLRPDAVC
3773	A	1	955	AAARESERQLRLRLCVLNEILGTERDYVGTLRFL QSAFLHRIRQNVADSVEKGLTEENVKVLFSNIEDI LEVHKDFLAALEYCLHPEPQSQHELGNVFLKFK DKFCVYEEYCSNHEKALRLLVELNKIPTVRAFLL SCMLLGGRKTTDIPLEGYL\LSPIQRICKYPLLLKE LAKRTPGKHPDHPAVQ\SALQAMKTVCSNINETK RQMEKLEALEAAA/QSHIEGWEGSNLTDICTQLL LQGTLLKISAGNIQERAFFLFDNLLVYCKRKSRV TGSKKSTKRTKSINGSLYIFRGRINTEVMEVENVE DGTGSPSPSLA
3774	A	4254	2061	ELQGDFSVPDVPKSMAWCENSICVGFKRDYYLI RVDGKGSIKELFPTGKQLEPLVAPLADGKVAVG QDDLTVVLNEEGICTQKCALNWTDIPVAMEHQP PYIIAVLPRYVEIRTFEPRLLVQSIELQRPRFITSGG SNIIYVASNHFVWRLIPVPMATQIQQLLQDKQFE LALQLAEMKDDSDSEKQQQIHHIKNLYAFNLFC QKRFDESMQVFAKLGTDPTHVMGLYPDLLPTDY RKQLQYPNPLPVLSGAELEKAHLALIDYLTQKRS

\		
1		
,		
,		

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last a mino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Typtophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				QLVKKLNDSDHQSSTSPLMEGTPTIKSKKKLLQII DTTLLKCYLHTNVALVAPLLRLENNHCHIEESEH VLKKAHKYSELIILYEKKGLHEKALQVLVDQSK KANSPLKGHERTVQYLQHLGTENLHLIFSYSVW VLRDFPEDGLKIFTEDLPEVESLPRDRVLGFLIEN FKGLAIPYLEHIIHVWEETGSRFHNCLIQLYCEKV QGLMKEYLLSFPAGKTPVPAGEEEGELGEYRQK LLMFLEISSYYDPGRLICDFPFDGLLEERALLLGR MGKHEQALFIYVHILKDTRMAEEYCHKHYDRN KDGNKDVYLSLLRMYLSPPSIHCLGPIKLELLEPK ANLQAALQVLELHHSKLDTTKALNLLPANTQIN DIRIFLEKVLEENAQKKRFNQVLKNLLHAEFLRV\ QEERILHQQVKCIITEEKVCMVCKKKIGNSAFAR YPNGVVVHYFCS\KEVNPADT
3775	A	1832	839	MSRARGALCRACLALAAALAALLLLPLPLPRAP APARTPAPAPRAPPSRPAAPSLRPDDVFIAVKTTR KNHGPRLRLLLRTWISRARQQTFIFTDGDDPELE LQGGDRVINTNCSAVRTRQALCCKMSVEYDKFI ESGRKWFCHVDDDNYVNARSLLHLLSSFSPSQD VYLGRPSLDHPIEATERVQGGRTVTTVKFWFAT GGAGFCLSRGLALKMSPWASLGSFMSTAEQVRL PDDCTVGYIVEGLLGARLLHSPLFHSHLENLQRL PPDTLLQQVTLSHGGPENPQNVVNVAGGFSLHQ DPTRFKSIHCLLYPDTDWCPRQKQGAPTSR
3776	A	3	796	PRAKLGTRARNMAGQDAGCGRGGDDYSEDEGD SSVSRAAVEVFGKLKDLNCPFLEGLYITEPKTIQE LLCSPSEYRLEILEWMCTRVWPSLQDRFSSLKGV PTEVKIQEMTKLGHELMLCAPDDQELLKGCACA QKQLHFMDQLLDTIRSLTIGCSSCSSLMEHFEDT REKNEALLGELFSSPHLQMLLNPECDPWPLDMQ PLLNKQSDDWQWASASAKSEEEEKLAELARQLQ ESAAKLHALRTEYFAQHEQGAAAGAA\TSAP
3777	A	3	413	SEEDVIEGKTAVIEKRRKKRSSAGVVED/IGGEVQ NMLEGVGVDINKALLAKRKRLEMYTKASLRTSN QKIEHVWKTQQDQRQKLNQEYSQQFLTLFQQW DLDMQKAEEQEEKILVGIMIRFIINQVSSRNGQPS LLL
3778	A	132	788	SRLPPPPPHLADGRAGARVPRSARLSRWWVQD WTHGPIVRPPAAARTMWVNPEEVLLANALWITE RANPYFILQRRKGHAGDGGGGGGLAGLLVGTLD VVLDSSARVAPYRILYQTPDSLVYWTIACG\GSR KEITEHWEWLEQNLLQTLSIFENENDITTFVRGKI QGIIAEYNKINDVKEDDDTEKFKEAIVKFHRLFG MPEEEKLVNYYSCSYWKG
3780	A	1	934 2535	CKSCTLFPQNPNLPPPSTRERPPGCKTVFVGGLPE NATEEIIQEVFEQCGDITAIRKSKKNFCHIRFAEEF MVDKAIYLSGYRMRLGSSTDKKDSGRLHVDFA QARDDFYEWECKQRMRAREERHRRKLEEDRLR PPSPPAIMHYSEHEAALLAEKLKDDSKFSEAM\Q VLLSWIERGEVNRR\SANQFYSMVQSANSHVRRL MNEKATHEQEMEEAKENFKNALTGILTQFEQIV AVFNASTRQKAWDHFSKAQRKNIDIWAK\HSEE LRNAQSEQLMGIRREEEMEMSDDENCDSPTKKM RVDESALGAP AAQAEREELAAGRMPGGGPQGAPAAAGGGGVS



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \possible nucleotide insertion
				HRAGSRDCLPPAACFRRRRLARRPGYMRSSTGP GIGFLSPAVGTLFRFPGGVSGEESHHSESRARQC GLDSRGLLVRSPVSKSAAAPTVTSVRGTSAHFGI QLRGGTRLPDRLSWPCGPGSAGWQQEFAAMDS SETLDASWEAACSDGARRVRAAGSLPSAELSSNS CSPGCGPEVPPTPPGSHSAFTSSFSFIRLSLGSAGE RGEAEGCPPSREAESHCQSPQEMGAKAASLDGP HEDPRCLSQPFSLLATRVSADLAQAARNSSRPER DMHSLPDMDPGSSSSLDPSLAGCGGDGSSGSGD AHSWDTLLRKWEPVLRDCLLRNRRQMEVISLRL KLQKLQEDAVENDDYDKAETLQQRLEDLEQEKI SLHFQLPSRQPALSSFLGHLAAQVQAALRGATQ QASGDDTHTPLRMEPRLLEPTAQDSLHVSITRRD WLLQEKQQLQKEIEALQARMFVLEAKDQQLRRE IEEQEQQLQWQGCDLTPLVGQLSLGQLQEVSKA LQDTLASAGQIPFHAEPPETIRSLQERIKSLNLSLK EITTKVCMSEKFCSTLRKKVNDIETQLPALLEAK MHAISGNHFWTAKDLTEEIRSLTSDREGLEGLLS KLLVLSSRNVKKLGSVKEDYNRLRREVEHQETA YETSVKENTMKYMETLKNKLCSCKCPLLGKVW EADLEACRLLIQCLQLQEARGSLSVEDERQMDD LEGAAPPIPPRLHSEDKRKTPLKESYILSAELGEK CEDIGKKLLYLEDQLHTAIHSHDEDLIQSLRRELQ MVKETLQAMILQLQPAKEAGEREAAASCMTAG
3781	A	3	995	VHEAQA GRRRAGPAHSARMYNMMETELKPPGPQQTSGG GGGNSTAAAAGGNQKNSPDRVKRPMNAFMVW SRGQRRKMAQENPKMHNSEISKRLGAEWKLLSE TEKRPFIDEAKRLRALHMKEHPDYKYRPRRKTK TLMKKDKYTLPGGLLAPGGNSMASGVGVGAGL GAGVNQRMDSYAHMNGWSNGSYSMMQDQLG YPQHPGLNAHGAAQMQPMHRYDVSALQYNSM TSSQTYMNG/SRPTYSMSYSQQGTPGMAPGS\MG SVVKSEASSSPPVVTSSSHSRAPCQAGDLRDMIS MYLPGAEVPEPAAPSRLHMSQHYQSGPVPGTAI NGTLPLSHM
3782	A		2649	FRVPDSCPVVLHSFTQLDPDLPRPESSTQEIGEELI NGVIYSISLRKVQLHHGGNKGQRWLGYENESAL NLYETCKVRTVKAGTLEKLVEHLVPAFQGSDLS YVTIFLCTYRAFTTTQQVLDLLFKRYGRCDALTA SSRYGCILPYSDEDGGPQDQLKNAISSILGTWLD QYSEDFCQPPDFPCLKQLVAYVQLNMPGSDLER RAHLLLAQLEHSEPIEAEPEGEEDWALSPVPALK PTPELELALTPARAPSPVPAPAPEPEPAPTPAPGSE LEVAPAPAPELQQAPEPAVGLESAPAPALELEPA PEQDPAPSQTLELEPAPAPVPSLQPSWPSPVVAEN GLSEEKPHLLVFPPDLVAEQFTLMDAELFKKVVP YHCLGSIWSQRDKKGKEHLAPTIRATVTQFNSV ANCVITTCLGNRSTKAPDRARVVEHWIEVAREC RILKNFSSLYAILSALQSNSIHRLKKTWEDVSRDS FRIFQKLSEIFSDENNYSLSRELLIKEGTSKFATLE MNPKRAQKRPKETGIIQGTVPYLGTFLTDLVML DTAMKDYLYGRLINFEKRKEFEVIAQIKLLQSA CNNYSIAPDEQFGAWFRAVERLSETESYNLSCEL EPPSESASNTLRTKKNTAIVKRWSDRQAPSTELS



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methlonine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				TSGSSHSKSCDQLRCGPYLSSGDIADALSVHSAG SSSSDVEEINISFVPESPDGQEKKFWESASQSSPET SGISSASSSTSSSSASTTPVAATRTHKRSVSGLCNS SSALPLYNQQVGDCCIIRVSLDVDNGNMYKSILV TSQDKAPAVIRKAMDKHNLEEEEPEDYELLQILS DDRKLKIPENANVFYAMNSTANYDFVLKKRTFT KGVKVKHGASSTLPRMKQKGLKIAKGIF
3783	A	3	869	RSGQGKVYGLIGRRRFQQMDVLEGLNLLITISGK RNKLRVYYLSWLRNKILHNDPEVEKKQGWTTV GDMEGCGHYRVVKYERIKFLVIALKSSVEVYAW APKPYHKFMAFKSFADLPHRPLLVDLTVEEGQR LKVIYGSSAGFHAVDVDSGNSYDIYIPVHIQSQIT PHAIIFLPNTDGMEMLLCYEDEGVYVNTYGRIIK DVVLQWGEMPTSVAYICSNQIMGWGEKAIEIRS VETGHLDGVFMHKRAQRLKFLCERNDKVFFASV RSGGSSQVYFMTLNRNCIMNW
3784	A	1213	457	LSPRQVDGLAGLQKGLSLSLLYQFLMNGIRLGTY GLAEAGGYLHTAEGTHSPARSAAAGAMAGVMG AYLGSPIYMVKTHLQAQAASEIAVGHQYKHQG MFQALTEIGQKHGLVGLWRGALGGLPRVIVGSS TQLCTFSSTKDLLSQWEIFPPQSWKLALVAAMM SGIAVVLAMAPFDVACTRLYNQPHRCTGQGP\LY RGILDALLQTARTEGIFGMYKGIGASYFRLGPHTI LSLFFWDQLRSLYYTDTK
3785	A	193	813	RRRGRHSLCGGKMLAYCVQDATVVDVEKRRNP SKHYVYIINVTWSDSTSQTIYRRY\SKFFDLQMQL LD\KFPI\ESGQKDPKQRIIPFLPGKILFRRSHIRDV AVKRLKPIDEYCRALVRLPPHISQCDEVFRFFEAR PEDVNPPKEQGPSPPDAVLPYGVNKGKQELKAG PNWPGRTHHVVNCVTQKCLFVFHFKFSSSGNKE SKSL
3786	A	3785	1632	EFVGRAASTTVVTRIAWRMADAGIRRVVPSDLY PLVLGFLRDNQLSEVANKFAKATGATQQDANAS SLLDIYSFWLNRSAKVPERKLQANGPVAKKAKK KASSSDSEDSSEEEEVQGPPAKKAAVPAKRVGL PPGKAAAKASESSSSEESSDDDDEEDQKKQPVQ KGVKPQAKAGQAPPKKAKSSDSDSDSSSEDEPP KNQKPKITP\VTVKAQTKAPPKPARA\APKIANGK AASSSSSSSSSSSSDDSEEEKAAATPKKTVPKKQV VAKAPVKAATTPTRKSSSSEDSSSDEEEQKKPM KNKPGPYSSVPPPSAPPPKKSLGTQPPKKAVEKQ QPVESSEDSSDESDSSSEEEKKPPTKAVVSKATTK PPPAKKAAESSSDSSDSSSDDEAPSKPAGTTK NSSNKPAVTTKSPAVKPAAAPKQPVGGGQKLLT RKADSSSSEEESSSSEEEKTKKMVATTKPKATAK AALSLPAKQAPQGSRDSSSDSDSSSSEEEEKTSK SAVKKKPQKVAGGAAPSKPASAKKGKAESSNSS SSDDSSEEEEEKLKGKGSPRPQAPKANGTSALTA QNGKAAKNSEEEEEEKKKAAVVVSKSGSLKKR KQNEAAKEAETPQAKKIKLQTPNTFPKRKKGEK RASSPFRRVREEEIEVDSRVADNSFDAKRGAAGD WGERANQVLKFTKGKSFRHEKTKKKKGSYRGG SISVQVNSIKFDSE
3787	A	3 .	5078	IPEG/RALSAEHTSSLVPSLHITTLGQEQAILSGAV PASPSTGTADFPSILTFLQPTENHASPSPVPEMPTL



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				PAEGSDGSPPATRDLLLSSKVPNLLSTSWTFPRW KKDSVTAILGKNEEANVTIPLQAFPRKEVLSLHT VNGFVSDFSTGSVSSPIITAPRTNPLPSGPPLPSILS IQATQTVFPSLLAFSSTKPEVYAAAVDHSGLPAS APKQVRASPSSMDVYDSLTIGDMKKPATTDVFW SSLSAETGSLSTESIISGLQQQTNYDLNGHTISTTS WETHLAPTAPPNGLTSAADAIKSQDFKDTAGHS VTAEGFSIQDLVLGTSIEQPVQQSDMTMVGSHID LWPTSNNNHSRDFQTAEVAYYSPTTRHSVSHPQ LQLPNQPAHPLLLTSPGPTSTGSLQEMLSDGTDT GSEISSDINSSPERNASTPFQNILGYHSAAESSISTS VFPRTSSRVLRASQHPKKWTADTVSSKVQPTAA AAVTLFLRKSSPPALSAALVAKGTSSSPLAVASG PAKSSSMTTLAKNVTNKAASGPKRTPGAVHTAF PFTPTYMYARTGHTTSTHTA/IARKHGHCLWPVV YNLP/PP/GKPQAMHTGLPNPTNLEMPRASTPRPL TVTAALTSITASVKATRLPPLRAENTDAVLPAAS AAVVTTGKMASNLECQMSSKLLVKTVLFLTQRR VQISESLKFSIAKGLTQALRKAFHQNDVSAHVDI LEYSHNVTVGYYATKGKLVYLPAVVIEMLGVY GVSNVTADLKQHTPHLQSVAVLASPWNPQPAG YFQLKTVLQFVSQADNIQSCKFAQTMEQRLQKA FQDAERKVLNTKSNLTIQIVSTSNASQAVTLVYV VGNQSTFLNGTVASSLLSQLSAELVGFYLTYPPL TIAEPLEYPNLDISETTRDYWVITVLQGVDNSLV GLHNQSFARVMEQRLAQLFMMSQQQGRFFKRA TTLGSYTVQMVKMQRVPGPKDPAELTYYTLYN GKPLLGTAAAKILSTIDSQRMALTLHHVVLLQAD PVVKNPPNNLWIIAAVLAPIAVVTVIIIIITAVLCR KNKNDFKPDTMINLPQRAKPVQGFDYAKQHLG QQGADEEVIPVTQETVVLPLPIRDAPQERDVAQD GSTIKTAKSTETRKSRSPSENGSVISNESGKPSSGR RSPQNVMAQQKVTKEEARKRNVPASDEEEGAV LFDNSSKVAAEPFDTSSGSVQLIAIKPTALPMVP TSDRSQESSAVLNGEVNKALKQKSDIEHYRNKL RLKAKRGYYDFPAVETSKGLTERKKMYEKAP KEMEHVLDPDSELCAPFTESKNRQQMKNSVYRS RQSLNSPSPGETEMDLLVTRERPRRGIRNSGYDT EPEIIEETNIDRVPEPRGYSRSRQVKGHETSTLSS QPSIDEVRQQMHMLLEEAFSLASAGHAGQSRHQ EAYGSAQHLPYSEVVTSAPGTMTRPRAGVQWVP TYRPEMYQYSLPRPAYRFSQLPEMVMGSPPPPVP PRTGPVAVASLRRSTSDIGSKTRMAESTGPEPAQ LHDSASFTQMSRGPVSVTQLDQSALNYSGNTVP AVFAIPAANRPGFTGYFIPTPPSSYRNQAWMSYA GENELPSQWADSVPLPGYIEAYPRSRYPQSSPSRL PRQYSQPANLHPSLEQAPAPSTAASQQSLAENDP
2700		1	1727	SDAPLTNISTAALVKAIREEVAKLAKKQTDMFEF QV
3788	A	2	1737	MKGLYTDAEMKSDNVKDKDAKISFLQKAIDVV VMVSGEPLLAKPARIVAGHEPERTNELLQIIGKC CLNKLSSDDAVRRVLAGEKGEVKGRASLTSRSQ ELDNKNVREEESRVHKNTEDRGDAEIKERSTSRD RKQKEELKEDRMPREKDKDKEKAKENGGNRHR EGERERAKARARPDNERQKDRGNRERDRDSERK



SEQ ID Me	thod Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
			KETERKSEGGKEKERLRDRDRERDRDKGKDRDR RRVKNGEHSWDLDRENNREHDKPEKKSASSGE MSKKLSDGTFKDSKAETETEISTRASKSLTTKTS KRRSKNSVEGDSTSDAEGDAGPAGQDKSEVPET PEIPNELSSNIRRIPRPGSARPAPPRVKRQDSMEAL QMDRSGSGKTVSNVITESHNSDNEEDDQFVVEA APQLSEMSEIEMVTAVELEEEEKHGGLVKKILET KKDYEKLQQSPKPGEKERSLFESAWKKEKDIVS KEIEKLRTSIQTLCKSALPLGKIMDYIQEDVDAM QNELQM\YHSENRQHAEALQQEQRITDCAVEP\L KAELA\ELEQLIKD\Q\QDKICAVKANILKNEEKIQ KMVYSINLTSRR
3789 A		4369	MRTLGTCLATLAGLLLTAAGETFSGGCLFDEPYS TCGYSQSEGDDFNWEQVNTLTKPTSDPWMPSGS FMLVNASGRPEGQRAHLLLPQLKENDTHCIDFH YFVSSKSNSPPGLLNVYVKVNNGPLGNPIWNISG DPTRTWNRAELAISTFWPNFYQVIFEVITSGHQG YLAIDEVKVLGHPCTRTPHFLRIQNVEVNAGQFA TFQCSAIGRTVAGDRLWLQGIDVRDAPLKEIKVT SSRRFIASFNVVNTTKRDAGKYRCMIRTEGGVGI SNYAELVVKEPPVPIAPPQLASVGATYLWIQLN ANSINGDGPIVAREVEYCTASGSWNDRQPVDSTS YKIGHLDPDTEYEISVLLTRPGEGGTGSPGPALRT RTKCADPMRGPRKLEVVEVKSRQITIRWEPFGY NVTRCHSYNLTVHYCYQVGGQEQVREEVSWDT ENSHPQHTITNLSPYTNVSVKLILMNPEGRKESQ ELIVQTDEDLPGAVPTESIQGSTFEEKIFLQWREP TQTYGVITLYEITYKAVSSFDPEIDLSNQSGRVSK LGNETHFLFFGLYPGTTYSFTIRASTAKGFGPPAT NQFTTKISAPSMPAYELETPLNQTDNTVTVMLKP AHSRGAPVSVYQIVVEEERPRRTKKTTEILKCYP VPIHFQNASLLNSQYYFAAEFPADSLQAAQPFTIG DNKTYNGYWNTPLLPYKSYRIYFQAASRANGET KIDCVQVATKGAATPKPVPEPEKQTDHTVKIAG VIAGILLFVIIFLGVVLVMKKRKLAKKKETMSS TRQEIDLWIGELNGPRSYAEQGTKLATRAFSFMD THNLNGRSVSSPSSFTMKTNTLSTSVPNSYYPDE THTMASDTSSLVQSHTYKKREPADVPYQTGQLH PAIRVADLLQHITQMKCAEGYGFKEEYESFFEGQ SAPWDSAKKDENRMKNRYGNILAYDHSRVRLQT IEGDTNSDYINGNYIDGYHRPNHYIATQGPMQET IYDFWRMVWHENTASIMVTNLVEVGRVKCCK YWPDDTEIYKDIKVTLIETELLAEFVINTFAVEKR GVHEIREIRQFHFTGWPDHGVPYHATGLLGFVR QVKSKSPPSAGPLVVHCSAGAGRTGCFIVIDIML DMAEREGVVDIYNCVRELRSRRVNMVQTEEQY VFIHDAILEACLCGDTSVPASQVRSLYYDMNKLD PQTNSSQIKEEFRTLNMVTPTLRVEDCSIALLPRN HEKNRCMDILPPDRCLPFLITIDGESSNYINAALM DSYKQPSAFIVTQHPLPNTYKDFWRLVLDYHCTS VVMLNDVDPAQLCPQYWPENGVHRHGPIQVEF VSADLEEDIISRIFRIYNAARPQDGYRMVQQFQFL GWPMYRDTPVSKRSFLKLIRQVDK WQEEYNGG EGRTVVHCLNGGGRSGTFCAISIVCEMLRHQRTV DVFHAVKTLRNNKPNMVDLLDQYKFCYEVALE



SEQ ID Method NO:	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
			YLNSG
3790 A	261	485	EEQTPLHIASRLGKTEIVQLLLQHMAHPDAATTN GYTPLHISAREGQV\DV\ASVLLGRQGAAHSFRLT KVRRMTS
3791 A		5874	LPPVTMSGKYIMEEHDSYSDQVWSIDELPSKQG YYLQGNYLRCVAEVGSFEHNLTTDLLNHLVFVQ KVFMKEVNEVIQKVSGGEQPIPLWNEHDGTADG DKPKILLYSLNLQFKGIQVTATTPSMRAVRFETG LIELELSNRLQTKASPGSSSYLKLFGKCQVDLNL ALGQIVKHQVYEEAGSDFHQVAYFKTRIGLRNA LREEISGSSDREAVLITLNRPIVYAQPVAFDRAVL FWLNYK\AAYDNWNEQRMALHKDIHMATKEVV DMLPGIQQTSAQAFGTPFLQLTVNDLGICLPITNT AQSNHTGDLDTGSALVLITESTLITACSSESLVSK GHFKNFCIRFADGFETSWDDWKPEIHGDLVMNA CVVPDGTYEVCSRTTGQAAAESSSAGTWTLNVL WKMCGIDVHMDPNIGKRLNALGNTLTTLTGEED IDDIADLNSVNIADLSDEDEVDTMSPTIHTEATDY RRQAASASQPGELRGRKIMKRIVDIRELNEQAKV IDDLKKLGASEGTINQEIQRYQQLESVAVNDIRR DVRKKLRSSMRAASLKDKWGLSYKPSYSRSKS ISASGRPPLKRMERASSRVGETEELPEIRVDAASP GPRVTFNIQDTFPEETELDLLSVTIEGPSHYSSNSE GSCSVFSSPKTPGGFSPGIPFQTEEGRRDDSLSSTS EDSEKDEKDEDHERERFYIYRKPSHTSRKKATGF AAVHQLFTERWPTTPVNRSLSGTATERNIDFELD IRVEIDSGKCVLHPTTLLQEHDDISLRRSYDRSSR SLDQDSPSKKKKFQTNYASTTHLMTGKKVPSSL QTKPSDLETTVFYIPGVDVKLHYNSKTLKTESPN ASRGSSLPRTLSKESKLYGMKDSATSPPSPPLPST VQSKTNTLLPPQPPPIPAAKGKGSGGVKTAKLYA WVALQSLPEMVISPCLLDFLEKALETIPITPVER NYTAVSSQDEDMGHFEIPDPMEES\TTSLVS\SSTS AYSSFPVDVVVYVRVQPSQIKFSCLPVSRVECML KLPSLDLVFSSNRGELETLGTTYPAETLSPGGNA TQSGTKTSASKTGIPGSSGLGSPLGRSRHSSSQSD LTSSSSSSSGLSFTACMSDFSLYVFHPYGAGKQIT AVSGLTPGSGGLGNVDEEPTSVTGRKDSLSINLE FVKVSLSRIRRSGGASFFESQSVSKSASKMDTTLI NISAVCDIGSASFKYDMRRLSEILAFPRAWYRRSI ARRLFLGDQTINLPTSGPGTPDSIEGVSQHLSPESS RKAYCKTWEQPSQSASFTHMPQSPNVFNEHMTN STMSPGTVGQSLKSPASIRSRSVSDSSVPRRDSLS KKSTPPNKSNKAASQQGTPWETLVVFANLKQL NVQMNMSNVMGNTTWTTSGLKSQGRLSVGSNR DREISMSVGLGRSQLDSKGGVVGGTIDVNALEM VAHISEHPNQQPSHKIQITMGSTEARVDYMGSSIL MGIFSNADLKLQDEWKVNLYNTLDSSITDKSEIF VHGDLKWDIFQVMISRSTTPDLIKIGMKLQEFFT QGFDTSKRALSTWGPVPYLPPKTMTSNLEKSSQE QLLDAAHHRHWPGVLKVVSGCHISLFQIPLPEDG MQFGGSMSLHGNHMTLACFHGPNFRSKSWALF HLEEPNIAFWTEAQKIWEDGSSDHSTTYVTYTLDF HGGASVKEWFNYVTATRNEELNLLRNVDANNT



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, K=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				ENSTTVKNSSLLSGFRGGSSYNHETETIFALPRM QLDFKSIHVQEPQEPSLQDASLKPKVECSVVTEF TDHICVTMDAELIMFLHDLVSAYLKEKEKAIFPP RILSTRPGQKSPIIIHDDNSSDKDREDSITYTTVDW RDFMCNTWHLEPTLRLISWTGRKIDPVGVDYILQ KLGFHHARTTIPKWLQRGVMDPLDKVLSVLIKK LGTALQDEKEKKGKDKEEH
3792	A	1	364	QNGSTPLHHAASKNRHEIALMLLEGGANPDGKD HYEATAKHQATAKGNFKMIHILLYYKASTIIQDT EGNTPPHLVCD\RVEEAKLLVSQGA/SIYIENKEE KDP/LQVAKGALGLVLKRMVEG
3793	A	2	340	DIVPNPKMAPLGDEAPTLEKVLTPELSEEEVSTR DDIQFHHFSSEEALQKVKYFVAKEDPSSQEEAHT PEAPPPQPPSSERCLGEMKCTLVRGDSSPRQAEL KSGPASRPAL
3794	A	421	158	SYWVGEDYTYKFFEVILIDPFHKAIRRNPDTQWI SKAVYKHREMCGLTSTGRKSHGLEKDRMFPHAI GGSCRAA*RRKTLQFPCYH
3795	A	24	592	GGMDSRVSGTTSNGETKPVYPVMEKKEEDGTLE RGHWNNKMEFVLSVAGEIIGLGNVWRFPYLCYK NGGGAFFIPYLVFLFTCGIPVFLLETALGQYTSQG GVTAWRKICPIFEGIGYASQMIVILLNVYYIIVLA WALFYLFSSFTIDLPWGGCYHEWNTEHCMEFQK TNGSLNGTSENATSPVIEFW
3796	A	3	592	KPASTYSTSQPSMAPLLPIRTLPLILILLALLSPGA ADFNISSLSGLLSPALTESLLVALPPCHLTGGNAT LMVRRANDSKVVTSSFVVPPCRGRRELVSVVDS GAGFTVTRLSAYQVTNLVPGTKFYISYLVKKGT ATESSREIPMFTLPRRNMESIGLGMARTGGMVVI TVLLSVAMFLLVLGFIIALALGSRK
3797	A		1556	ATRLLRGSGSWGCSRLRFGPPAYRRFSSGGAYPN IPLSSPLPGVPKPVFATVDGQEKFETKVTTLDNGL RVASQNKFGQFCTVGILINSGSRYEAKYLSGIAH FLEKLAFSSTARFDSKDEILLTLEKHGGICDCQTS RDTTMYAVSADSKGLDTVVALLADVVLQPRLT DEEVEMTRMAVQFELEDLNLRPDPEPLLTEMIHE AAYRENTVGLHRFCPTENVAKINREVLHSYLRN YYTPDRMVLAGVGVEHEHLVDCARKYLLGVQP AWGSAEAVDIDRSVAQYTGGIAKLERDMSNVSL GPTPIPELTHIMVGLESCSFLEEDFIPFAVLNMMM GGGGSFSAGGPGKGMFSRLYLNVLNRHHWMYN ATSYHHSYEDTGLLCIHASADPRQVREMVEIITK EFILMGGTVDTVELERAKTQLTSMLMMNLESRP VIFEDVGRQVLATRSRKLPHELCTLIRNVKPEDV KRVASKMLRGKPAVAALGDLTDLPTYEHIQTAL SSKDGRLPRTYRLFR
3798	A	73	759	KRLVEAGVPRTFDGIVGEGGAQSRSCWPWGVTA QTPAFSADSLNCLKNCMSITMGSVRPSVEQFHKY LPWFLNDRPNIKCPKGGLAAYSTSVNLTSDGQV LASRFMAYHKPLKNSQDYTEALRAARELAANIT ADLRKVPGTDPAFEVFPYTITNVFYEQYLTILPEG LFMLSLCLVPTFAVSCLLLGLDLRSGLLNLLSIV MILVDTVGFMALWGISYNAVSLINLVS
3799	A	73	759	KRLVEAGVPRTFDGIVGEGGAQSRSCWPWGVTA QTPAFSADSLNCLKNCMSITMGSVRPSVEQFHKY



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon,/=possible nucleotide deletion, \=possible nucleotide insertion
		-		LPWFLNDRPNIKCPKGGLAAYSTSVNLTSDGQV LASRFMAYHKPLKNSQDYTEALRAARELAANIT ADLRKVPGTDPAFEVFPYTITNVFYEQYLTILPEG LFMLSLCLVPTFAVSCLLLGLDLRSGLLNLLSIV MILVDTVGFMALWGISYNAVSLINLVS
3800	A	250	1032	GIFRSLRVLFPLFSVGRPQFARSLSAAPQLSDTAD TMGFGDLKSPAGLQVLNDYLADKSYIEGYVPSQ ADVAVFEAVSSPPPADLCHALRWYNHIKSYEKE KASLPGVKKALGKYGPADVEDTTGSGATDSKD DDDIDLFGSDDEEESEEAKRLREERLAQYESKKA KKPALVAKSSILLDVKPWDDETDMAKLEECVRS IQADGLVWGSSKLVPVGYGIKKLQIQCVVEDDK VGTDMLEEQITAFEDYVQSMDVAAFNKI
3801	A	155	656	SREMELVTFRDVAIEFSPEEWKCLDPAQQNLYR DVMLENYRNLVSLGFVISNPDLVTCLEQIKEPCN LKIHETAAKPPAICSPFSQDLSPVQGIEDSFHKLIL KRYEKCGHENLQLRKGCKRVNECKVQKGVNNG VYQCLSTTQSKIFQCNTCVRVFSTSSHSNKHK
3802	A		1428	VTVSPETHMDLTKGCVTFEDIAIYFSQDEWGLLD EAQRLLYLEVMLENFALVASLGCGHGTEDEETP SDQNVSVGVSQSKAGSSTQKTQSCEMCVPVLKD ILHLADLPGQKPYLVGECTNHHQHQKHHSAKKS LKRDMDRASYVKCCLFCMSLKPFRKWEVGKDL PAMLRLLRSLVFPGGKKPGTITECGEDIRSQKSH YKSGECGKASRHKHTPVYHPRVYTGKKLYECSK CGKAFRGKYSLVQHQRVHTGERPWECNECGKF FSQTSHLNDHRRIHTGERPYECSECGKLFRQNSS LVDHQKIHTGARPYECSQCGKSFSQKATLVKHQ RVHTGERPYKCGECGNSFSQSAILNQHRRIHTGA KPYECGQCGKSFSQKATLIKHQRVHTGERPYKC GDCGKSFSQSSILIQHRRIHTGARPYECGQCGKSF SQKSGLIQHQVVHTGERPYECNKCGNSFSQCSSL IHHQKCHNT
3803	A	193	617	LFPFLGSESKNGEADSSDKEMKHGQKSPTGKQTS QHLKRLKKSGLGHLKWTKAEDIDIETPGSILVNT NLRALINKHTFASLPQHFQQYLLLLPEVDRQMG SDGILRLSTSALNNEFFAYAAQGWKQRLAEGKF VFSIIM
3804	A	197	479	SSSRASPPEHPSSQAHCGPLVLSHACPEVTNKWS TGSSSSPNSSWVSSPLQPEGLSGSSRMKGGSATKI LLETLLLAAHMTADQGIASSQRCLL
3805	A	1	385	QSADTLFPGDINFNVSGLFSAVTLQDTVSDRLAS EELPSTAVPTPATTPAPAPAPAPATAPALVSAAT KERTESEVPPRPASPKVTRSPPETAAPVEDMARR SELAVGGEEGTEGGRGEGTGSPMSSY
3806	A .	47	1033	LQGDTWHLSFLSHFSRLHGGVPGRGLLEGNLLQ PQAPGHDMTSIPFPGDRLLQVDGVILCGLTHKQA VQCLKGPGQVARLVLERRVPRSTQQCPSANDSM GDERTAVSLVTALPGRPSSCVSVTDGPKF*SSN* KRIANGLGFSFVQMEKESCSHLKSDLVRIKRLFP GHPAEENGAIAAGDIILGREWEGPRKASSSRCRG SWAMQLSVQAGPSFASYYPAAVEVLHLLRGAPQ EVTLLLCRPPPGALPELEQEWQTPELSADKEFTR ATCTDSCTSPILGSRGQLGGTVPPQMQGKAWGL RPESSQKAIREGTMGAKTERDLGPVP



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
3807	A	656	1238	RCPSLLPPSWPLPTLQTLTRTPGNKAIAGGAGLW AVLWGSERTPPYR*GN*NQRGAVPCLRPHRLRP QDKFLVLASDGLWDMLSNEDVVRLVVGHLAEA DWHKTDLAQRPANLGLMQSLLLQRKASGLHEA DQNAATRLIRHAIGNNEYGEMEAERLAAMLTLP EDLARMYRDDITVTVVYFNSESIGAYYKGG
3808	A	26	2195	SQYSESVAGRQASPERLLGSYHAMASTVEGGDT ALLPEFPRGPLDAYRARASFSWKELALFTEGEG MLRFKKTIFSALENDPLFARSPGADLSLEKYREL NFLRCKRIFEYDFLSVEDMFKSPLKVPALIQCLG MYDSSLAAKYLLHSLVFGSAVYSSGSERHLTYIQ KIFRMEIFGCFALTELSHGSNTKAIRTTAHYDPAT EEFIIHSPDFEAAKFWVGNMGKTATHAVVFAKL CVPGDQCHGLHPFIVQIRDPKTLLPMPGVMVGDI GKKLGQNGLDNGFAMFHKVRVPRQSLLNRMGD VTPEGTYVSPFKDVRQRFGASLGSLSSGRVSIVSL AILNLKLAVAIALRFSATRRQFGPTEEEEIPVLEY PMQQWRLLPYLAAVYALDHFSKSLFLDLVELQR GLASGDRSARQAELGREIHALASASKPLASWTT QQGIQECREACGGHGYLAMNRLGVLRDDNDPN CTYEGDNNILLQQTSNYLLGLLAHQVHDGACFR SPLKSVDFLDAYPGILDQKFEVSSVADCLDSAVA LAAYKWLVCYLLRETYQKLNQEKRSGSSDFEAR NKCQVSHGRPLALAFVELTVVQRFHEHVHQPSV PPSLRAVLGRLSALYALWSLSRHAALLYRGGYF SGEQAGEVLESAVLALCSQLKDDAVALVDVIAP PDFVLDSPIGRADGELYKNLWGAVLQESKVLER ASWWPEFSVNKPVIGSLKSKL
3809	A	117	830	CFGIMERVGCTLTTTYAHPRPTPTNFLPAISTMAS SYRDRFPHSNLTHSLSLPWRPSTYYKVASNSPSV APYCTRSQRVSENTMLPFVSNRTTFFTRYTPDDW YRSNLTNYQESNTSRHNSEKLRVDTSRLIQDKYQ QTRKTQADTTQNLGERVNDIGFWKSEIIHELDEM IGETNALTDVKKRLERALMETEAPLQVARECLF HREKRMGIDLVHDEVEAQLLTVNVGEMHQSQA A
3810	A	3	518	VIQELEGGSGADLGEHSCRPASQPRFPRPAEARS HPATRRPASGPAMGKTNSKLAPEVLEDLVQNTE FSEQELKQWYKGFLKDCPSGILNLEEFQQLYIKF FPYGDASKFAQHAFRTFDKNGDGTIDFREFICAL SVTSRGSFEQKLNWAFEMYDLDGDGRITRLEML EIIE
3811	A	81	1147	GCGYGCSGAGGAAIGEPMAKWGEGDPRWIVEE RADATNVNNWHWTERDASNWSTDKLKTLFLAV QVQNEEGKCEVTEVSKLDGEASINNRKGKLIFFY EWSVKLNWTGTSKSGVQYKGHVEIPNLSDENSV DEVEISVSLAKDEPDTNLVALMKEEGVKLLREA MGIYISTLKTEFTQGMILPTMNGESVDPVGQPAL KTEERKAKPAPSKTQARPVGVKIPTCKITLKETFL TSPEELYRVFTTQELVQAFTHAPATLEADRGGKF HMVDGNVSGEFTDLVPEKHIVMKWRFKSWPEG HFATITLTFIDKNGETELCMEGGIPAPEEERTRQ GWQRYYFEGIKQTFGYGARLF
3812	A	20	558	PCGTAASTHAYDRRAKCRQQQQQQQQQGGQNKV RPAKKKTSPAREVSSESGTSGQFTPPSSTSVPTIAS



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				SSAPVSIWSPASISPLSDPLSTSSSCMQRSYPMTYT QASGYSQGYAGSTSYFGGMDCGSYLTPMHHQL PGPGATLSPMGTNAVTSHLNQSPASLSTQGYGAS KLWGFNFNH
3813	A	1	1016	CTEPPRRSTRTPAALASLRPYTDYVVVSDQILQES EDFFTLIESHEGKPLKLMVYNSKSDSCREVTVTP NAAWGGEGSLGCGIGYGYLHRIPTQPPSYHKKPP GTPPPSALPLGAPPPDALPPGPTPEDSPSLETGSRQ SDYMEALLQAPGSSMEDPLPGPGSPSHSAPDPDG LPHFMETPLQPPPPVQRVMDPGFLDVSGISLLDN SNASVWPSLPSSTELTTTAVSTSGPEDICSSSSHE RGGEATWSGSEFEVSFLDSPGAQAQADHLPQLT LPDSLTSAASPEDGLSAELLEAQAEEEPASTEGLD TGTEAEGLDSQAQISTTE*HPGL*QGP
3814	A		884	VFWQVRNAGSSPLSAACPLFRTPAPQPCGSWGR CCIPHASTGCRPMAERGELDLTGAKQNTGVWLV KVPKYLSQQWAKASGRGEVGKLRIAKTQGRTE VSFTLNEDLANIHDIGGKPASVSAPREHPFVLQSV GGQTLTVFTESSSDKLSLEGIVVQRAECRPAASE NYMRLKRLQIEESSKPVRLSQQLDKVVTTNYKP VANHQYNIEYERKKKEDGKRARADKQHVLDML FSAFEKHQYYNLKDLVDITKQPVVYLKEILKEIG VQNVKGIHKNTWELKPEYRHYQGEEKSD
3815	A	17	411	NIGDWEDIGKSPERIIQYYGPATWAQDGSRGYCT PIYMLNHIIRLQAVLEIIMNERANALDLLAQQTTK MRNANYQNRLALDYLLAHEGGV*GKFSLTNCC LEIDDNGKAIMEITARMRKLAHIPVQTWER
3816	A	3	1172	SHWQRRDRRCVRNMAERGRKRPCGPGEHGQRI EWRKWKQQKKEEKKKWKDLKLMKKLERQRAQ EEQAKRLEEEEAAAEKEDRGRPYTLSVALPGSIL DNAQSPELRTYLAGQIARACAIFCVDEIVVFDEE GQDAKTVEGEFTGVGKKGQACVQLARILQYLEC PQYLRKAFFPKHQDLQFAGLLNPLDSPHHMRQD EESEFREGVVVDRPTRPGHGSFVNCGMKKEVKI DKNLEPGLRVTVRLNQQQHPDCKTYHGKVVSS QDPRTKAGLYWGYTVRLASCLSAVFAEAPFQDG YDLTIGTSERGSDVASAQLPNFRHALVVFGGLQG LEAGADADPNLEVAEPSVLFDLYVNTCPGQGSR TIRTEEAILISLAALQPGLIQAGARHT
3817	A	246	1197	FLSAGMSNFTHYAYLLMIESLMLGKVPPHVPSH HFIFHDDGSARQKGESDYKVIIQQWFSKSGPWTT SSNVTWGLLELQQSISESAVLTIPPGDSGAGSNLI TMFLRNRKETDLCSGRSKVNRGWNSGRCKQRG KTEQPGEPLEHVYVTIKHAVALESRHQKGELQC LIKMCIPLSKPLQMFFSPPHWEAWLQRVQQLAK NTRYFRQRLQEMGFIIYGNENASVVPLLLYMPG KVAAFARHMLEKKIGVVVVGFPATPLAEARARF CVSAAHTREMLDTVLEALDEMGDLLQLKYSRH KKSARPELYDETSFELED
3818	A	215	789	NPQSSSSEGSSEIFQVNGHNRLLVQRSEVTQAPG QYTVDVEGHGCTFIQATLKYNVLLPKKASGFSLS LEIVKNYSSTAFDLTVTLKYTGIRNKSSMVVIDV KMLSGFTPTMSSIEELENKGQVMKTEVKNDHVL FYLENVFGRADSFTFSVEQSNLVFNIQPAPGMVY DYYEKEEYALAFYHINSSSVSE



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
3819	A	1	1483	RIPDSIISRGVQGLPRDTASLSTTPSESPRAQATSR LSTASCPTPKVQSRCSSKENILRASHSAVDITKVA RRHRMSPFPLTSMDKAFITVLEMTPVLGTEIINYR DGMGRVLAQDVYAKDNLPPFPASVKDGYAVRA ADGPGDRFIIGESQAGEQPTQTVMPGQVMRVTT GAPIPCGADAVVQVEDTELIRESDDGTEELEVRIL VQARPGQDIRPIGHDIKRGECVLAKGTHMGPSEI GLLATVGVTEVEVNKFPVVAVMSTGNELLNPED DLLPGKIRDSNRSTLLATIQEHGYPTINLGIVGDN PDDLLNALNEGISRADVIITSGGVSMGEKDYLKQ VLDIDLHAQIHFGRVFMKPGLPTTFATLDIDGVR KIIFALPGNPVSAVVTCNLFVVPALRKMQGILDP RPTIIKARLSCDVKLDPRPEYHRCILTWHHQEPLP WAQSTGNQMSSRLMSMRSANGLLMLPPKTEQY VELHKGEVVDVMVIGRL
3820	A	2216	487	PQEPALKSEFSQVASNTIPLPLPQPNTCKDNGPCK QVCSTVGGSAICSCFPGYAIMADGVSCEDQDECL MGAHDCSRRQFCVNTLGSFYCVNHTVLCADGYI LNAHRKCVDINECVTDLHTCSRGEHCVNTLGSF HCYKALTCEPGYALKDGECEDVDECAMGTHTC QPGFLCQNTKGSFYCQARQRCMDGFLQDPEGNC VDINECTSLSEPCRPGFSCINTVGSYTCQRNPLIC ARGYHASDDGTKCVDVNECETGVHRCGEGQVC HNLPGSYRCDCKAGFQRDAFGRGCIDVNECWAS PGRLCQHTCENTLGSYRCSCASGFLLAADGKRC EDVNECEAQRCSQECANIYGSYQCYCRQGYQLA EDGHTCTDIDECAQGAGILCTFRCLNVPGSYQCA CPEQGYTMTANGRSCKDVDECALGTHNCSEAET CHNIQGSFRCLRFECPPNYVQVSKTKCERTTCHD FLECQNSPARITHYQLNFQTGLLVPAHIFRIGPAP AFTGDTIALNIIKGNEEGYFGTRRLNAYTGVVYL QRAVLEPRDFALDVEMKLWRQGSVTTFLAKMHI FFTTFAL
3821	A	2216	487	PQEPALKSEFSQVASNTIPLPLPQPNTCKDNGPCK QVCSTVGGSAICSCFPGYAIMADGVSCEDQDECL MGAHDCSRRQFCVNTLGSFYCVNHTVLCADGYI LNAHRKCVDINECVTDLHTCSRGEHCVNTLGSF HCYKALTCEPGYALKDGECEDVDECAMGTHTC QPGFLCQNTKGSFYCQARQRCMDGFLQDPEGNC VDINECTSLSEPCRPGFSCINTVGSYTCQRNPLIC ARGYHASDDGTKCVDVNECETGVHRCGEGQVC HNLPGSYRCDCKAGFQRDAFGRGCIDVNECWAS PGRLCQHTCENTLGSYRCSCASGFLLAADGKRC EDVNECEAQRCSQECANIYGSYQCYCRQGYQLA EDGHTCTDIDECAQGAGILCTFRCLNVPGSYQCA CPEQGYTMTANGRSCKDVDECALGTHNCSEAET CHNIQGSFRCLRFECPPNYVQVSKTKCERTTCHD FLECQNSPARITHYQLNFQTGLLVPAHIFRIGPAP AFTGDTIALNIIKGNEEGYFGTRRLNAYTGVVYL QRAVLEPRDFALDVEMKLWRQGSVTTFLAKMHI
3822	A	2502	1540	MAAATRGCRPWGSLLGLLGLVSAAAAAWDLAS LRCTLGAFCECDFRPDLPGLECDLAQHLAGQHL AKALVVKALKAFVRDPAPTKPLVLSLHGWTGTG KSYVSSLLAHYLFQGGLRSPRVHHFSPVLHFPHP



	4

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon,/=possible nucleotide deletion, \=possible nucleotide insertion
		·		SHIERYKKDLKSWVQGNLTACGRSLFLFDEMDK MPPGLMEVLRPFLGSSWVVYGTNYRKAIFIFISN TGGEQINQVALEAWRSRRDREEILLQELEPVISR AVLDNPHHGFSNSGIMEERLLDAVVPFLPLQRHH VRHCVLNELAQLGLEPRDEVVQAVLDSTTFFPE DEQLFSSNGCKTVASRIAFFL
3823	A		3174	YGCEKTTEGRIPLKNIYRLFSADRKRVETALEAC SLPSSRNDSIPQEDFTPEVYRVFLNNLCPRPEIDNI FSEFGAKSKPYLTVDQMMDFINLKQRDPRLNEIL YPPLKQEQVQVLIEKYEPNNSLARKGQISVDGFM RYLSGEENGVVSPEKLDLNEDMSQPLSHYFINSS HNTYLTAGQLAGNSSVEMYRQVLLSGCRCVELD CWKGRTAEEEPVITHGFTMTTEISFKEVIEALAEC AFKTSPFPILLSFENHVDSPKQQAKMAEYCRLIFG DALLMEPLEKYPLESGVPLPSPMDLMYKILVKN KKKSHKSSEGSGKKKLSEQASNTYSDSSSMFEPS SPGAGEADTESDDDDDDDDCKKSSMDEGTAGSE AMATEEMSNLVNYIQPVKFESFEISKKRNKSFEM SSFVETKGLEQLTKSPVEFVEYNKMQLSRIYPKG TRVDSSNYMPQLFWNAGCQMVALNFQTMDLA MQINMGMYEYNGKSGYRLKPEFMRRPDKHFDP FTEGIVDGIVANTLSVKIISGQFLSDKKVGTYVEV DMFGLPVDTRRKAFKTKTSQGNAVNPVWEEEPI VFKKVVLPTLACLRIAVYEEGGKFIGHRILPVQAI RPGYHYICLRNERNQPLTLPAVFVYIEVKDYVPD TYADVIEALSNPIRYVNLMEQRAKQLAALTLEDE EEVKKEADPGETPSEAPSEARTTPAENGVNHTTT LTPKPPSQALHSQPAPGSVKAPAKTEDLIQSVLTE VEAQTIEELKQQKSFVKLQKKHYKEMKDLVKR HHKKTTDLIKEHTTKYNEIQNDYLRRAALEKS AKKDSKKKSEPSSPDHGSSTIEQDLAALDAEMTQ KLIDLKDKQQQQLLNLRQEQYYSEKYQKREHIK LLIQKLTDVAEECQNNQLKKLKEICEKEKKELKK KMDKKRQEKITEAKSKDKSQMEEEKTEMIRSYI QEVVQYIKRLEEAQSKRQEKLVEKHKEIRQQILD EKPKLQVELEQEYQDKFKRLPLEILEFVQEAMKG KISEDSNHGSAPLSLSSDPGKVNHKTPSSEELGGD IPGKEFDTPL
3824	A	1	426	ILHWFVHRWSGRNNREKIGVHVGFEEILNMEPY CCRETLKSLRPECFIYDLSAVVMHHGKGFGSGH YTAYCYNSEGGFWVHCNDSKLSMCTMDEVCKA QAYILFYTQRVTENGHSKLLPPELLLGSQHPNED ADTSSNEILS
3825	A	3	364	GIRAKFPNKIPVVVERYPRETFLPPLDKTKFLVPQ ELTMTQFLSIIRSRMVLRATEAFYLLVNNKSLVS MSATMAEIYRDYKDEDGFVYMTYASQETFGCLE SAAPRDGSSLEDRPLHPL
3826	A	1	1237	PEKKFERECREAEKAQQSYERLDNDTNATKADV EKAKQQLNLRTHMADENKNEYAAQLQNFNGEQ HKHFYVVIPQIYKQLQEMDERRTIKLSECYRGFA DSERKVIPIISKCLEGMILAAKSVDERRDSQMVV DSFKSGFEPPGDFPFEDYSQHIYRTISDGTISASKQ ESGKMDAKTTVGKAKGKLWLFGKKPKGPALED FSHLPPEQRRKKLQQRIDELNRELQKESDQKDAL NKMKDVYEKNPQMGDPGSLQPKLAETMNNIDR

T			
1			

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
			,	LRMEIHKNEAWLSEVEGKTGGRGDRRHSSDINH LVTQGRESPEGSYTDDANQEVRGPPQQHGHHNE FDDEFEDDDPLPAIGHCKAIYPFDGHNEGTLAMK EGEVLYIIEEDKGDGWTRARRQNGEEGYVPTSYI DVTLEKNSKGS
3827	A	2	1584	INPVSSAVNGEAHSSHETRGQNSNALPSVLLELL SQSCLIPAMSSYLRNDSVLDMARHVPLYRALLEL LRAIASCAAMVPLLLPLSTENGEEEEEQSECQTS VGTLLAKMKTCVDTYTNRLRSKRENVKTGVKP DASDQEPEGLTLLVPDIQKTAEIVYAATTSLRQA NQEKKLGEYSKKAAMKPKPLSVLKSLEEKYVAV MKKLQFDTFEMVSEDEDGKLGFKVNYHYMSQV KNANDANSAARARRLAQEAVTLSTSLPLSSSSSV FVRCDEERLDIMKVLITGPADTPYANGCFEFDVY FPQDYPSSPPLVNLETTGGHSVRFNPNLYNDGKV CLSILNTWHGRPEEKWNPQTSSFLQVLVSVQSLI LVAEPYFNEPGYERSRGTPSGTQSSREYDGNIRQ ATVKWAMLEQIRNPSPCFKEVIHKHFYLKRVEIM AQCEEWIADIQQYSSDKRVGRTMSHHAAALKRH
3828	A	1415	845	TAQLREELLKLPCPEGLDPDTDDAPEVCRATTGA EETLMHDQVKPSSSKELPSDFQL PRVPATLVSLDPWHCFPTAGRLAGSTWVPPACT
				LQLGPSSEHELDNHRAPLLSLPSQESLSFTPWYLV ACKPLFHIFCPLFACFMQEGKVQYLFLHLSHMRL LNYYFFPFLAPESLMQALEDLDYLAALDNDGNL SEFGIIMSEFPLDPQLSKSILASCEFDCVDEVLTIA AMVTGILNDYSFSFFANLH
3829	A	199	683	VDHTPVLSKPQCFSSVKWGATLSARSQKTSGIGR LMVHVIEATELKACKPNGKSNPYCEISMGSQSYT TRTIQDTLNPKWNFNCQFFIKDLYQDVLCLTLFD RDQFSPDDFLGRTEIPVAKIRTEQESKGPMTRRLL LHEVPTGEVWVRFDLQLFEQKTLL
3830	A	1747	404	RKMMEESGIETTPPGTPPPNPAGLAATAMSSTPV PLAATSSFSSPNVSSMESFPPLAYSTPQPPLPPVRP SAPLPFVPPPAVPSVPPLVTSMPPPVSPSTAAAFG NPPVSHFPPSTSAPNTLLPAPPSGPPISGFSVGSTY DITRGHAGRAPQTPLMPSFSAPSGTGLLPTPITQQ ASLTSLAQGTGTTSAITFPEEQEDPRITRGQDEAS AGGIWGFIKGVAGNPMVKSVLDKTKHSVESMIT TLDPGMAPYIKSGGELDIVVTSNKEVKVAAVRD AFQEVFGLAVVVGEAGQSNIAPQPVGYAAGLKG AQERIDSLRRTGVIHEKQTAVSVENFIAELLPDK WFDIGCLVVEDPVHGIHLETFTQATPVPLEFVQQ AQSLTPQDYNLRWSGLLVTVGEVLEKSLLNVSR TDWHMAFTGMSRRQMIYSAARAIAGMYKQRLP PRTV
3831	A	5	674	FWTRSAWHEGLQQMKANDPSLQEVNLYNIKNIP IPTLREFAKALETNTHVKKFSLAATRSNDPVAIAF ADMLKVNTTLTSLNIESHFITGTGILALVEALKEN DTLTEIKIDNQRQQLGTAVEMEIAQMLEENSRIL KFGYQFTKQGPRTRVAAAITKNNDLAWQKDTQ EQTSIWQVVSQSIAGFNPQFEVQGQNARSWMEE LGKAFHQFVRRELKQTEGKLP
3832	A	164	782	EPWVPMDVAESPERDPHSPEDEEQPQGLSDDDIL RDSGSDQDLDGAGVRASDLEDEESAARGPSQEE



SEQ ID NO:	Method	Predicted beginning nucleotide	Predicted end nucleotide location	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methlonine,
		location corresponding to first amino	corresponding to last amino acid residue of	N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion.
		acid residue of peptide sequence	peptide sequence	\=possible nucleotide insertion
				EDNHSDEEDRASEPKSQDQDSEVNELSRGPTSSP CEEEGDEGEEDRTSDLRDEASSVTRELDEHELDY
				DEEVPEEPAPAVQEDEAEKAGAEDDEEKGEGTP
				REEGKAGVQSVGEKESLEAAKEKKKEDDDGEID DEEMY
3833	Α	122	1676	SQPPHFTQKMNENKDTDSKKSEEYEDDFEKDLE WLINENEKSDASIIEMACEKEENINQDLKENETV
İ				MEHTKRHSDPDKSLQDEVSPRRNDIISVPGIQPLD
				PISDSDSENSFQESKLESQKDLEEEEDEEVRRYIM EKIVQANKLLQNQEPVNDKRERKLKFKDQLVDL
				EVPPLEDTTTSKNYFENERNMFGKLSQLCISNDF
				GQEDVLLSLTNGSCEENKDRTILVERDGKFELLN LQDIASQGFLPPINNANSTENDPQQLLPRSSNSSV
	İ			SGTKKEDSTAKIHAVTHSSTGEPLAYIAQPPLNR
		· ·		KTCPSSAVNSDRSKGNGKSNHRTQSAHISPVTST
		-		YCLSPRQKELQKQLEEKREKLKREEERRKIEEEK EKKRENDIVFKAWLQKKREQVLEMRRIQRAKEI
		İ		EDMNSRQENRDPQQAFRLWLKKKHEEQMKERQ
				TEELRKQEECLFFLKGTEGRERAFKQWLRRKRM
				EKMAEQQAVRERTRQLRLEAKRSKQLQHHLYM SEAKPFRFTDHYN
3834	A	575	774	RSRTEELSNSGILKAMSKDLVTFGDVAVNFSQEE
3835	A	+2	100	WEWLNPAQRNLYRKVMLENYRSLVSLGKDMSP ASDFYLRYYVGHKGKFGHEFLEFEFRPDGVYV
3836	A	91	749	RPTPGHGDFWMQPLTKDAGMSLSSVTLASALQV
j				RGEALSEEIWSLLFLAAEQLLEDLRNDSSDYVV
				CPWSALLSAAGSLSFQGRVSHIEAAPFKAPELLQ GQSEDEQPDASQMHVYSLGMTLYWSAGFHVPP
j			}	HQPLQLCEPLHSILLTMCEDQPHRRCTLQSVLEA
		· .		CRVHEKEVSVYPAPAGLHIRRLVGLVLGTISEVS REPCFSSSSCWSCVAIKI
3837	A	3	1214	SLGCTNSARGKGQDDEVRTLMANGAPFTTDWFS
				KLRVSCGYIGDNCKNGADVNAKDMLKMTALH WATERHHRDVVELLIKYGADVHAFSKFDKSAFD
]				IALEKNNAEILVILQEAMQNQVNVNPERANPVTD
				PVSMAAPFIFTSGEVVNLASLISSTNTKTTSGDPH
				ASTVQFSNSTTSVLATLAALAEASVPLSNSHRAT ANTEEIIEGNSVDSSIQQVMGSGGQRVITIVTDGV
				PLGNIQTSIPTGGIGHPFIVTVQDGQQVLTVPAGK
				VAEETVIKEEEEEKLPLTKKPRIGEKTNSVEESKE
				GNERELLQQQLQEANRRAQEYRHQLLKKEQEAE OYRLKLEAIARQQPNGVDFTMVEEVAEVDAVV
				VTEGELEERETKVTGSAGATGPPTRVSMATVSS
3838	Α	1	1332	MIEDNKENKDHSLERGRASLIFSLKNEVGGLIKA LKIFQEKHVNLLHIESRKSKRRNSEFEIFVDCDIN
				REQLNDIFHLLKSHTNVLSVNLPDNFTLKEDGME
				TVPWFPKKISDLDHCANRVLMYGSELDADHPGF
				KDNVYRKRRKYFADLAMNYKHGDPIPKVEFTEE EIKTWGTVFQELNKLYPTHACREYLKNLPLLSKY
				CGYREDNIPQLEDVSNFLKERTGFSIRPVAGYLSP
	-			RDFLSGLAFRVFHCTQYVRHSSDPFYTPEPDTCH
				ELLGHVPLLAEPSFAQFSQEIGLASLGASEEAVQ KLATCYFFTVEFGLCKQDGQLRVFGAGLLSSISE
				LKHALSGHAKVKPFDPKITCKQECLITTFQDVYF
	<u></u>	<u> </u>	L	VSESFEDAKEKMREFTKTIKRPFGVKYNPYTRSI

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				QILKDTKSITSAMNELQHDLDVVSDALAKVSRKP SI
3839	A	3093	520	MVNFTVDQIRAIMDKKANIRNMSVIAHVDHGKS TLTDSLVCKAGIIASARAGETRFTDTRKDEQERCI TIKSTAISLFYELSENDLNFIKQSKDGAGFLINLID SPGHVDFSSEVTAALRVTDGALVVVDCVSGVCV QTETVLRQAIAERIKPVLMMNKMDRALLELQLE PEELYQTFQRIVENVNVIISTYGEGESGPMGNIMI DPVLGTVGFGSGLHGWAFTLKQFAEMYVAKFA AKGEGQLGPAERAKKVEDMMKKLWGDRYFDP ANGKFSKSATSPEGKKLPRTFCQLILDPIFKVFDA IMNFKKEETAKLIEKLDIKLDSEDKDKEGKPLLK AVMRRWLPAGDALLQMITIHLPSPVTAQKYRCE LLYEGPPDDEAAMGIKSCDPKGPLMMYISKMVP TSDKGRFYAFGRVFSGLVSTGLKVRIMGPNYTPG KKEDLYLKPIQRTILMMGRYVEPIEDVPCGNIVG LVGVDQFLVKTGTITTFEHAHNMRVMKFSVSPV VRVAVEAKNPADLPKLVEGLKRLAKSDPMVQCI IEESGEHIIAGAGELHLEICLKDLEEDHACIPIKKS DPVVSYRETVSEESNVLCLSKSPNKHNRLYMKA RPFPDGLAEDIDKGEVSARQELKQRARYLAEKY EWDVAEARKIWCFGPDGTGPNILTDITKGVQYL NEIKDSVVAGFQWATKEGALCEENMRGVRFDV HDVTLHADAIHRGGGQIIPTARRCLYASVLTAQP RLMEPIYLVEIQCPEQVVGGIYGVLNRKRGHVFE ESQVAGTPMFVVKAYLPVNESFGFTADLRSNTG GQAFPQCVFDHWQILPGDPFDNSSRPSQVVAETR
3840	A	2	753	KRKGLKEGIPALDNFLDKL SSTRSRDFCCSEAIQGSLTRRERRASGVRTRRSQG SSAMASKILLNVQEEVTCPICLELLTEPLSLDCGH SLCRACITVSNKEAVTSMGGKSSCPVCGISYSFE HLQANQHLANIVERLKEVKLSPDNGKKRDLCDH HGEKLLLFCKEDRKVICWLCERSQEHRGHHTVL TEEVFKECQEKLQAVLKRLKKEEEEAEKLEADIR EEKTSWKYQVQTERQRIQTEFDQLRSILNNEEQR ELQRLEEEEKKT
3841	A	2	405	GKAFSCFTYLSQHRRTHMAEKPYECKTCKKAFS HFGNLKVHERIHTGEKPYECKECRKAFSWLTCL LRHERIHTGKKSYECQQCGKAFTRSRFLRGHEKT HTGEKMHECKECGKALSSLSSLHRHKRTHWRDT L
3842	A	311	88	AVLKNMAPMTALGLLDLHILNLILFLSAGEDFTS VVSEIMMYILLVFLTLWLLIEMIYCYRKVSKAEE AAQENA
3843	A	3	1175	APIRNSRIDDFVRRVESKATSARCGLWGSGPRRR PASGMFRGLSSWLGLQQPVAGGGQPNGDAPPEQ PSETVAESAEEELQQAGDQELLHQAKDFGNYLF NFASAATKKITESVAETAQTIKKSVEEGKIDGIID KTIIGDFQKEQKKFVEEQHTKKSEAAVPPWVDT NDEETIQQQILALSADKRNFLRDPPAGVQFNFDF DQMYPVALVMLQEDELLSKMRFALVPKLVKEE VFWRNYFYRVSLIKQSAQLTALAAQQQAAGKEE KSNGREQDLPLAEAVRPKTPPVVIKSQLKTQEDE EEISTSPGVSEFVSDAFDACNLNQEDLRKEMEQL VLDKKQEETAVLEEDSADWEKELQQELQEYEV

•		

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
	<u> </u>			VTESEKRDENWDKEIEKMLQEEN
3844	A	798	148	LPPAQIPEAWLLLANVVVVLILVPLKDRLIDPLLL RCKLLPSALQKMALGMFFGFTSVIVAGVLEMER LHYIHHNETVSQQIGEVLYNAAPLSIWWQIPQYL LIGISEIFASIPGLEFAYSEAPRSMQGAIMGIFFCLS GVGSLLGSSLVALLSLPGGWLHCPKDFGNINNCR MDLYFFLLAGIQAVTALLFVWIAGRYERASQGP ASHSRFSRDRG
3845	A	3	1934	PEDSAPQYSRLFPNASQHITPSYNYAPNPDKHWI MRYTGPMKPIHMEFTNMLQRKRLQTLMSVDDS METIYNMLVETGELDNTYIVYTADHGYHIGQFG LVKGKSMPYEFDIRVPFYVRGPNVEAGCLNPHIV LNIDLAPTILDIAGLDIPADMDGKSILKLLDTERP VNRFHLKKKMRVWRDSFLVERGKLLHKRDNDK VDAQEENFLPKYQRVKDLCQRAEYQTACEQLG QKWQCVEDATGKLKLHKCKGPMRLGGSRALSN LVPKYYGQGSEACTCDSGDYKLSLAGRRKKLFK KKYKASYVRSRSIRSVAIEVDGRVYHVGLGDAA QPRNLTKRHWPGAPEDQDDKDGGDFSGTGGLP DYSAANPIKVTHRCYILENDTVQCDLDLYKSLQ AWKDHKLHIDHEIETLQNKIKNLREVRGHLKKK RPEECDCHKISYHTQHKGRLKHRGSSLHPFRKGL QEKDKVWLLREQKRKKKLRKLLKRLQNNDTCS MPGLTCFTHDNQHWQTAPFWTLGPFCACTSAN NNTYWCMRTINETHNFLFCEFATGFLEYFDLNT DPYQLMNAVNTLDRDVLNQLHVQLMELRSCKG YKQCNPRTRNMDLGLKDGGSYEQYRQFQRRKW
3846	A	3	1934	PEMKRPSSKSLGQLWEGWEG PEDSAPQYSRLFPNASQHITPSYNYAPNPDKHWI MRYTGPMKPIHMEFTNMLQRKRLQTLMSVDDS METIYNMLVETGELDNTYIVYTADHGYHIGQFG LVKGKSMPYEFDIRVPFYVRGPNVEAGCLNPHIV LNIDLAPTILDIAGLDIPADMDGKSILKLLDTERP VNRFHLKKKMRVWRDSFLVERGKLLHKRDNDK VDAQEENFLPKYQRVKDLCQRAEYQTACEQLG QKWQCVEDATGKLKLHKCKGPMRLGGSRALSN LVPKYYGQGSEACTCDSGDYKLSLAGRRKKLFK KKYKASYVRSRSIRSVAIEVDGRVYHVGLGDAA QPRNLTKRHWPGAPEDQDDKDGGDFSGTGGLP DYSAANPIKVTHRCYILENDTVQCDLDLYKSLQ AWKDHKLHIDHEIETLQNKIKNLREVRGHLKKK RPEECDCHKISYHTQHKGRLKHRGSSLHPFRKGL QEKDKVWLLREQKRKKKLRKLLKRLQNNDTCS MPGLTCFTHDNQHWQTAPFWTLGPFCACTSAN NNTYWCMRTINETHNFLFCEFATGFLEYFDLNT DPYQLMNAVNTLDRDVLNQLHVQLMELRSCKG YKQCNPRTRNMDLGLKDGGSYEQYRQFQRRKW PEMKRPSSKSLGQLWEGWEG
3847	A .	I	1257	MVFSAVLTAFHTGTSNTTFVVYENTYMNITLPPP FQHPDLSPLLRYSFETMAPTGLSSLTVNSTAVPTT PAAFKSLNLPLQITLSAIMIFILFVSFLGNLVVCLM VYQKAAMRSAINILLASLAFADMLLAVLNMPFA LVTILTTRWIFGKFFCRVSAMFFWLFVIEGVAILL IISIDRFLIIVQRQDKLNPYRAKVLIAVSWATSFCV AFPLAVGNPDLQIPSRAPQCVFGYTTNPGYQAYV



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				ILISLISFFIPFLVILYSFMGILNTLRHNALRIHSYPE GICLSQASKLGLMGLQRPFQMSIDMGFKTRAFTT ILILFAVFIVCWAPFTTYSLVATFSKHFYYQHNFF EISTWLLWLCYLKSALNPLIYYWRIKKFHDACLD MMPKSFKFLPQLPGHTKRRIRPSAVYVCGEHRT VV
3848	A	3	2827	SSAVAARRRSWASLVLAFLGVCLGITLAVDRS NFKTCEESSFCKRQRSIRPGLSPYRALLDSLQLGP DSLTVHLIHEVTKVLLVLELQGLQKNMTRFRIDE LEPRRPRYRVPDVLVADPPIARLSVSGRDENSVE LTMAEGPYKIILTARPFRLDLLEDRSLLLSVNARG LLEFEHQRAPRVSQGSKDPAEGDGAQPEETPRD GDKPEETQGKAEKDEPGAWEETFKTHSDSKPYG PMSVGLDFSLPGMEHVYGIPEHADNLRLKVTEG GEPYRLYNLDVFQYELYNPMALYGSVPVLLAHN PHRDLGIFWLNAAETWVDISSNTAGKTLFGKMM DYLQGSGETPQTDVRWMSETGIIDVFLLLGPSISD VFRQYASLTGTQALPPLFSLGYHQSRWNYRDEA DVLEVDQGFDDHNLPCDVIWLDIEHADGKRYFT WDPSRFPQPRTMLERLASKRRKLVAIVDPHIKVD SGYRVHEELRNLGLYVKTRDGSDYEGWCWPGS AGYPDFTNPTMRAWWANMFSYDNYEGSAPNLF VWNDMNEPSVFNGPEVTMLKDAQHYGGWEHR DVHNIYGLYVHMATADGLRQRSGGMERPFVLA RAFFAGSQRFGAVWTGDNTAEWDHLKISIPMCL SLGLVGLSFCGADVGGFFKNPEPELLVRWYQMG AYQPFFRAHAHLDTGRREPWLLPSQHNDIIRDAL GQRYSLLPFWYTLLYQAHREGIPVMRPLWVQYP QDVTTFNIDDQYLLGDALLVHPVSDSGAHGVQV YLPGQGEVWYDIQSYQKHHGPQTLYLPVTLSSIP VFQRGGTIVPRWMRVRRSSECMKDDPITLFVALS PQGTAQGELFLDDGHTFNYQTRQEFLLRRFSFSG NTLVSSSADPEGHFETPIWIERVVIIGAGKPAAVV LQTKGSPESRLSFQHDPETSVLVLRKPGINVASD WSIHLR
3849	A	1	1717	RARNARGCWGVCRSGFSSAVCGAARMEQVAEG ARVTAVPVSAADSTEELAEVEEGVGVVGEDNDA AARGAEAFGDSEEDGEDVFEVEKILDMKTEGGK VLYKVRWKGYTSDDDTWEPEIHLEDCKEVLLEF RKKIAENKAKAVRKDIQRLSLNNDIFEANSDSDQ QSETKEDTSPKKKKKKLRQREEKSPDDLKKKKA KAGKLKDKSKPDLESSLESLVFDLRTKKRISEAK EELKESKKPKKDEVKETKELKKVKKGEIRDLKT KTREDPKENRKTKKEKFVESQVESESSVLNDSPF PEDDSEGLHSDSREEKQNTKSARERAGQDMGLE HGFEKPLDSAMSAEEDTDVRGRRKKKTPRKAED TRENRKLENKNAFLEKKTVPKKQRNQDRSKSAA ELEKLMPVSAQTPKGRRLSGEERGLWSTDSAEE DKETKRNESKKPKKDEVKETKELKKVKKGEIRD LKTKTREDPKENRKTKKEKFVESQVESESSVLND SPFPEDDSEGLHSDSREEKQNTKSARERAGQDM GLEHGFEKPLDSAMSAEEDTDVRGRRKKKTPRK AEDTRENRKLENKNAFLEKKTVPKKQRNQDRSK SAAELEKLMPVSAQTPKGRRLSGEERGLWSTDS AEEDKETKRNESKKPKKDEVKETKELKKVKKGE

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Typtophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				IRDLKTKTREDPKENRKTKKEKFVESQVESESSV LNDSPFPED/RQ*RATFRQQREEKSPDDLKKKKA KAGKLKDKSKPDLESSLESLVFDLRTKKRISEAK EELKESKKPK
3850	A	1113	3975	PAAAAAAAAAAAAAAAAGRGPSFTPCFSPSLAVEPS RRTRLGSDPAQAMAGNVKKSSGAGGGSGGS GSGGLIGLMKDAFQPHHHHHHHHLSPHPPGTVDK KMVEKCWKLMDKVVRLCQNPKLALKNSPPYIL DLLPDTYQHLRTILSRYEGKMETLGENEYFRVF MENLMKKTKQTISLFKEGKERMYEENSQPRRNL TKLSLIFSHMLAELKGIFPSGLFQGDTFRITKADA AEFWRKAFGEKTIVPWKSFRQALHEVHPISSGLE AMALKSTIDLTCNDYISVFEFDIFTRLFQPWSSLL RNWNSLAVTHPGYMAFLTYDEVKARLQKFIHKP GSYIFRLSCTRLGQWAIGYVTADGNILQTIPHNKP LFQALIDGFREGFYLFPDGRNQNPDLTGLCEPTP QDHIKVTQEQYELYCEMGSTFQLCKICAENDKD VKIEPCGHLMCTSCLTSWQESEGQGCPFCRCEIK GTEPIVVDPFDPRGSGSLLRQGAEGAPSPNYDDD DDERADDTLFMMKELAGAKVERPPSPFSMAPQA SLPPVPPRLDLLPQRVCVPSSASALGTASKAASGS LHKDKPLPVPPTLRDLPPPPPDRPYSVGAESRPQ RRPLPCTPGDCPSRDKLPPVPSSRLGDSWLPRPIP KVPVSAPSSSDPWTGRELTNRHSLPFSLPSQMEP RPDVPRLGSTFSLDTSMSMNSSPLVGPECDHPKI KPSSSANAIYSLAARPLPVPKLPPGEQCEGEEDTE YMTPSSRPLRPLDTSQSSRACDCDQQIDSCTYEA MYNIQSQAPSITESSTFGEGNLAAAHANTGPEES ENEDDGYDVPKPPVPAVLARRTLSDISNASSS/FG LFVLERDP*PQNVTEGSQVPERPPKPFPRRINSER KAGSCQQGSGPAASAATA\SPQLSSEIENLMSQG YSYQDIQKALVIAQNNIEMAKNILREFVSISSPAH VAT
3851	A		2781	GRVGSMDGAMGPRGLLLCMYLVSLLILQAMPA LGSATGRSKSSEKRQAVDTAVDGVFIRSLKVNC KVTSRFAHYVVTSQVVNTANEAREVAFDLEIPK TAFISDFAVTADGNAFIGDIKDKVTAWKQYRKA AISGENAGLVRASGRTMEQFTIHLTVNPQSKVTF QLTYEEVLKRNHMQYEIVIKVKPKQLVHHFEIDV DIFEPQGISKLDAQASFLPKELAAQTIKKSFSGKK GHVLFRPTVSQQQSCPTCSTSLLNGHFKVTYDVS RDKICDLLVANNHFAHFFAPQNLTNMNKNVVFV IDISGSMRGQKVKQTKEALLKILGDMQPGDYFD LVLFGTRVQSWKGSLVQASEANLQAAQDFVRGF SLDEATNLNGGLLRGIEILNQVQESLPELSNHASI LIMLTDGDPTEGVTDRSQILKNVRNAIRGRFPLY NLGFGHNVDFNFLEVMSMENNGRAQRIYEDHD ATQQLQGFYSQVAKPLLVDVDLQYPQDAVLALT QNHHKQYYEGSEIVVAGRIADNKQSSFKADVQA HGEGQEFSITCLVDEEEMKKLLRERGHMLENHV ERLWAYLTIQELLAKRMKVDREVRANLSSQALR MSLDYGFVTPLTSMSIRGMADQDGLKPTIDKPSE DSPPLEMLGPRRTFVLSALQPSPTHSSSNTQRLPD RVTGVDTDPHFIIHVPQKEDTLCFNINEEPGVILS LVQDPNTGFSVNGQLIGNKARSPGQHDGTYFGR

	•	4

SEQ ID NO:	Method	Predicted beginning aucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Argiaine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
		i		LGIANPATDFQLEVTPQNITLNPGFGGPVFSWRD QAVLRQDGVVVTINKKRNLVVSVDDGGTF\EVV\ LHRVW\KGSS\VHQDFLGLLMCWDKSIGMSSPGR KGCWGQ\FFHPIRFLKVS*HPPPGSDPQKAQMPT MVVRNPPGLTVT\RGLQKDYSKDPWHGAEVSC WFI\HNNGA*NTDCAYTDYI\VPDIF
3852	A	39	1735	TQVAEAGRGEGVVAGAETGRPQSAGMNLELLES FGQNYPEEADGTLDCISMALTCTFNRWGTLLAV GCNDGRIVIW\DF\LTRGIA*NKFSAHIHPVCSLC WSRDGHKLVSASTDNIVSQWDVLSGDCDQRFRF PSPILKVQYHPRDQNKVLVCPMKSAPVMLTLSD SKHVVLPVDDDSDLNVVASFDRRGEYIYTGNAK GKILVLKTDSQDLVASFRVTTGTSNTTAIKSIEFA RKGSCFLINTADRIIRVYDGREILTCGRDGEPEPM QKLQDLVNRTPWKKCCFSGDGEYIVAGSARQH ALYIWEKSIGNLVKILHGTRGELLLDVAWHPVRP IIASISSGVVSIWAQNQVENWSAFAPDFKELDEN VEYEERESEFDIEDEDKSEPEQTGADAAEDEEVD VTSVDPIAAFCSSDEELEDSKALLYLPIAPEVEDP EENPYGPPPDAVQTSLMDEGASSEKKRQSSADG SQPPKKKPKTTNIELQGVPNDEVHPLLGVKGDG KSKKKQAGRPKGSKGKEKDSPFKPKLYKGDRGL PLEGSAKGKVQAELSQPLTAGGAISELL
3853	A	45	2603	PLLFTCGREVRARDPEKEGTIVVAGLKVQVQPRF LWILCFSMEETQGELTSSCGSKTMANVSLAFRDV SIDLSQEEWECLDAVQRDLYKDVMLENYSNLVS LDLEYKYITKNLLSEKNVCKIYLSQLQTGEKSKN TIHEDTIFRNGLQCKHEFERQERHQMGCVSQMLI QKQISHPLHPKIHAREKSYECKECRKAFRQQSYLI QHLRIHTGERPYKCMECGKAFCRVGDLRVHHTI HAGERPYECKECGKAFRLHYHLTEHQRIHSGVK PYECKECGKAFSRVRDLRVHQTIHAGERPYECK ECGKAFRLHYQLTEHQRIHTGERPYECKVCGKT FRVQRHISQHQKIHTGVKPYKCNECGKAFSHGS YLVQHQKIHTGEKPYECKECGKSFSFHAELARH RRIHTGEKPYECRECGKAFRLQTELTRHHRTHTG EKPYECKECGKAFICGYQLTLHLRTHTGEIPYEC KECGKTFSSRYHLTQHYRIHTGEKPYICNECGKA FRLQGELTRHHRIHTCEKPYECKECGKAFIHSNQ FISHQRIHTSESTYICKECGKIFSRRYNLTQHFKIH TGEKPYICNECGKAFRFQTELTQHHRIHTGEKPY KCTECGKAFIRSTHLTQHHRIHTGEKPYECTECG KTFSRHYHLTQHHRGHTGEKPYICNECGNAFICS YRLTLHQRIHTGELPYECKECGKTFSRRYHLTQH FRLHTGEKPYSCKECGNAFRLQAELTRHHIVHTG EKPYKCKECGKAFSVNSELTRHHRIHTGEKPYQC KECGKAFIRSDQLTLHQKIILVR\NPMHNVKRIR WPLENAL*QRICNLRNFLFVTEHVGIPFTSCSQFI
3854	A	108	894	LQSCWVPGIPWPSVGWLSWLKDLPSCEIHSASLS AVLQGPQCSEMLWPKNLTSWDDSSSVSSGISDTI DNLSTDDINTSSSISSYANTPASSRKNLDVQTDAE KHSQVERNSLWSGDDVKKSDGGSDSGIKMEPGS KWRRNPSDVSDESDKSTSGKKNPVISQTGSWRR GMTAQVGITMPRTKASAPAGALKTPGTGKRPGL

	_
	•

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				S\GPGAPTPAAPPQLARMAWAFSLSAASTPAVSP STSPSAVEGSPATILPLASSPPPRTTP*LPLSELTV* RPQELVRGRGCLGPGAPTPAAPPQLARMAWAFS LSAASTPAVSPSTSPSAVEGSPATILPLASSPPPRT TP
3855	A	1	772	FRGGDGAPGVLKPGNPLPFPLPPLQYPPPSTLSHS DNLAMTSRSTARPNGQPQASKICQFKLVLLGESA VGKSSLVLRFVKGQFHEYQESTIGAAFLTQSVCL DDTTVKFEIWDTAGQERYHSLAPMYYRGAQAAI VVYDITNQETFARAKTWVKELQRQASP\SIVVGL AGNKADLANKRMVEYEEAQAYADDNSLLFMET SAKTAMNVNDLFL\AIA*EVAKRVNPQNLG\G\A AGRSRGVDLHEQS\QQNKSQCCSN
3856	A	2815	352	LGLEAAARPRPGGPAAMQDGNFLLSALQPEAGV CSLALPSDLQLDRRGAEGPEAERLRAARVQEQV RARLLQLGQQPRHNGAAEPEPEAETARGTSRGQ YHTLQAGFSSRSQGLSGDKTSGFRPIAKPAYSPA SWSSRSAVDLSCSRRLSSAHNGGSAFGAAGYGG AQPTPPMPTRPVSFHERGGVGSRADYDTLSLRSL RLGPGGLDDRYSLVSEQLEPAATSTYRAFAYER QASSSSRAGGLDWPEATEVSPSRTIRAPAVRTL QRFQSSHRSRGVGGAVPGAVLEPVARAPSVRSLS LSLADSGHLPDVHGFNSYGSHRTLQRLSSGFDDI DLPSAVKYLMASDPNLQVLGAAYIQHKCYSDAA AKKQARSLQAVPRLVKLFNHANQEVQRHATGA MRNLIYDNADNKLALVEENGIFELLRTLREQDDE LRKNVTGILWNLSSSDHLKDRLAKKTPLEQLTVD LGV*APLSGAGGPP\LIQQNASEAEIFYNATGFPR NLSSASQATRQKMRECHGLVDALVTSINHALDA GKCEDKSVENAVCVLRNLSYRLYDEMPPSALQR LEGRGRRDLAGAPPGEVVGCFTPQSRRLRELPLA ADALTFAEVSKDPKGLEWLWSPQIVGLYNRLLQ RCELNRHTTEAAAGALQNITGG\DPRGPGGLSRL ALEQERILNPLLDRVRTADHHQLRSLTGLIRNLS RNARNKDEMSTKVV\SHL\EKLPGSVGEKSPPAE VLV\NI\JAVFNNLGWLASPI\ALARDLLYFDGLRK LIFIKKKRDSPDSEKSSRAASSLLANLWQYNKLH RDFRAKGYRKEDFLGP
3857	A	1034	204	VAVTLLSQLPSAIQRTAAWEMRAPLTFRVPLALD LIKPEHCTVNVDNSLSIPVIAAELVVRKPSEKGM QQKKKTKDLGFRAGKESKTEWRK*GLQDMASQ MFALPLK*PVTAAFHDSSMPSSLLQIEMEQLFLE ARLQ/PDSKSEARRNQCDSMLLRNQQLCSTCQE MKMVQPRTMKIPDDPKASFENCMSYRMSLHQP KFQTTPEPFHDDIPTENIHLQNL/PILGPRTAVFHG LLTEAYKTLKERQRSSLPRKEPIGKTTEAVSGRSS SPPRLPERK
3858	A		3469	SHQEIEQNSAMAPRKRGGRGISFIFCCFRNNDHPE ITYRLRNDSNFALQTMEPALPMPPVEELDVMFSE LVDELDLTDKHREAMFALPAEKKWQIYCSKKK DQEENKGATSWPEFYIDQLNSMAARKSLLALEK EEEEERSKTIESLKTALRTKPMRFVTRFIDLDGLS CILNFLKTMDYETSESRIHTSLIGCIKALMNNSQG RAHVLAHSESINVIAQSLSTENIKTKVAVLEILGA VCLVPGGHKKVLQAMLHYQKYASERTRFQTLIN

	•	
•		

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				DLDKSTGRYRDEVSLKTAIMSFINAVLSQGAGVE SLDFRLHLRYEVFLMLGIHPVMDKLRKHENSTLD RHLDFFEMLRNEDELEFAKRFELVHIDTKSATQM FELTRKRLTHSEAYPHFMSILHHCLQMPYKRSGN TVQYWLLLDRIIQQIVIQNDKGQDPDSTPLENFNI KNVVRMLVNENEVKQWKEQAEKMRKEHNELQ QKLEKKERECDAKTQEKEEMMQTLNKMKEKLE KETTEHKQVKQQVADLTAQLHELSRRAVCASIP GGPSPGAPGGPFPSSVPGSLLPPPPPPPPPGGMLPP PPPPLPPGGPPPPPGPPLGAIMPPPGAPMGLALK KKSIPQPTNALKSFNWSKLPENKLEGTVWTEIDD TKVFKILDLEDLERTFSAYQRQQDFFVNSNSKQK EADAIDDTLSSKLKVKELSVIDGRRAQNCNILLS RLKLSNDEIKRAILTMDEQEDLPKDMLEQLLKFV PEKSDIDLLEEHKHELDRMAKADRFLFEMSRINH YQQRLQSLYFKKKFAERVAEVKPKVEAIRSGSEE VFRSGALKQLLEVVLAFGNYMNKGQRGNAYGF KISSLNKIADTKSSIDKNITLLHYLITIVENKYPSV LNLNEELRDIPQAAKVNMTELDKEISTLRSGLKA VETELEYQKSQPPQPGDKFVSVVSQFITVASFSFS DVEDLLAEAKDLFTKAVKHFGEEAGKIQPDEFF GIFDQFLQAVSEAKQENENMRKKKEEEERRARM EAQLKEQRERERKMRKAKENSEESGEFDDLVSA LRSGEVFDKDLSKLKRNRKRITNQMTDSSRERPI
3859	A	1279	141	TKLNF RVEHLSEFLVDIKPSLTFDVIPLLDPYGPAGSDPS LEFLVVSEETYRGGMAINRFRLENDLEELALYQI QLLKDLRHTENEEDKVSSSSFRQRMLGNLLRPPY ERPELPTCLYVIGLTGISGSGKSSIAQRLKGLGAF VIDSDHLGHRAYAPGGPAYQPVVEAFGTDILHK DGIINRKVLGSRVFGNKKQLKILTDIMWPIIAKLA REEMDRAVAEGKRVCVIDAAVLLEAGWQNLVH EVWTAVIPETEAVRRIVERDGLSEAAAQSRLQSQ MSGQQLVEQSHVVLST\CGSRISPNARWRKPGPS CRSAFPRLIRPSTEKFSVGPDWLLELTSDPVVRN GGLDAHPGSGPEVQAILCRTWPGLVDTGSLPNTL VFGQH
3860	A	1	3881	MGQKSVGASYVQIPLVPPLSRHPKGLGHEDRWS SYCLSSLAAQNICTSKLHCPAAPEHTDPSEPRGSV SCCSLLRGLSSGWSSPLLPAPVCNPNKAIFTVDA KTTEILVANDKACGLLGYSSQDLIGQKLTQFFLR SDSDVVEALSEEHMEADGHAAVVFGTVVDIISRS GEKIPVSVWMKRMRQERRLCCVVVLEPVERVST WVAFQSDGTVTSCDSLFAHLHGYVSGEDVAGQ HITDLIPSVQLPPSGQHIPKNLKIQRSVGRARDGT TFPLSLKLKSQPSSEEATTGEAAPVSGYRASVWV FCTISGLITLLPDGTIHGINHSFALTLFGYGKTELL GKNITFLIPGFYSYMDLAYNSSLQLPDLASCLDV GNESGCGERTLDPWQGQDPAEGGQDPRINVVLA GGHVVPRDEIRKLMESQDIFTGTQTELIAGGQLL SCLSPQPAPGVDNVPEGSLPVHGEQALPKDQQIT ALGREEPVAIESPGQDLLGESRSEPVDVKPFASCE DSEAPVPAEDGGSDAGMCGLCQKAQLERMGVS GPSGSDLWAGAAVAKPQAKGQLAGGSLLMHCP CYGSEWGLWWRSQDLAPSPSGMAGLSFGTPTLD



PCT/US01/04098 WO 01/57190

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				EPWLGVENDREELQTCLIKEQLSQLSLAGALDVP HAELVPTECQAVTAPVSSCDLGGRDLCGGCTGS SSACYALATDLPGGLEAVEAQEVDVNSFSWNLK ELFFSDQTDQTSSNCSCATSELRETPSSLAVGSDP DVGSLQEQGSCVLDDRELLLTGTCVDLGQGRR FRESCVGHDPTEPLEVCLVSSEHYAASDRESPGH VPSTLDAGPEDTCPSAEEPRLNVQVTSTPVIVMR GAAGLQREIQEGAYSGSCYHRDGLRLSIQFEVRR VELQGPTPLFCCWLVKDLLHSQRDSAARTRLFL ASLPGSTHSTAAELTGPSLVEVLRARPWFEEPPK AVELEGLAACEGEYSQKYSTMSPLGSGAFGFVW TAVDKEKNKEVVVKFIKKEKVLEDCWIEDPKLG KVTLEIAILSRVEHANIIKVLDIFENQGFFQLVME KHGSGLDLFAFIDRHPRLDEPLASYIFRQVRAG\Q SRLVSAVGYLRLKDIIHRDIKDENIVIAEDFTIKLI DFGSAAYLERGKLFYTFCGTIEYCAPEVLMGNPY RGPELEMWSLGVTLYTLVFEENPFCELEETVEAA IHPPYLVSKELMSLVSGLLQPVPERRTTLEKLVT DPWVTQPVNLADYTWEEVFRVNKPESGVLSAAS LEMGNRSLSDVAQAQELCGGPVPGEAPNGQGCL
3861	A	1	.3881	MGQKSVGASYVQIPLVPPLSRHPKGLGHEDRWS SYCLSSLAAQNICTSKLHCPAAPEHTDPSEPRGSV SCCSLLRGLSSGWSSPLLPAPVCNPNKAIFTVDA KTTEILVANDKACGLLGYSSQDLIGQKLTQFFLR SDSDVVEALSEEHMEADGHAAVVFGTVVDIISRS GEKIPVSVWMKRMRQERRLCCVVVLEPVERVST WVAFQSDGTVTSCDSLFAHLHGYVSGEDVAGQ HITDLIPSVQLPPSGQHIPKNLKIQRSVGRARDGT TFPLSLKLKSQPSSEEATTGEAAPVSGYRASVWV FCTISGLITLLPDGTIHGINHSFALTLFGYGKTELL GKNITFLIPGFYSYMDLAYNSSLQPDLASCLDV GNESGCGERTLDPWQGQDPAEGGQDPRINVVLA GGHVVPRDEIRKLMESQDIFTGTQTELIAGGQLL SCLSPQPAPGVDNVPEGSLPVHGEQALPKDQQIT ALGREEPVAIESPGQDLLGESRSEPVDVKPFASCE DSEAPVPAEDGGSDAGMCGLCQKAQLERMGVS GPSGSDLWAGAAVAKPQAKGQLAGGSLLMHCP CYGSEWGLWWRSQDLAPSPSGMAGLSFGTPTLD EPWLGVENDREELQTCLIKEQLSQLSLAGALDVP HAELVPTECQAVTAPVSSCDLGGRDLCGGCTGS SSACYALATDLPGGLEAVEAQEVDVNSFSWNLK ELFFSDQTDQTSSNCSCATSELRETPSSLAVGSDP DVGSLQEQGSCVLDDRELLLLTGTCVDLGQGRR FRESCVGHDPTEPLEVCLVSSEHYAASDRESPGH VPSTLDAGPEDTCPSAEEPRLNVQVTSTPVIVMR GAAGLQREIQEGAYSGSCYHRDGLRLSIQFEVRR VELQGPTPLFCCWLVKDLLHSQRDSAARTRLFL ASLPGSTHSTAAELTGPSLVEVLRARPWFEEPPK AVELEGLAACEGEYSQKYSTMSPLGSGAFGFVW TAVDKEKNKEVVVKFIKKEKVLEDCWIEDPKLG KVTLEIAILSRVEHANIIKVLDIFENQGFFQLVME KHGSGLDLFAFIDRHPRLDEPLASYIFRQVRAGQ SRLVSAVGYLRLKDIIHRDIKDENIVIAEDFTIKLI DFGSAAYLERGKLFYTFCGTIEYCAPEVLMGNPY

_			

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				RGPELEMWSLGVTLYTLVFEENPFCELEETVEAA IHPPYLVSKELMSLVSGLLQPVPERRTTLEKLVT DPWVTQPVNLADYTWEEVFRVNKPESGVLSAAS LEMGNRSLSDVAQAQELCGGPVPGEAPNGQGCL HPGDPRLLTS
3862	A	399	2069	TMDRSKRNSIAGFPPRVE\RLEEFEGGGGGEGNV SQVGRVWPSSYRALISAFFRLTRLDDFTCEKIGSG FFSEVFKVRHRASGQVMALKMNTLSSNRANML KEVQLMNRLSHPNILRYINSGNLEQLLDSNLHLP WTVRVKLAYDIAVGLSYLHFKGIFHRDLTSKNC LIKRDENGYSAVVADFGLAEKIPDVSMGSEKLA VVGSPFWMAPEVLRDEPYNEKADVFSYGIILCEII ARIQADPDYLPRTENFGLDYDAFQHMVGDCPPD FLQLTFNCCNMDPKLRPSFVEIGKTLEEILSRLQE EEQERDRKLQPTARGLLEKAPGVKRLSSLDDKIP HKSPCPRRTIWLSRSQSDIFSRKPPRTVSVLDPYY RPRDGAARTPKVNPFSARQDLMGGKIKFFDLPSK SVISLVFDLDAPGPGTMPLADWQEPLAPPIRRWR SLPGSPEFLHQEACPFVGREESLSDGPPPRLSSLK YRVKEIPPFRASALPAAQAHEAMDCSILQEENGF GSRPQGTSPCPAGASEEMEVEERPAGSTPATFSTS GIGLQTQGKQDG
3863	A	399	2069	TMDRSKRNSIAGFPPRVE\RLEEFEGGGGGEGNV SQVGRVWPSSYRALISAFFRLTRLDDFTCEKIGSG FFSEVFKVRHRASGQVMALKMNTLSSNRANML KEVQLMNRLSHPNILRYINSGNLEQLLDSNLHLP WTVRVKLAYDIAVGLSYLHFKGIFHRDLTSKNC LIKRDENGYSAVVADFGLAEKIPDVSMGSEKLA VVGSPFWMAPEVLRDEPYNEKADVFSYGIILCEII ARIQADPDYLPRTENFGLDYDAFQHMVGDCPPD FLQLTFNCCNMDPKLRPSFVEIGKTLEEILSRLQE EEQERDRKLQPTARGLLEKAPGVKRLSSLDDKIP HKSPCPRRTIWLSRSQSDIFSRKPPRTVSVLDPYY RPRDGAARTPKVNPFSARQDLMGGKIKFFDLPSK SVISLVFDLDAPGPGTMPLADWQEPLAPPIRRWR SLPGSPEFLHQEACPFVGREESLSDGPPPRLSSLK YRVKEIPPFRASALPAAQAHEAMDCSILQEENGF GSRPQGTSPCPAGASEEMEVEERPAGSTPATFSTS GIGLQTQGKQDG
3864	A	3	911	SWNMDSDSCAAAFHPEEYSPSCKRRRTVEDFNK FCTFVLAYAGYIPYPKEELPLRSSPSPANSTAGTI DSDGWDAGFSDIASSVPLPVSDRCFSHLQPTLLQ RAKPSNFLLDRKKTDKLKKKKKRRRDSDAPGK EGYRGGLLKLEAADPYVETPTSPTLQDIPQAPSD PCSGWDSDTPSSGSCATVSPDQVKEIKTEGKRTI VR/QEAQLMARNDGNFSSLLESIFPS\DDDSWDLV TCFCMKPFAGRPMIECNECHTWIHLSCAKIRKSN VPEVFVCQKCRDSKFDIRRSNRSRTGSRKLFLD
3865	A	3	3573	QERLRSRSRPDRAAREAGSARGRQPKRTERVEQ FLTIARRGRRSMPVSLEDSGEPTSCPATDAETAS EGSVESASETRSGPQSASTAVKERPASSEKVKGG DDHDDTSDSDSDGLTLKELQNRLRRKREQEPTE RPLKGIQSRLRKKRREEGPAETVGSEASDTVEGV LPSKQEPENDQGVVSQAGKDDRESKLEGKAAQD IKDEEPGDLGRPKPECEGYDPNALYCICRQPHNN



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				RFMICCDRCEEWFHGDCVGISEARGRLIERNGE DYICPNCTILQVQDETHSETADQQEAKWRPGDA DGTDCTSIGTIEQKSSEDQGIKGRIEKAANPSGKK KLKIFQPGPGPVPTQLPVLWQVLEIAVSRSISAFT LLHCISCKVIEAPGASKCIGPGCCHVAQPDSVYCS NDCILKHAAATMKFLSSGKEQKPKPKEKMKMK PEKPSLPKCGAQAGIKISSVHKRPAPEKKETTVK KAVVVPARSEALGKEAACESSTPSWASDHNYNA VKPEKTAAPSPSLLYKSTKEDRRSEEKAAATAAS KKTAPPGSTVGKQPAPRNLVPKKSSFANVAAAT PAIKKPPSGFKGTIPKRPWLSATPSSGASAARQAG PAPAAATAASKKFPGSAALVGAVRKPVVPSVPM ASPAPGRLGAMSAAPSQPNSQIRQNIRRSLKEIL WK/RFLFFILFRVNDSDDLIMTENEVGKIALHIEK EMFNLFQVTDN/RAYKSKYRSIMFNLKDPKNQG LFHRVLREEISLAKLVRLKPEELVSKELSTWKER PARSVMESRTKLHNESKKTAPRQEAIPDLEDSPP VSDSEEQQESARAVPEKSTAPLLDVFSSMLKDTT SQHRAHLFDLNCKICTGQVPSAEDEPAPKKQKLS ASVKKEDLKSKHDSSAPDPAPDSADEVMPEAVP EVASEPGLESASHPNVDRTYFPGPPGDGHPEPSPL EDLSPCPASCGSGVVTTVTVSGRDPRTAPSSSCT AVASAASRPDSTHMVEARQDVPKPVLTSVMVPK SILAKPSSSPDPRYLSVPPSPNISTSESRSPPEGDTT LFLSRLSTIWKGFINMQSVAKFVTKAYPVSGCFD YLSEDLPDTIHIGGRIAPKTVWDYVGKLKSSVSK ELCLIRFHPATEEEEVAYISLYSYFSSRGRFGVVA
3866	A	2	3181	NNNRHVKDLYLIPLSAQDPVPSKLLPFEGPGKRR LSGWR AQQPVGRRGGASGAGGGRRGTPRPRAGAGPGF QVSSGGCRLSKMRRFLRPGHDPVRERLKRDLFQ FNKTVEHGFPHQPSALGYSPSLRILAIGTRSGAIK LYGAPGVEFMGLHQENNAVTQIHLLPGQCQLVT LLDDNSLHLWSLKVKGGASELQEDESFTLRGPP GAAPSATQITVVLPHSSCELLYLGTESGNVFVVQ LPAFRALEDRTISSDAVLQRLPEEARHRRVFEMV EALQEHPRDPNQILIGYSRGLVVIWDLQGSRVLY HFLSSQQLENIWWQRDGRLLVSCHSDGSYCQWP VSSEAQQPEPLRSLVPYGPFPCKAITRILWLTTRQ G\LPFTIFQGGMPRASYGDRHCISVIHDGQQTAFD FTSRVIGFTVLTEADPAATFDDPYALVVLAEEEL VVIDLQTAGWPPVQLPYLASLHCSAITCSHHVSN IPLKLWERIIAAGSRQNAHFSTMEWPIDGGTSLTP APPQRDLLLTGHEDGTVRFWDASGVCLRLLYKL STVRVFLTDTDPNENLSAQGEDEWPPLRKVGSF DPYSDDPRLGIQKIFLCKYSGYLAVAGTAGQVLV LELNDEAAEQAVEQVEADLLQDQEGYRWKGHE RLAARSGPVRFEPGFQFFVLVQCQPPAVVTSLAL HSEWRLVAFGTSHGFGLFDHQQRRQVFVKCTLH PSDQLALEGPLSRVKSLKKSLRQSFRRMRRSRVS SRKRHPAGPPGEAQEGSAKAERPGLQNMELAPV QRKIEARSAEDSFTGFVRTLYFADTYLKDSSRHC PSLWAGTNGGTIYAFSLRVPPAERRMDEPVRAE QAKEIQLMHRAPVVGILVLDGHSVPLPEPLEVAH DLSKSPDMQGSHQLLVVSEEQFKVFTLPKVSAK



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, K=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				LKLKLTALEGSRVRRVSVAHFGSRRAEDYGEHH LAVLTNLGDIQVVSLPLLKPQVRYSCIRREDVSGI ASCVFTKYGQGFYLISPSEFERFSLSTKG\LVEPRC LVDSAETKNHRPGNGAGPKKAPSRARNSGTQSD GEEKQPGLVMERALLSDERAATG\VHIEPPWGA ASAMAEQSEWLSVQAAR
3867	A		3181	AQQPVGRRGGASGAGGGRRGTPRPRAGAGPGF QVSSGGCRLSKMRRFLRPGHDPVRERLKRDLFQ FNKTVEHGFPHQPSALGYSPSLRILAIGTRSGAIK LYGAPGVEFMGLHQENNAVTQIHLLPGQCQLVT LLDDNSLHLWSLKVKGGASELQEDESFTLRGPP GAAPSATQITVVLPHSSCELLYLGTESGNVFVVQ LPAFRALEDRTISSDAVLQRLPEEARHRRVFEMV EALQEHPRDPNQILIGYSRGLVVIWDLQGSRVLY HFLSSQQLENIWWQRDGRLLVSCHSDGSYCQWP VSSEAQQPEPLRSLVPYGPFPCKAITRILWLTTRQ G\LPFTIFQGGMPRASYGDRHCISVIHDGQQTAFD FTSRVIGFTVLTEADPAATFDDPYALVVLAEEEL VVIDLQTAGWPPVQLPYLASLHCSAITCSHHVSN IPLKLWERIIAAGSRQNAHFSTMEWPIDGGTSLTP APPQRDLLLTGHEDGTVRFWDASGVCLRLLYKL STVRVFLTDTDPNENLSAQGEDEWPPLRKVGSF DPYSDDPRLGIQKIFLCKYSGYLAVAGTAGQVLV LELNDEAAEQAVEQVEADLLQDQEGYRWKGHE RLAARSGPVRFEPGFQPFVLVQCQPPAVVTSLAL HSEWRLVAFGTSHGFGLFDHQQRRQVFVKCTLH PSDQLALEGPLSRVKSLKKSLRQSFRRMRSRVS SRKRHPAGPPGEAQEGSAKAERPGLQNMELAPV QRKIEARSAEDSFTGFVRTLYFADTYLKDSSRHC PSLWAGTNGGTIYAFSLRVPPAERRMDEPVRAE QAKEIQLMHRAPVVGILVLDGHSVPLPEPLEVAH DLSKSPDMQGSHQLLVVSEEQFKVFTLPKVSAK LKLKLTALEGSRVRRVSVAHFGSRRAEDYGEHH LAVLTNLGDIQVVSLPLLKPQVRYSCIRREDVSGI ASCVFTKYGQGFYLISPSEFERFSLSTKG\LVEPRC LVDSAETKNHRPGNGAGPKKAPSRARNSGTQSD GEEKQPGLVMERALLSDERAATG\VHIEPPWGA
3868	A		2497	ASAMAEQSEWLSVQAAR GDSGGPLVCEEPSGRFFLAGIVSWGIGCAEARRP GVYARVTRLRDWILEATTKASMPLAPTMAPAPA APSTAWPTSPESPVVSTPTKSMQALSTVPLDWVT VPKLQECGARPAMEKPTRVVGGFGAASGEVPW QVSLKEGSRHFCGATVVGDRWLLSAAHCFNHT KVEQVRAHLGTASLLGLGGSPVKIGLRRVVLHP LYNPGILDFDLAVLELASPLAFNKYIQPVCLPLAI QKFPVGRKCMISGWGNTQEGNATKPELLQKASV GIIDQKTCSVLYNFSLTDRMICAGFLEGKVDSCQ VSGIKALYESELADARRVLDETARERARLQIEIG KLRAELDEVNKSAKKREGELTVAQGRVKDLESL FHRSEVELAAALSDKRGLESDVAELRAQLAKAE DGHAVAKKQLEKETLMRVDLENRCQSLQEELDF RKSVFEEEVRETRRHERRLVEVDSSRQQEYDFK MAQALEELRSQHDEQVRLYKLELEQTYQAKLDS AKLSSDQNDKAASAAREELKEARMRLESLSYQL SGLQKQASAAEDRIRELEEAMAGERDKFRKMLD



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				AKEQEMTEMRDVMQQQLAEYQELLDVKLALD MEINAYRKLLEGEEERLKLSPSPSSRVTVSRATSS SSGSLSATGRLGRSKRKR\WRWRSPW\QRPKRPG HGHGWQRWLPPGPAGLGLGQR\HIEEIDLEGKFV QLKNNSDKDQSLGNWRIKRQVLEGEEIAYKFTP KYILRAGQMVTVWAAGAGVAHSPPSTLVWKGQ SSWGTGESFRTVLVNADGEEVAMRTVKKSSVM RENENGEEEEEEAEFGEEDLFHQQGDPRTTSRGC YVM
3869	A		1942	RYRAGIPGDGRKDYIRLTRPGLTLPGRAMFARGS RRRRSGRAPPEAEDPDRGQPCNSCREQCPGFLLH GWRKICQHCKCPREEHAVHAVPVDLERIMCRLIS DFQRHSISDDDSGCASEEYAWVPPGLKPEQVYQ FFSCLPEDKVPYVNSPGEKYRIKQLLHQLPPHDS EAQYCTAL\EE\EEKKELRAFSQQRKRENLG/RLG IVRIFPVTIT\GAI\CEECGKQIGGGDIAVF\ASRASL GLLLGQPSCF\VCTTCQELLVDLIYFYHVGKVYC GRHHAECLRPRCQACDEIIFSPECTEAEGRHWHM DHFCCFECEASLGGQRYVMRQSRPHCCACYEAR HAEYCDGCGEHIGLDQGQMAYEGQHWHASDRC FCCSRCGRALLGRPFLPRRGLIFCSRACSLGSEPT APGPSRRSWSAGPVTAPLAASTASFSAVKGASET TTKGTSTELAPATGPEEPSRFLRGAPHRHSMPEL GLRSVPEPPPESPGQPNLRPDDSAFGRQSTPRVSF RDPLVSEGGPRRTLSAPPAQRRRPRSPPPRAPSRR RHHHHNHHHHHNRHPSRRRHYQCDAGSGSDSE SCSSSPSSSSSESSEDDGFFLGERIPLPPHLCRPMP AQDTAMETFNSPSLSLPRDSRAGMPRQARDKNC IVA
3870		2	3485	FVWRVFYVHASCMPPRARSWEGAHAPVGMHV AEAHACSSQQQQMPPAQFWMLEWLLHLCAFLS TPSFPHWCCCSNPHGSIADKPEEIVPASKPSRAAE NMAVEPRVATIKQRPSSRCFPAGSDMNSVYERQ GIAVMTPTVPGSPKAPFLGIPRGTMRRQKSIDSRI FLSGITEEERQFLAPPMLKFTRSLSMPDTSEDIPPP PQSVPPSPPPPSPTTYNCPKSPTPRVYGTIKPAFNQ NSAAKVSPATRSDTVATMMREKGMYFRRELDR YSLDSEDLYSRNAGPQANFRNKRGQMPENPYSE VGKIASKAVYVPAKPARRKGMLVKQSNVEDSPE KTCSIPIPTIIVKEPSTSSSGKSSQGSSMEIDPQAPE PPSQLRPDESLTVSSPFAAAIAGAVRDREKRLEA RRNSPAFLSADLGDEHVGLGPPAPRTRPSMFPEE GDFADEDSAEQLSSPMPSATPREPENHFVGGAEA SAPGEAGRPLNSTSKAQGPESSPAVPSASSGTAG PGNYVHPLTGRLLDPSSPLALALSARDRAMKES QQGPKGEAPKADLNKPLYIDTKMRPSLDAGFPT VTRQNTRGPLRRQETENKYETDLGRDRKGDDK KNMLIDIMDTSQQKSAGLLMVHTVDATKLDNA LQEEDEKAEVEMKPDSSPSEVPEGVSETEGALQI SAAPEPTTVPGRTIVAVGSMEEAVILPFRIPPPPLA SVDLDEDFIFTEPLPPPLEFANSFDIPDDRAASVPA LSDLVKQKKSDTPQSPSLNSSQPTNSADSKKPAS LSNCLPASFLPPPESFDAVADSGIEEVDSRSSSDH HLETTSTISTVSSISTLSSEGGENVDTCTVYADGQ AFMVDKPPVPPKPKMKPIIHKSNALYQDALVEE

			\

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				DVDSFVIPPPAPPPPPGSAQPGMAKVLQPRTSKL WGDVTEIKSPILSGPKANVISELNSILQQMNREKL AKPGEGLDSPMGAKSASLAPRSPEIMSTISGTRST TVTFTVRPGTSQPITLQSRPPDYESRTSGTRRAPS PVVSPTEMNKETLPAPLSAATASPSPALSDVFSLP SQPPSGDLFGLNPAGRSRSPSPSILQQPISNKPFTT KPVHLWTKPDVADWLESLNLGEHKEAFMDNEI DGSHLPNLQKEDLIDLGVTRVGHRMNIERALKQ LLDR
3871	A	35	1171	VESRSAWHEGEDQIDRLDFIRNQMNLLTLDVKK KIKEVTEEVANKVSCAMTDEICRLSVLVDEFCSE FHPNPDVLKIYKSELNKHIEDGMGRNLADRCTD EVNALVLQTQQEIIENLKPLLPAGIQDKLHTLIPC KKFDLSYNLNYHKLCSDFQEDIVFRFSLGWSSLV HRFLGPRNAQRVLLGLSEPIFQLPRSLASTPTAPT TPATPDNASQEELMITLVTGLASVTSRTSMGIIIV GGVIWKTIGWKLLSVSLTMYGALYLYERLSWTT HAKERAFKQQFVNYATEKLRMIVSSTSANCSHQ VKQQIATTFARLCQQVDITQKQLEEEIARLPKEID QLEKIQNNSKLLRNKAVQLENELENFTKQFLPSS NEES
3872	A	35	1171	VESRSAWHEGEDQIDRLDFIRNQMNLLTLDVKK KIKEVTEEVANKVSCAMTDEICRLSVLVDEFCSE FHPNPDVLKIYKSELNKHIEDGMGRNLADRCTD EVNALVLQTQQEIIENLKPLLPAGIQDKLHTLIPC KKFDLSYNLNYHKLCSDFQEDIVFRFSLGWSSLV HRFLGPRNAQRVLLGLSEPIFQLPRSLASTPTAPT TPATPDNASQEELMITLVTGLASVTSRTSMGIIIV GGVIWKTIGWKLLSVSLTMYGALYLYERLSWTT HAKERAFKQQFVNYATEKLRMIVSSTSANCSHQ VKQQIATTFARLCQQVDITQKQLEEEIARLPKEID QLEKIQNNSKLLRNKAVQLENELENFTKQFLPSS NEES
3873	A	2944	2089	PVCTALTPGRMTDDKDVLRDVWFGRIPTCFTLY QDEITEREAEPYYLLLPRVSYLTLVTDKVKKHFQ KVMRQEDISEIWFEYEGTPLKWHYPIGLLFDLLA SSSALPWNITVHFKSFPEKDLLHCPSKDAIEAHF MSCMKEADALKHKSQVINEMQKKDHKQLWMG LQNDRFDQFWAINRKLMEYPAEENGFRYIPFRIY QTTTERPFIQKLFRPVAADGQLHTLGDLLKEVCP SAIDPEDGEKKNQVMIHGIEPMLETPLQWLSEHL SYPDNFLHISIIPQPTD
3874	A	776	366	QARGAPSSPMCPLPLAAAAVAAPRAPLRLLNRG LAAAMSTAQSLKSVDYEVFGRVQGVCFRMYTE DEARKIGVVGWVKNTSKGTVTGQVQGPEDKVN SMKSWLSKVGSPSSRIDRTNFSNEKTISKLEYSNF SIRY
3875	A	1081	182	SLSSCQTDPRPMSAPLDAALHALQEEQARLKMR LWDLQQLRKELGDSPKDKVPFSVPKIPLVFRGHT QQDPEVPKSLVSNLRIHCPLLAGSALITFDDPKVA EQVLQQKEHTINMEECRLRVQVQPLELPMVTTIQ VMVSSQLSGRRVLVTGFPASLRLSEEELLDKLEIF FGKTRNGGGDVDVRELLPGSVMLGFARDGVAQ RLCQIGQFTVPLGGQQVPLRVSPYVNGEIQKAEI RSQPVPRSVLVLNIPDILDGPELHDVLEIHFQKPT

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
_				RGGGEVEALTVVPQGQQGLAVFTSESG
3876	A	26	431	RMMKCPQALLAIFWLLLSWVSSEDKVVQSPLSL VVHEGDTVTLNCSYEVTNFRSLLWYKQEKKAPT FLFMLTSSGIEKKSGRLSSILDKKELSSILNITATQ TGDSAIYLCAVEAQCSLVTCSLYSNSTAEALQL
3877	A	3	1291	KAFRLLAERGAAAAMLWSGCRRFGARLGCLPG GLRVLVQTGHRSLTSCIDPSMGLNEEQKEFQKV AFDFAAREMAPNMAEWDQKELFPVDVMRKAA QLGFGGVYIQTDVGGSGLSRLDTSVIFEALATGC TSTTAYISIHNMCAWMIDSFGNEEQRHKFCPPLC TMEKFASYCLTEPGSGSDAASLLTSAKKQGDHYI LNGSKAFISGAGESDIYVVMCRTGGPGPKGISCIV VEKGTPGLSFGKKEKKVGWNSQPTRAVIFEDCA VPVANRIGSEGQGFLIAVRGLNGGRINIASCSLGA AHASVILTRDHLNVRKQFGEPLASNQYLQFTLA DMATRLVAARLMVRNAAVALQEERKDAVALCS MAKLFATDECFAICNQALQMHGGYGYLKDYAV QQYVRDSRVHQILEGSNEVMRILISRSLLQE
3878	A	10	1014	LPGSTISSSGCQAPGRADSSGGARNSRRGDSRPG SCNRQAVAPPCPSPGPQSRHWIHRGTAPQAGETR TLGRGSSAPNACSASVTPCCPSSPPS*SCL*PTRRS PQNSSSTEVYRGFWQHGLPST**PFSS*QWPGQH TQGCSKLLGKQTTHLPCSTWPA**PSPSCLTRFR* W*PSLMCLWASSCSVCV*SPSGSCRH*LWGTHST SRTC*ARRSSALPTGLCTDDTSWASSSKARPCAL QRPSSLSSLSPCLTC*W*LSSSSPMSARSPAGAET GSWATGSPRLTQWKSSRLTSTSHSARSAWKPSA TESTPSWPRFSSWTSGEDPASPAPAI
3879	A	200	699	LLLTGYIQTLQNQQLSGNQQEMQAVDNLTSAPG NTSLCTRDYKITQVLFPLLYTVLFFVGLITNGLA MRIFFQIRSKSNFIIFLKNTVISDLLMILTFPFKILS DAKLGTGPLRTFVCQVTSVIFYFTMYISISFLGLIT IDRYQKTTRPFKTSNPKNLLGAKILK
3880	A	26	169	QPETDTMVHLTPEEKSAVTALWGKVNVDEDAG DDLCQILVDRPRLRI
3881	A	37	1100	TPLFDFWPGFVLSWLQPLSASLRARRAASGPPAC RIMPTTVDDVLEHGGEFHFFQKQMFFLLALLSAT FAPIYVGIVFLGFTPDHRCRSPGVAELSLRCGWSP AEELNYTVPGPGPAGEASPRQCRRYEVDWNQST FDCVDPLASLDTNRSRLPLGPCRDGWVYETPGSS IVTEFNLVCANSWMLDLFQSSVNVGFFIGSMSIG YIADRFGRKLCLLTTVLINAAAGVLMAISPTYTW MLIFRLIQGLVSKAGWLIGYILITEFVGRRYRRTV GIFYQVAYTVGLLVLAGVAYALPHWRWLQFTV ALPNFFFLLYYWCIPESPRWLISQNKNAEAMRIIK HIAKKNGKSLPASL
3882	A	573	1620	KSKCRFPEGLSEGFGPMRKEALSSGSVQEAEAM LDEPQEQAEGSLTVYVISEHSSLLPQDMMSYIGP KRTAVVRGIMHREAFNIIGRRIVQVAQAMSLTED VLAAALADHLPEDKWSAEKRRPLKSSLGYEITFS LLNPDPKSHDVYWDIEGAVRRYVQPFLNALGAA GNFSVDSQILYYAMLGVNPRFDSASSSYYLDMH SLPHVINPVESRLGSSAASLYPVLNFLLYVPELAH SPLYIQDKDGAPVATNAFHSPRWGGIMVYNVDS KTYNASVLPVRVEVDMVRVMEVFLAQLRLLFGI



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				AQPQLPPKCLLSGPTSEGLMTWELDRLLWARSV
2002	ļ	2369	844	ENLATATTILTSLA RIHREEDFOFILKGIARLLSNPLLOTYLPNSTKKIO
3883	A	2369	844	FHQELLVLFWKLCDFNKVGQPRGALQGDGEQLP Q*PGGRDSVRLRGVGQSCPSLELSPLGPSPHP*KF LFFVLKSSDVLDILVPILFFLNDARADQSRVGLM HIGVFILLLSGECNFGVRLNKPYSIRVPMDIPVF TGTHADLLIVVFHKIITSGHQRLQPLFDCLLTIVV NVSPYLKSLSMVTANKLLHLLEAFSTTWFLFSAA QNHHLVFFLLEVFNNIIQYQFDGNSNLVYAIIRKR SIFHQLANLPTDPPTIHKALQRRRRTPEPLSRTGS QGGAPPWRAPAPLPLQSQAPSRPVWWLLQALTS *PRSPRCQRMAPCGPWNLSPSRAWRMAARLRGS PARHGGSSGDRP/HSSASGQWSPTPEWVLSWKS KLPLQTIMRLLQVLVPQVEKICIDKGLTDESEILR FLQHGTLVGLLPVPHPILIRKYQANSGTAMWFRT YMWGVIYLRNVDPPVWYDTDVKLFEIQRV
3884	A		804	NGPRAPFSQEGQSTGPPPLIPRLGQHGAQGRIPPL NPGQGPGPNKDDSRGPPNHHMGPMSERRHEQSG GPEHGPERGPLRGGQDCRGPPDRRGPHPDFPDDF SRPDDFHPDKRFGHRLREFEGRGGPLPQEEKWR RGGPGPPFPPDHREFSEGDGRGAARGPPGAWEG RRPGG*TFPPGSRGPTFS/SGAEEESFRRGAPPRHE GRAPPRGRDGFPGPEDFGPEENFDASEEAARGRD LRGRGRGTPRGERVTKDTWSGRIGCRIHWL
3885	A	3	996	GRRRAGPAHSARMYNMMETELKPPGPQQTSGG GGGNSTAAAAGGNQKNSPDRVKRPMNAFMVW SRGQRRKMAQENPKMHNSEISKRLGAEWKLLSE TEKRPFIDEAKRLRALHMKEHPDYKYRPRRKTK TLMKKDKYTLPGGLLAPGGNSMASGVGVGAGL GAGVNQRMDSYAHMNGWSNGSYSMMQDQLG YPQHPGLNAHGAAQMQPMHRYDVSALQYNSM TSSQTYMNG/SRPTYSMSYSQQGTPGMAPGS\MG SVVKSEASSSPPVVTSSSHSRAPCQAGDLRDMIS MYLPGAEVPEPAAPSRLHMSQHYQSGPVPGTAI NGTLPLSHM
3886	A	773	317	QCTQKAAEGYTQFYYVDVLDGKLACVNKCTKG TKSQMNCNLGTCQLQRSGPRCLCPNTNTHWYW GETCEFNIAKSLVYGIVGAVMAVLLLALIILIILFS LSQ\RKRHRPESEGEADFGLENATNNFG\PTLETV DSGTELHIQ\RPEMVASTV
3887	A	3	466	VDFRVKTLLVDNKCFVLQLWDTAGQERYHSMT RQLLRKADGVVLMYDITSQESFAHVRYWLDCL QDAGSDGVVILLLGNKMDCEEERQVSVEAGQQL AQELGVYFGECSAALGHNILEPVVNLARSLRMQ EEGLKDSLVKVAPKRPPKRFGCCS
3888	A	3412	3144	QNIDITNFSSSWNDGLAFCALLHTYLPAHIPYQEL NSQDKRRNFMLAFQAAESVGIKSTLDINEMVRT ERPDWQNVMLYVTAIYKYFET
3889	A	1	1160	LVVTAITAILAFPNEYTRMSTSELISELFNDCGLL DSSKLCDYENRFNTSKGGELPDRPAGVGVYSAM WQLALTLILKIVITIFTFGMKIPSGLFIPSMAVGAI AGRLLGVGMEQLAYYHQEWTVFNSWCSQGAD CITPGLYAMVGAAACLGGVTRMTVSLVVIMFEL TGGLEYIVPLMAAAMTSKWVADALGREGIYDA



	_

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \ \text{\$\$-\text{possible}\$ nucleotide insertion}
				HIRLNGYPFLEAKEEFAHKTLAMDVMKPRRNDP LLTVLTQDSMTVEDVETIISETTYSGFPVVVSRES QRLVGFVLRRDLIISIENARKKQDGVVSTSIIYFTE HSPPLPPYTPPTLKLRNILDLSPFTVTDLTPMEIVV DIFRKLGLRQCLVTHNGRLLGIITKKDVLKHIAQ MANQDPDSILFN
3890	A	1	387	SWCWTGIFVLGTTNLRLEGSWYRSLWGPGFNTT TATLGFGAPQAPVGDVALNQPDMCVYRRGRKK RVPYTKLQLKELENEYAINKFINKDKRRRISAAT NLSERQVTIWFQNRRVKDKKIVSKLKDTVS
3891	A	2	2914	RGGGGDHKMADLSLLQEDLQEDADGFGVDDYS SESDVIIIPSALDLAST/QDEMVERPLGRL\DK\YA ASENHI*PDKMVAPEFASIPLRE\VCDDERDCIAV LGKN*PDWADDSEPT\VRAAELEQVPHIALFLFK KTRLSITICFFSKFLLPYCGLDTLADQN\NQVRKT SQAALL\ALLEQELIERFDVETKVCPVLIELTAPDS NDDVKTEAVAIMCKMAP\MVGKDITERLILPRFC EMCCDCRMFH\VRK\VCAANFGDICSVVGQQAT EEMLLPRFFQLCSDNVWGVRKACAECFMAVSC ATCQEIRRTKLSALFINLISDPSRWVRQAAFQSLG PFISTFANPSSSGQYFKEESKSSEEMSVENNKRTR DQEAPEDVQVRPEDTPSDLSVSNSSVILENTMED HAAEASGKPLGEISVPLDSSLLCTLSSESHQEAAS NENDKKPGNYKSMLRPEVGTTSQDSALLDQELY NSFHFWRTPLPEIDLDIELEQNSGGKPSPEGPEEE SEGPVPSSPNITMATRKELEEMIENLEPHIDDPDV KAQVEVLSAALRASSLDAHEETISIEKRSDLQDE LDINELPNCKINQEDSVPLISDAVENMDSTLHYIH NDSDLSNNSSFSPDEERRTKVQDVVPQALLDQY LSMTDPSRAQTVDTEIAKHCAYSLPGVALTLGR QNWHCLRETYETLASDMQWKVRRTLAFSIHELA VILGD\QLTAADLVPIFNGFLK*PSMKSRIGVLKH LHDFLKLLHIDKRREYLYQLQEFLVTDNSRNWR FRAELAEQLILLLELYSPRDVYDYLRPIALNLCAD KVSSVRWISYKLVSEMVKKLHAATPPTFGVDLIN ELVENFGRCPKWSGRQAFVFVCQTVIEDDCLPM DQFAVHLMPHLLTLANDRVPNVRVLLAKTLRQT LLEKDYFLASASCHQEAVEQTIMALQMDRDSDV KYFASIHPASTKISEDAMSTASSTY
3892	A	158	2191	VPLPAPSGLSGGGSRGAGCKKAPPGRAPAPGLAP LRPSEPTMAVPPGHGPFSGFPGPQEHTQVLPDVR LLPRRLPLAFRDATSAPLRKLSVDLIKTYKHINEV YYAKKKRRAQQAPPQDSSNKKEKKVLNHGYDD DNHDYIVRSGERWLERYEIDSLIGKGSFGQVVKA YDHQTQELVAIKIIKNKKAFLNQAQIELRLLELM NQHDTEMKYYIVHLKRHFMFRNHLCLVFELLS YNLYDLLRNTHFRGVSLNLTRKLAQQLCTALLF LATPELSIHCDLKPENILLCNPKRSAIKIVDFGSS CQLGQRIYQYIQSRFYRSPEVLLGTPYDLAIDMW SLGCILVEMHTGEPLFSGSNEVCPQEGVDQMNRI VEVLGIPPAAMLDQAPKARKYFERLPGGGWTLR RTKELRKDYQGPGTRRLQEVLGVQTGGPGGRRA GEPGHSPAD\Y\LRFQDLVLRMLEYEPAARISPLG ALQHGFFRRTADEATNTGPAGSSASTSPAPLDTC PSSSTASSISSSGGSSGSSGSSSDNRTYRYSNRYCGGP

•				
WO ()1/57190			PCT/US01/04098
SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				GPPITDCEMNSPQVPPSQPLRPWAGGDVPHKTH QAPASASSLPGTGAQLPPQPRYLGRPPSPTSPPPP ELMDVSLVGGPADCSPPHPAPAPQHPAASALRT RMTGGRPPLPPPDDPATLGPHLGLRGVPQSTAAS S
3893	A	68	258	PEEYYPFSPTLQQLFFFLLDSDMGSRPESMGCRK NTVPRPASPTEAGTDPQTFLHTWVSECRD
3894	A	1120	136	SLPLAPAPAVAGPVALCPAGLCPAQPGMPAGPA AASGSHPEVGSVLQRSSQPHWPNPWPGAGHLPP PAGPFPYNPPAGPGAAAGLA*SPPRSSPTPCSVGP QSCPANASAPPAQPCLAGAPPAASLPPPGPGSVS AAPAPGGPAPAEPPLGVPPVPAWLLPDSPPLPGT HSGPPPAAVSLPPAAAACPVVVPPPLPHHPPDLES PSAAAPNPGCAGGIRHFPPGSPEASSPLRPAAAPA LLPLPRPPS*P/VPWKPLHSPVAVAGGSFVAGGSV LPAPDLDQPRPSGPPAASPTPGPGVAQPPPGSAVL PTVP*APPVSGAAPGRKREW
3895	A	2	1347	FGAVSYRPGNGSCWVKVTASSDLSDLISCLCPPR SLCSSQACVLPVPGPSLLLPQGLHVGCASAGTRW PLSCSIDFQRLLAHEEETQKRRAKESGMAFTQLT FRDVAIEFSQDEWKCLNSTQRTLYRDVMLENYR NLVSLDLSRNCVIKELAPQQEGNP/ARSIPHSDIGT T*KT*H*RVLLQGNQEKNTRL*LSVER**KKLQQ SDYGPKRKSYL*ERPTR*KRYRKQVY*TSA*LSF LPHPHELQQFQAEGKIYECNHVEKSVNHGSSVSP PQIISSTIKTHVSNKYGTDFICSSLLTQEQKSCIRE KPYRYIECDKALNHGSHMTVRQVSHSGEKGYKC DLCGKVFSQKSNLARHWRVHTGEKPYKCNECD RSFSRNSCLALHRRVHTGEKPYKCYECDKVFSR NSCLALHQKTHIGEKPYTCKECGQAFSVRSTLTN HQVIHSDK
3896	A	202	498	MVQSCSAYGCKNRYDKDKPVSFHKFPLTRPSLC KEWEAAVRRKNFKPTKYSSICSEHFTPDCFKREC
3897	A	2	382	NNKLLKENAVPTIFLCTEPHDKKEDLLEPQEQ SHGLSRAPHLSAAPAPALASRPCFSSAPCSQGGG GGGPATMIHFILLFSRQGKLRLQKWYITLPDKER KKITREIVQIILSRGHRTSSFVDWKELKLVYKRYA SLYFCCAIE\NQDNELLTLENVHR
3898	A	718	305	SEQEPLLGDTPGSREWDILETEEHYKSRWRSIRIL YLTMFLSSVGFSVVMMSIWPYLQKIDPTADTSFL GWVIASYSLGQMVASPIFGLWSNYRPRKEPLIVSI LISVAANCLYAYLHIPASHNKYYMLVARGLLGIG
3899	A	24	718	FRGRPGIPEREGKGNHSFVEVARVIVVDLHSRLG GAMAERKGTAKVDFLKKIEKEIQQKWDTERVFE VNASNLEKQTSKGKYFVTFPYPYMNGRLHLGHT FSLSKCEFAVGYQRLKGKCCLFPFGLHCTGMPIK ACADKLKREIELY/GCPPDFPDEEEEEEETSVKTE DIIIKDKAKGKKSKAA/AKAGSSKYQWGIMKSLG LSDEEIVKFSEAEHWLDYFNALAIQDLKRMG
3900	A	360	1	VPATSSNVSPSSSESSEPDLSSRSSSSDAPSSSPSVP SPCSLSLSSPESPLLPTLLSSKSPAGSAGPTCGCPS GPGLRATA/PSRLSSSIAAH/SSSAPETSRPAAARE RSPPLHDRESHE
3901	A	193	345	GEWAVPPAPGGQGVSIPHGPEPGQGSGVHIAPRQ GEGSDRTEPLICPKAAP



,			

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, l=Isoleuclne, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
3902	A	1188	1389	NPAARSAAAREGSPALPPPPVS/SSSGLGLLLPLSP PGSHAANPALSPRAPHSHYRPRPRCGPRRRPR
3903	A	63	396	NNMRNPHLSSNHYLNLARTETVFARMESVKQRI LAPGKEGLKNFAGKSLGQIYRVLEKKQDTGETIE LTEDGKPL*VPERKAPLCDCTCFGLPRRYIIAIMS GLGFCISFG
3904	A	732	1046	AMSECPLILYIHKHIDTYSQSYLFNDLFYPVYSGG RMVTYEHLREVVFGKSEDEHYPLW*VLFGK*YA VAPNALMFIRFM*NCTFVPKLP*VMDLK**LQYK SR
3905	A	46	910	QPPPPPPPPPSPPPPPPPPPARALSHLRLHPDACLFPS PFPLPCSTMPGMMEKGPELLGKNRSANGSAKSP AGGGGSGASSTNGGLHYSEPESGCSSDDEHDVG MRVGAEYQARIPEFDPGATKYTDKDNGGMLVW SPYHSIPDAKLDEYIAIAKEKHGYNVEQALGMLF WHKHNIEKSLADLPNFTPFPDEWTVEDKVLFEQ AFSFHGKSFHRIQQMLPDKTIASLVKYYYSWKK TRSRTSLMDRQARKLANRHNQGDSDDDVEETHP MDGNDSDYDPKKEAKKEGMS
3906	A	2	513	KVCNCCSQELETSFTYVDKNINLEQRNRSSPSAK GHNHPGELGWENPNEWSQEAAISLISEEEDDTSS EATSSGKSIDYGFISAILFLVTGILLVIISYIVPREV TVDPNTVAAREMERLEKESARLGAHLDRCVIAG LCLLTLGGVILSCLLMMSMWKGELYRRNRFAS
3907	A	71	412	ILIMSNCLQNFLKITSTRLLCSRLCQQLRSKRKFF GTVPISRLHRRVVITGIGLVTPLGVGTHLVWDRLI GGESGIVSLVGEEYKSIPCSVAAYVPRGSDEGQF NEQNFVSKSD
3908	A	77	746	LGTLLGWRAPLFSRCLAFHSPFILLNTPKLVKTAE LPPDRNYVLGAHPHGIMCTGFLCNFSTESNGFSQ LFPGLRPWLAVLAGLFYLPVYRDYIMSFGLCPVS RQSLDFILSQPQLGQAVVIMVGGAHEALYSVPGE HCLTLQKRKGFVRLALRHGASLVPVYSFGENDIF RLKAFATGSWQHWCQLTFKKLMGFSPCIFWGR GLFSATSWGLLPFAVPITTV
3909	A	1	793	FRAAGRPAAAMGDIPVVGLSSWKASPGKVTEAV KEAIDAGYRHFDCAYFYHNEREVGAGIRCKIKE GAVRREDLLIATKLWCTCHKKSLVETACRKSLK ALKLNYLDLYLIHWPMGFKPPHPEWIMSCSELSF CLSHPRVQDLPLDESNMVIPSDTDFLDTWEAME DLVITGLVKNIGVSNFNHEQLERLLNKPGLRFKP LTNQIECHPYLTQKNLISFCQSRDVSVTAYRPLG GSCEGVDLIDNPVIKRIAKEHGKSPAQILI
3910	A	202	705	FFTMHRKKVDNRIRILIENGVAERQRSLFVVVGD RGKDQVVILHHMLSKATVKARPSVLWCYKKEL GFSSHRKKRMRQLQKKIKNGTLNIKQDDPFELFI AATNIRYCYYNETHKILGNTFGMCVLQDFEALTP NLLARTVETVEGGGLVVILLRTMNSLKQLYTVT M
3911	A	3	723	AGRGARAAGEGGGPFKSRPRPLPSSRSLPAVGGG RYGADKMAAGGAVAAAPECRLLPYALHKWSSF SSTYLPENILVDKPNDQSSRWSSESNYPPQYLILK LERPAIVQNITFGKYEKTHVCNLKKFKVFGGMN EENMTELLSSGLKNDYNKETFTLKHKIDEQMFPC RFIKIVPLLSWGPSFNFSIWYVELSGIDDPDIVQPC



•	SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \possible nucleotide insertion
			•		LNWYSKYREQEAIRLCLKHFRQHNYTEAFESLQ KKT
	3912	A	2	461	FEKKQLRRPSLFLLGCCSFGIMAPSLWKGLEGIG LFALAHAAFSAAQHRSYMRLTEKEDESLPIDIVL QTLLAFAVTCYGIVHIAGEFKDMDATSELKNKTF DTVRNHPSFYVFNHRGSEYFSGPSDTANSSNQDA LSSNTSLKLRKLESLRR
	3913	A	362	20	APGRPEAKVPERSRESGSRRVRGPLLQLRPGRTS RPASGRGRGGAGGSYGKMRKPDSKIVLLGDMN VGKTSLLQRYMERRFPDTVSTVGGAFYLKQWRS YNISIWDTAGEAGAA
	3914	A		7545	PGIRVGITSQTGLSSNLQENCSKLAFISSHGTEKQ LQCMPMEGRGRASSSISDLQGKGFEKGTGEKHV PGVGSARHSPQASAGGSPWQRGKAQTRWLGKP DPGRKRRGSPQEEGGLRVSAAARLLCSGANRC KVLVRQNSTPNTQQPAVHPSTPPSRPLPQAGRCL VAPLRPHPDWVAAKTLAKALRAPGKPWRLAAP SPLGDLGAPGLPGPSTAPRTLSVEEPGVECNQLC LYADVTDPVLCLGQKDPGVEGKHCEKEKISSSK ELKHVHAKSEPSKPARRLSESLHVVDENKNESKI EREHKRRTSTPVIMEGVQEETDTRDVKRQVERSE ICTEEPQKQKSTLKNEKHLKKDDSETPHLKSLLK KEVKSSKEKPEREKTPSEDKLSVKHKYKGDCMH KTGDETELHSSEKGLKVEENIQKQSQQTKLSSDD KTERKSKHRNERKLSVLGKDGKPVSEYIIKTDEN VRKENNKKERRLSAEKTKAEHKSRRSSDSKIQK DSLGSKQHGITLQRRSESYSEDKCDMDSTNMDS NLKPEEVVHKEKRRTKSLLEEKLVLKSKSKTQG KQVKVVETELQEGATKQATTPKPDKEKNTEEND SEKQRKSKVEDKPFEETGVEPVLETASSAHSTQ KDSSHRAKLPLAKEKYKSDKDSTSTRLERKLSD GHKSRSLKHSSKDIKKKDENKSDDKDGKEVDSS HEKARGNSSLMEKKLSRLCENRRGSLSQEMAK GEEKLAANTLSTPSGSSLQRPKKSGDMTLIPEQEP MEIDSEPGVENVFEVSKTQDNRNNNSHQDIDSEN MKQKTSATVQKDELRTCTADSKATAPAYKPGR GTGVNSNSEKHADHRSTLTKKMHIQSAVSKMNP GEKEPHRGTTEVNIDSETVHRMLLSAPSENDRV QKNLKNTAAEEHVAQGDATLEHSTNLDSSPSLSS VTVVPLRESYDPDVIPLFDKRTVLEGSTASTSPAD HSALPNQSLTVRESEVLKTSDSKEGGEGFTVDTP AKASITSKRHIPEAHQATLLDGKQGKVIMPLGSK LTGVIVENENITKEGGLVDMAKKENDLNAEPNL KQTIKATVENGKKDGIAVDHVVGLNTEKYAETV KLKHKRSPGKVKDISIDVERRNENSEVDTSAGSG SAPSVLHQRNGQTEDVATGPRRAEKTSVATSTE GKDKDVTLSPVKAGPATTTSSETRQSEVALPCTS IEADEGLIIGTHSRNNPLHVGAEASECTVFAAAEE GGAVVTEGFAESETFLTSTKEGESGECAVAESED RAADLLAVHAVKIEANNNSVVTEEKDDAVTSAG SEEKCDGSLSRDSEIVEGTITFISEVESDGAVTSAG TEIRAGSISSEEVDGSQGNMMRMGPKKETEGTV TCTGAEGRSDNFVICSVTGAGPREERMVTGAGV VLGDNDAPPGTSASQEGDGSVNDGTEGESAVTS TGITEDGEGPASCTGSEDSSEGFAISSESEENGESA





SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Vallne, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \
		sequence		MDSTVAKEGTNVPLVAAGPCDDEGIVTSTGAKE EDEEGEDVVTSTGRGNEIGHASTCTGLGEESEGV LICESAEGDSQIGTVVEHVEAEAGAAIMNANENN VDSMSGTEKGSKDTDICSSAKGIVESSVTSAVSG KDEVTPVPGGCEGPMTSAASDQSDSQLEKVEDT TISTGLVGGSYDVLVSGEVPECEVAHTSPSEKED EDIITSVENEECDGLMATTASGDITNQNSLAGGK NQGKVLIISTSTTNDYTPQVSAITDVEGGLSDALR TEENMEGTRVTTEEFEAPMPSAVSGDDSQLTASR SEEKDECAMISTSIGEEFELPISSATTIKCAESLQP VAAAVEERATGPVLISTADFEGPMPSAPPEAESP LASTSKEEKDECALISTSIAEECEASVSGVVVESE NERAGTVMEEKDGSGIISTSSVEDCEGPVSSAVP QEEGDPSVTPAEEMGDTAMISTSTSEGCEAVMIG AVLQDEDRLTITRVEDLSDAAIISTSTAECMPISA SIDRHEENQLTADNPEGNGDLSATEVSKHKVPM PSLIAENNCRCPGPVRGGKEPGPVLAVSTEEGHN GPSVHKPSAGQGHPSAVCAEKEEKHGKECPEIGP FAGRGQKESTLHLINAEEKNVLLNSLQKEDKSPE TGTAGGSSTASYSAGRGLEGNANSPAHLRGPEQ TSGQTAKDSSVSSIRYLAAVNTGAIKADDMPPVQ GTVAEHSFLPAEQQGSEDNLKTSTTKCITGQESKI APSHTMIPPATYSVALLAPKCEQDLTIKNDYSGK WTDQASAEKTGDDNSTRKSFPEEGDIMVTVSSE ENVCDIGNEESPLNVLGGLKLKANLKMEAYVPS EEEKNGEILAPPESLCGGKPSGIAELQREPLLVNE SLNVENSGFRTNEEIHSESYNKGEISSGRKDNAE AISGHSVEADPKEVEEEERHMPKRKKQHYLSSE DEPDDNPDVLDSRIETAQRQCPETEPHATKEENS RDLEELPKTSSETNSTTSRVMEEKDEYSSSETTGE KPEQNDDDTIKSOE
3915	A	1	7545	PGIRVGITSQTGLSSNLQENCSKLAFISSHGTEKQ LQCMPMEGRGRASSSISDLQGKGFEKGTGEKHV PGVGSARHSPQASAGGSPWQRGKAQTRWLGKP DPGRKRRGSPQEEGGLRVSAAARLLCSGANRC KVLVRQNSTPNTQQPAVHPSTPPSRPLPQAGRCL VAPLRPHPDWVAAKTLAKALRAPGKPWRLAAP SPLGDLGAPGLPGPSTAPRTLSVEEPGVECNQLC LYADVTDPVLCLGQKDPGVEGKHCEKEKISSSK ELKHVHAKSEPSKPARRLSESLHVVDENKNESKI EREHKRRTSTPVIMEGVQEETDTRDVKRQVERSE ICTEEPQKQKSTLKNEKHLKKDDSETPHLKSLLK KEVKSSKEKPEREKTPSEDKLSVKHKYKGDCMH KTGDETELHSSEKGLKVEENIQKQSQQTKLSSDD KTERKSKHRNERKLSVLGKDGKPVSEYIIKTDEN VRKENNKKERRLSAEKTKAEHKSRRSSDSKIQK DSLGSKQHGITLQRRSESYSEDKCDMDSTNMDS NLKPEEVVHKEKRRTKSLLEEKLVLKSKSKTQG KQVKVVETELQEGATKQATTPKPDKEKNTEEND SEKQRKSKVEDKPFEETGVEPVLETASSSAHSTQ KDSSHRAKLPLAKEKYKSDKDSTSTRLERKLSD GHKSRSLKHSSKDIKKKDENKSDDKDGKEVDSS HEKARGNSSLMEKKLSRRLCENRRGSLSQEMAK GEEKLAANTLSTPSGSSLQRPKKSGDMTLIPEQEP MEIDSEPGVENVFEVSKTQDNRNNNSHQDIDSEN



)			
l,			

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				MKQKTSATVQKDELRTCTADSKATAPAYKPGR GTGVNSNSEKHADHRSTLTKKMHIQSAVSKMNP GEKEPIHRGTTEVNIDSETVHRMLISAPSENDRV QKNLKNTAAEEHVAQGDATLEHSTNLDSSPSLSS VTVVPLRESYDPDVIPLFDKRTVLEGSTASTSPAD HSALPNQSLTVRESEVLKTSDSKEGGEGFTVDTP AKASITSKRHIPEAHQATLLDGKQGKVIMPLGSK LTGVIVENENITKEGGLVDMAKKENDLNAEPNL KQTIKATVENGKKDGIAVDHVVGLNTEKYAETV KLKHKRSPGKVKDISIDVERRNENSEVDTSAGSG SAPSVLHQRNGQTEDVATGPRRAEKTSVATSTE GKDKDVTLSPVKAGPATTTSSETRQSEVALPCTS IEADEGLIIGTHSRNNPLHVGAEASECTVFAAAEE GGAVVTEGFAESETFLTSTKEGESGECAVAESED RAADLLAVHAVKIEANVNSVVTEEKDDAVTSAG SEEKCDGSLSRDSEIVEGTITFISEVESDGAVTSAG TEIRAGSISSEEVDGSQGNMMRMGPKKETEGTV TCTGAEGRSDNFVICSVTGAGPREERMVTGAGV VLGDNDAPPGTSASQEGDGSVNDGTEGESAVTS TGITEDGEGPASCTGSEDSSEGFAISSESEENGESA MDSTVAKEGTNVPLVAAGPCDDEGIVTSTGAKE EDEEGEDVVTSTGRONEIGHASTCTGLGEESEGV LICESAEGDSQIGTVVEHVEAEAGAAIMNANENN VDSMSGTEKGSKDTDICSSAKGIVESSVTSAVSG KDEVTPVPGGCEGPMTSAASDQSDSQLEKVEDT TISTGLVGGSYDVLVSGEVPECEVAHTSPSEKED EDIITSVENEECDGLMATTASGDITNQNSLAGGK NQGKVLIISTSTTNDYTPQVSAITDVEGGLSDALR TEENMEGTRVTTEEFEAPMPSAVSGDDSQLTASR SEEKDECAMISTSIGEEFELPISSATTIKCAESLQP VAAAVEERATGPVLISTADFEGPMPSAPPEAESP LASTSKEEKDECALISTSIAEECEASVSGVVVESE NERAGTVMEEKDGSGISTSVEDCEGPVSSAVP QEEGDPSVTPAEEMGDTAMISTSTSEGCEAVMIG AVLQDEDRLTITRVEDLSDAAIISTSTAECMPISA SIDRHEENQLTADNPEGNGDLSATEVSKHKVPM PSLIAENNCRCPGPVRGGKEPGPVLAVSTEEGHN GPSVHKPSAGQGHPSAVCAEKEKHGKECPEIGP FAGRGQKESTLHLINAEEKNVLLNSLQKEDKSPE TGTAGGSSTASYSAGRGLEGNANSPAHLRGPEQ TSGQTAKDSSVSSIRYLAAVNTGAIKADDMPPVQ GTVAEHSFLPAEQQGSEDNLKTSTTKCITGQESKI APSHTMIPPATYSVALLAPKCEQDLTIKNDYSGK WTDQASAEKTGDDNSTRKSFPEEGDIMVTVSSE ENVCDIGNEESPLNVLGGLKLKANLKMEAYVPS EEEKNGEILAPPESLCGGKPSGIAELQREPLLVNE SLNVENSGFRTNEEHSESYNKGEISSGRKDNAE AISGHSVEADPKEVEEEERHMPKRKKQHYLSS EPPDDNPPDVLDSRIETAQRQCPETEPHATKEENS RDLEELPKTSSETNSTTSRVMEEKDEYSSSETTGE
3916	A	2	773	KPEQNDDDTIKSQE GPFGVLWPSAKPGPVTAVEARPPDASDPEGLRG GSPAPLLAPGPLDPSGRLHPAVSMMSYLKQPPYG MNGLGLAGPAMDLLHPSVGYPATPRKQRRERTT FTRSQLDVLEALFAKTRYPDIFMREEVALKINLPE




SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				SRVQVWFKNRRAKCRQQQQSGSGTKSRPAKKK SSPVRESSGSESSGQFTPPAVSSSASSSSASSSSA NPAAAAAAGLVVAKLPCPLHIFSLCVFIEENRLV SGSWARDIRSVEETDKSGYR
3917	A	2	776	RNIPGRRFRPPGLRRLLKGPHMPREPRGYRTRVP ALRELVPSSHAGSGASEHCQNNRQGSRQHRASR NVQAGGALAPPRHLCGLCSRLHFLKPDLSVRAA PSRAGASVMALRKELLKSIWYAFTALDVEKSGK VSKSQLRVLSHNLYTVLHIPHDPVALEEHFRDDD DGPVSSQGYMPYLNKYILDKVEEGAFVKEHFDE LCWTLTAKKNYRADSNGNSMLSNQDAFRLWCL FNFLSEDKYPLIMDPDEGEYLLKRYS
3918	A	10	318	WQDLVCLGGSRAQEQKPLQQLWNAILLVAMLL CTGLVVQAQRQASRQSQRELGGQVDLFKRRVV RRLASLKTRRCRLSRAAQGLPDPGAETCAVCLD YFCNKQ
3919	A	1	204	RVLTAINHTLKENLRKFYKGKKDKPLDLRPKKT RAMRRRLNMHEENLKTKKQHRKERLYPLRKYA AKA
3920	A	1	654	RCCRSFVAPLQEKVVFGLFFLGAILCLSFSWLFHT VYCHSEGVSRLFSKLDYSGIALLIMGSFVPWLYY SFYCNPQPCFIYLIVICVLGIAAIIVSQWDMFATPQ YRGVRAGVFLGLGLSGIIPTLHYVISEGFLKAATI GQIGWLMLMASLYITGAALYAARIPERFFPGKCD IWFHSHQLFHIFVVAGAFVHFHGVSNLQEFRFMI GGGCSEEDAL
3921	A	1587	452	LERDGCGGEEGGSVRSGAGPDSDPRGASSPPAG HRGTAASPRPVAAPSRTPAPPHTRARASPGLPSG PAWRRVQWFSRVSGQVSTLMKATVLMRQPGRV QEIVGALRKGGGDRLQVISDFDMTLSRFAYNGK RCPSSYNILDNSKIISEECRKELTALLHHYYPIEID PHRTVKEKLPHMVEWWTKAHNLLCQQKIQKFQI AQVVRESNAMLREGYKTFFNTLYHNNIPLFIFSA GIGDILEEIIRQMKVFHPNIHIVSNYMDFNEDGFL QGFKGQLIHTYNKNSSACENCGYFQQLEGKTNV ILLGDSIGDLTMADGVPGVQNILKIGFLNDKVEE RRERYMDSYDIVLEKDETLDVVNGLLQHILCQG VQLEMQGP
3922	A	2	164	GKIYQRAFGGHSLKFGKGVQAHGCCCVADRTG HSILHTSYGRERPAPVHLRQDT
3923	A	2	3258	EHATHAYAKLGTRRRHREVTVFVPTWQLKKNR RVRESHFLTKLHSLKMLSITPSQLENGKKITTYD YRFMVKLAEETDGIIVTNEQIHILMNSSKKLMVK DRLLPFTFAGNLFMVPDDPLGRDGPTLDEFLKKP NRLDTDIGNFLKVWKTLPPSSASVTELSDDADSG PLESLPNMEEVREEKEERQDEEQRQGQGTQKAA EEDDLDSSLASVFRVECPSLSEEILRCLSLHDPPD GALDIDLLPGAASPYLGIPWDGKAPCQQVLAHL AQLTIPSNFTALSFFMGFMDSHRDAIPDYEALVG PLHSLLKQKPDWQWDQEHEEAFLALKRALVSAL CLMAPNSQLPFRLEVTVSHVALTAILHQEHSGRK HPIAYTSKPLLPDEESQGPQSGGDSPYAVAWALK HFSRCIGDTPVVLDLSYASRTTADPEVREGRRVS KAWLIRWSLLVQDKGKRALELALLQGLLGENRL

	_
	4
,	•
	_

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				EDEWCAGFGLYVLSPTSPPVSLSFSCSPYTPTYA HLAAVACGLERFGQSPLPVVFLTHCNWIFSLLWE LLPLWRARGFLSSDGAPLPHPSLLSYIISLTSGLSS LPFIYRTSYRGSLFAVTVDTLAKQGAQGGQWW SLPKDVPAPTVSPHAMGKRPNLLALQLSDSTLAD IIARLQAGQKLSGSSPFSSAFNSLSLDKESGLLMF KGDKKPRVWVVPTQLRRDLIFSVHDIPLGAHQR PEETYKKLRLLGWWPGMQEHVKDYCRSCLFCIP RNLIGSELKVIESPWPLRSTAPWSNLQIEVVGPVT ISEEGHKHVLIVADPNTRWVEAFPLKPYTHTAVA QVLLQHVFARWGVPVRLEAAQGPQFARHVLVS CGLALGAQVASLSRDLQFPCLTSSGAYWEFKRA LKEFIFLHGKKWAASLPLLHLAFRASSTDATPFK VLTGGESRLTEPLWWEMSSANIEGLKMDVFLLQ LVGELLELHWRVADKASEKAENRRFKRESQEKE WNVGDQVLLLSLPRNGSSAKWVGPFYIGDRLSL SLYRIWGFPTPEKLGCIYPSSLMKAFAKSGTPLSF KVLEQ
3924	A		1826	MGSVTVRYFCYGCLFTSATWTVLLFVYFNFSEV TQPLKNVPVKGSGPHGPSPKKFYPRFTRGPSRVL EPQFKANKIDDVIDSRVEDPEEGHLKFSSELGMIF NERDQELRDLGYQKHAFNMLISDRLGYHRDVPD TRNAACKEKFYPPDLPAASVVICFYNEAFSALLR TVHSVIDRTPAHLLHEIILVDDDSDFDDLKGELDE YVQKYLPGKIKVIRNTKREGLIRGRMIGAAHATG EVLVFLDSHCEVNVMWLQPLLAAIREDRHTVGC PVIDIISADTLAYSSSPVVRGGFNWGLHFKWDLV PLSELGRAEGATAPIKSPTMAGGLFAMNRQYFH ELGQYDSGMDIWGGENLEISFRIWMCGGKLFIIP CSRVGHIFRKRRPYGSPEGQDTMTHNSLRLAHV WLDEYKEQYFSLRPDLKTKSYGNISERVELRKKL GCKSFKWYLDNVYPEMQISGSHAKPQQPIFVNR GPKRPKVLQRGRLYHLQTNKCLVAQGRPSQKG GLVVLKACDYSDPNQIWIYNEEHELVLNSLLCLD MSETRSSDPPRLMKCHGSGGSQQWTFGKNNRLY QVSVGQCLRAVDPLGQKGSVAMAICDGSSSQQ WHLEG
3925	A	5386	2897	VRWNSKTECYLSIQTQENFPANLNELVNCIVISSL VTTQRKLKAMSLLGSRNQLARAVLNPNPMDFCT KDLLTTTSERIIAYLRDFNEDQKKAIETAYAMVK HSPSVAKICLIHGPPGTGKSKTIVGLLYRLLTENQ RKGHSDENSNAKIKQNRVLVCAPSNAAVDELM KKIILEFKEKCKDKKNPLGNCGDINLVRLGPEKSI NSEVLKFSLDSQVNHRMKKELPSHVQAMHKRK EFLDYQLDELSRQRALCRGGREIQRQELDENISK VSKERQELASKIKEVQGRPQKTQSIIILESHIICCT LSTSGGLLLESAFRGQGGVPFSCVIVDEAGQSCEI ETLTPLIHRCNKLILVGDPKQLPPTVISMKAQEYG YDQSMMARFCRLLEENVEHNMISRLPILQLTVQ YRMHPDICLFPSNYVYNRNLKTNRQTEAIRCSSD WPFQPYLVFDVGDGSERRDNDSYINVQEIKLVM EIIKLIKDKRKDVSFRNIGIITHYKAQKTMIQKDL DKEFDRKGPAEVDTVDAFQGRQKDCVIVTCVRA NSIQGSIGFLASLQRLNVTITRAKYSLFILGHLRTL MENQHWNQLIQDAQKRGAIIKTCDKNYRHDAV



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isolencine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
			·	KILKLKPVLQRSLTHPPTIAPEGSRPQGGLPSSKL DSGFAKTSVAASLYHTPSDSKEITLTVTSKDPERP PVHDQLQDPRLLKRMGIEVKGGIFLWDPQPSSPQ HPGATPPTGEPGFPVVHQDLSHVQQPAAVVAAL SSHKPPVRGEPPAASPEASTCQSKCDDPEEELCH RREARAFSEGEQEKCGSETHHTRRNSRWDKRTL EQEDSSSKKRKLL
3926	A	99	284	MPREDRATWKSNYFLKIIQLLDDYPKRFIVGANN VGSKQMQQIRMSLRGKAVVLMGKNTMMR
3927	A	542	2	AHLLMLNLAL\TDLL\YLTSLPFLIHYYASGENWI FGDFMCKFIRFSFHFNLYSSILFLTCFSIFRYCVIIH PMSCFSIHKTRCAVVACAVVWIISLVAVIPMTFLI TSTNRTNRSACLDLTSSDELNTIKWYNLILTA\LL CLPLVIVTLCYTTIIHTLTHGHAN\DSCLKQKARR LTILLL
3928	A	1	1516	GEEAVGGAEGGFGVGAQGRAGGRGVEAGR MRLSKTLVDMDMADYSAALDPAYTTLEFENVQ VLTMGNDTSPSEGTNLNAPNSLGVSALCAICGDR ATGKHYGASSCDGCKGFFRRSVRKNHMYSCRFS RQCVVDKDKRNQCRYCRLKKCFRAGMKKEAV QNERDRISTRRSSYEDSSLPSINALLQAEVLSRQIT SPVSGINGDIRAKKIASIADVCESMKEQLLVLVE WAKYIPGFCELPLDDQGALLRAHAGEHLLLGAT KRSMVFKDVLLLGNDYIVPRHCPELAEMSRVSIR ILDELVLPFQELQIDDNEYAYLKAIIFFDPDAKGL SDPGKIKRLRSQVQVSLEDYINDRQYDSRGRFGE LLLLLPTLQSITWQMIEQIQFIKLFGMAKIDNLLQ EMLLGGSPSDAPHAHHPLHPHLMQEHMGTNVIV ANTMPTHLSNGQMCEWPRPRGQAATPETPQPSP PGASGSEPYKLLPGAVATIVKPLSAIPQPTITKQE VI
3929	A		2782	RVLSLESPLEKDPRVLGAQSVPRGRALKGLSPLG LDSAFRLFPDPRAGPWNTAVLSSGMEPETALWG PDLQGPEQSPNDAHRGAESENEEESPRQESSGEEI IMGDPAQSPESKDSTEMSLERSSQDPSVPQNPPTP LGHSNPLDHQIPLDPPAPEVVPTPSDWTKACEAS WQWGALTTWNSPPVVPANEPSLRELVQGRPAG AEKPYICNECGKSFSQWSKLLRHQRIHTGERPNT CSECGKSFTQSSHLVQHQRTHTGEKPYKCPDCG KCFSWSSNLVQHQRTHTGEKPYKCTECEKAFTQ STNLIKHQRSHTGEKPYKCGECRRAFYRSSDLIQ HQATHTGEKPYKCPECGKRFGQNHNLLKHQKIH AGEKPYRCTECGKSFIQSSELTQHQRTHTGEKPY ECLECGKSFGHSSTLIKHQRTHLREDPFKCPVCG KTFTLSATLLRHQRTHTGERPYKCPECGKSFSVS SNLINHQRIHRGERPYICADCGKSFIMSSTLIRHQ RIHTGEKPYKCSDCGKSFIRSSHLIQHRRTHTGEK PYKCPECGKSFSQSSNLITHVRTHMDENLFVCSD CGKAFLEAHELEQHRVIHERGKTPARRAQGDSL LGLGDPSLLTPPPGAKPHKCLVCGKGFNDEGIFM QHQRIHIGENPYKNADGLIAHAAPKPPQLRSPRL PFRGNSYPGAAEGRAEAPGQPLKPPEGQEGFSQR RGLLSSKTYICSHCGESFLDRSVLLQHQLTHGNE KPFLFPDYRIGLGEGAGPSPFLSGKPFKCPECKOS



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				EHLRSPLGARPYRCSDCRASFLDRVALTRHQETH TQEKPPNPEDPPPEAVTLSTDQEGEGETPTPTESS SHGEGQNPKTLVEEKPYLCPECGAGFTEVAALLL HRSCHPGVSL
3930	A	513	273	KTQETHIYISEHIFFPFLQGFGNLPICMAKTDLSLS HQPDKKGVPSDFILPISDVRASIGAGFIYPLVGTG SRESPLWL
3931	A	16	305	KRRDFLSCWPAFTVLGEARGDQVDWSKLYRDT GLVKMSRKPRASSPFSNNHPSTPKRRGRGKHPLI PGPEALSKFPRQPIREKGPVKEVPGTKGSP
3932	A	16	305	KRRDFLSCWPAFTVLGEARGDQVDWSKLYRDT GLVKMSRKPRASSPFSNNHPSTPKRRGRGKHPLI PGPEALSKFPRQPIREKGPVKEVPGTKGSP
3933	A	334	1546	STHASEHWDSALQLAKHLAPDQIPFISKEYAIQLE FAGDYVNALAHYEKGITGDNKEHDEACLAGVA QMSIRMGDIRRGVNQALKHPSRVLKRDCGAILE NMKQFSEAAQLYEKGLYYDKAASVYIRSKNWA KVGDLLPHVSSPKIHLQYAKAKEADGRYKEAVV AYENAKQWQSVIRIYLDHLNNPEKAVNIVRETQ SLDGAKMVARFFLQLGDYGSAIQFLVMSKCNNE AFTLAQQHNKMEIYADIIGSEDTTNEDYQSIALY FEGEKRYLQAGKFFLLCGQYSRALKHFLKCPSSE DNVAIEMAIETVGQAKDELLTNQLIDHLLGEND GMPKDAKYLFRLYMALKQYREAAQTAIIIAREE QSAGNYRNAHDVLFSMYAELKSQKIKIPSEMAT NLMILHSYILVKIHVKNGDHMKGARMLIRVANN ISKFPSHIVPILTSTVIECHRAGLKNSAFSFAAML MRPEYRSKIDAKYKKKIEGMVRRPDISEIEEATTP CPFCKFLLPESELL PTRRPILPLTSPKAISVPSPLQGKOHTLVKSCLSVS
3934	A	334	1208	GIGGFLVSLSSRMKLQTLAVSVTALKFWSAYVP CQTQDRDALRLTLEQIDLIRRMCASYSELELVTS AKALNDTQKLACLIGVEGGHSLDNSLSILRTFYM LGVRYLTLTHTCNTPWAESSAKGVHSFYNNISGL TDFGEKVVAEMNRLGMMVDLSHVSDAVARRAL EVSQAPVIFSHSAARGVCNSARNVPDDILQLLEE ERWAFVMVSLFHGELIQWQPIRPMCSTVADHFD HIKAVIGSKFIGIGGDYDGAGKYRKKTTCKAPW RTSSRMSS
3935	A	1	883	HETTPAVVQSVLLERGWNKFDKQEQNAEDWNL YWRTSSFRMTEHNSVKPWQQLNHHPGTTKLTR KDCLAKHLKHMRRMYGTSLYQFIPLTFVMPNDY TKFVAEYFQERQMLGTKHSYWICKPAELSRGRG ILIFSDFKDFIFDDMYIVQKYISNPLLIGRYKCDLR IYVCVTGFKPLTIYVYQEGLVRFATEKFDLSNLQ NNYAHLTNSSINKSGASYEKIKEVIGHGCKWTLS RFFSYLRSWDVDDLLLWKKIHRMVILTILAIAPS VPFAANCFELFGFDILIDDNEFHRTG
3936	A	203	441	HLAHSLGPLPKHYQYCVRYLYYQVTKDVIKEFA DDGVKYLELRSTPRRENATGMTKKTYVESILEGI KQSKQENLDIDV



SEQ ID NO:	Position of end of	MaxS (MAXIMUM	MeanS (Mean Score)
	Signal in Amino Acid Sequence	SCORE)	
1	19	0.930	0.680
2	24	0.964	0.863
3	21	0.990	0.901
4	19	0.981	0.942
5	22	0.991	0.928
6	21	0.956	0.843
8	22	0.913	0.718
9	17	0.997	0.969
11	19	0.930	0.680
13	36	0.983	0.863
14	28	0.935	0.839
15	21	0.997	0.955
16	16	0.983	0.944
17	18	0.989	0.884
19	49	0.996	0.719
20	28	0.972	0.920
21	23	0.954	0.905
22	46	0.955	0.568
23	26	0.942	0.654
24	19	0.979	0.941
25	34	0.884	0.565
26	33	0.934	0.584
27	$+\frac{33}{17}$	0.975	0.914
28	18	0.980	0.934
29	23	0.928	0.718
30	26	0.978	0.885
32	20	0.946	0.719
33	29	0.933	0.671
35	25	0.996	0.920
36	26	0.903	0.579
40	19	0.981	0.942
47	25	0.981	0.909
53	22	0.991	0.928
55	24	0.960	0.808
60	19	0.986	0.808
78	22	0.913	0.718
86	20	0.883	
87	24	0.982	0.555
			0.889
88	17	0.997	0.969
115	19	0.930	0.680
134	36	0.983	0.863
136	17	0.913	0.696
137	19	0.958	0.905
140	28	0.935	0.839
143	32	0.914	0.740
153	21	0.997	0.955
154	25	0.913	0.583
155	29	0.972	0.857
169	30	0.977	0.817
170	30	0.977	0.819
171	30	0.977	0.819
175	47	0.926	0.606
176	30_	0.968	0.872
177	22	0.957	0.791
192	43	0.930	0.678



SEQ ID NO:	Position of end of Signal in Amino Acid Sequence	MaxS (MAXIMUM SCORE)	MeanS (Mean Score)
195	19	0.956	0.860
202	21	0.982	0.871
203	24	0.957	0.870
207	23	0.954	0.905
224	46	0.955	0.568
225	26	0.942	0.654
228	45	0.942	0.839
231	28	0.994	0.937
232	28	0.993	0.896
234	19	0.979	0.942
235	19	0.979	0.941
238	20	0.987	0.943
244	23	0.929	0.683
250	34	0.884	0.565
256	33	0.934	0.584
258	25	0.934	0.729
259	22	0.969	0.871
264	19	0.952	0.753
265	17	0.975	0.914
266	17	0.975	0.914
271	23	0.974	0.884
274	13	0.971	0.834
275	18	0.980	0.934
278	32	0.958	0.668
280	24	0.966	0.881
281	24	0.966	0.881
286	23	0.928	0.718
291	35	0.991	0.824
293	27	0.956	0.806
294	23	0.952	0.827
301	26	0.932	0.885
316	20	0.978	
			0.719
320	28	0.978	0.726
327	29	0.933	0.671
331	48	0.903	0.571
345	25	0.996	0.920
349	26	0.903	0.579
351	24	0.951	0.876
352	18	0.944	0.716
353	32	0.992	0.854
354	27	0.945	0.817
355	16	0.922	0.716
356	13	0.959	0.818
357	23	0.986	0.878
358	19	0.904	0.671
359	16	0.988	0.951
360	15	0.981	0.938
361	18	0.944	0.716
362	21	0.984	0.869
363	40	0.984	0.813
364	18	0.883	0.693
365	22	0.962	0.908
366	22	0.961	0.827
367	44	0.941	0.624
368	20	0.952	0.791
369	22	0.949	0.840
370	28	0.957	0.682



EQ ID NO:	Position of end of Signal in Amino Acid Sequence	MaxS (MAXIMUM SCORE)	MeanS (Mean Score)
72	28	0.974	0.894
73	19	0.972	0.947
74	29	0.968	0.785
75	19	0.949	0.897
377	23	0.962	0.910
78	31	0.974	0.895
79	26	0.969	0.939
80	27	0.945	0.817
83	27	0.945	0.817
84	25	0.992	0.877
85	32	0.983	0.825
86	44	0.924	0.564
87`	26	0.971	0.894
88	19	0.989	0.862
89	24	0.990	0.947
90	34	0.942	0.635
91	16	0.922	0.716
94	19	0.987	0.970
98	36	0.992	0.866
04	13	0.959	0.818
17	23	0.986	0.878
21	19	0.904	0.671
25	28	0.971	0.717
31	16	0.988	0.951
52	18	0.944	0.716
59	21	0.991	0.902
68	21	0.984	0.869
78	40	0.979	0.813
86	18	0.883	0.693
99	22	0.962	0.908
01	19	0.962	0.877
14	44	0.941	0.624
529	20	0.952	0.791
33	39	0.914	0.719
48	28	0.957	0.682
61	28	0.974	0.894
62	28	0.974	0.893
64	18	0.949	0.806
76	19	0.972	0.947
84	29	0.968	0.785
85	28	0.973	0.810
91	19	0.949	0.897
92	24	0.991	0.954
94	20	0.985	0.959
95	20	0.985	0.959
12	23	0.962	0.910
19	31	0.974	0.895
21	15	0.959	0.795
33	26	0.969	0.939
40	20	0.949	0.842
45	25	0.911	0.759
84	25	0.992	0.877
91	32	0.983	0.825
98	44	0.924	0.564
00	19	0.982	0.941
10	26	0.971	0.894
14	23	0.965	0.907



SEQ ID NO:	Position of end of Signal in Amino Acid Sequence	MaxS (MAXIMUM SCORE)	MeanS (Mean Score)
718	19	0.989	0.862
725	21 .	0.976	0.851
728	33	0.961	0.895
734	25	0.963	0.660
741	34	0.942	0.635
744	19	0.959	0.924
747	16	0.922	0.716
756	26	0.973	0.864
767	22	0.986	0.943
768	27	0.916	0.758
769	19	0.987	0.970
770	22	0.981	0.933
771	34	0.993	0.893
773	20	0.968	0.939
774	21	0.971	0.945
778	22	0.986	0.943
779	32	0.973	0.846
781	23	0.950	0.857
785	27	0.916	0.758
786	27	0.916	0.758
788	22	0.981	0.933
793	22	0.986	0.803
794	39	0.892	0.654
797	27	0.965	0.847
810	22	0.981	0.933
823	34	0.993	0.893
825	17	0.962	0.778
837	20	0.968	0.939
844	25	0.984	0.951
845	17	0.919	0.706
846	21	0.971	0.945
847	21	0.971	0.945
890	22	0.986	0.943
893	24	0.971	0.865
894	24	0.971	0.865
896	32	0.973	0.846
899	31	0.982	0.817
922	15	0.882	0.706
924	21	0.975	0.948
925	21	0.927	0.661
933	20	0.967	0.906
960	20	0.967	0.906
967	38	0.970	0.784
968	47	0.970	0.557
972	36	0.945	0.775

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first a mino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
3955	A	235	1272	GPREVLAASSLADGSEEQVMAVALVRERDLSFPG VGDAVVNPTRWHLPAQPEMLYEGGEGRMETLK



SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion DKTLQELEELQNDSEAIDQLALESPEVQDLQLERE MALATNRSLAERNLEFQGPLEISRSNLSDRYQELR KLVERCQEQKAKLEKFSSALQPGTLLDLLQVEGM KIEEESEAMAEKFLEGEVPLETFLENFSSMRMLSH LRRVRVEKLQEVVRKPRASQELAGDAPPPRSPPP V/PPSPPGNTPCG*RAAAATISHASLPFALQPIPQPA CGPHCPWSPATGPFPSSVPALLLQRASGPHLPGSP AWTQGCCGLLLVPTEEHAAPPYGFPPPPGPAWPG
3956	A	821	385	Y SICADRTERVGIFFYIPAGTTDEADVTHP*EGHSYL SNHAGIQRSSRP/SHYQGE/WHDNCFTADELQLLT YQLCHTYVRCTRSVSIPAPAYYAHLVAFRARYHL VDKEHDSAEGSHVSGQSNGRDPQALAKAVQIHQ DTLRTMYFA
3957	A	4621	240	ELISTFKLLLEKKRSEVMKMKKRYEVGLEKLDSA SSQVATMQMELEALHPQLKVASKEVDEMMIMIE KESVEVAKTEKIVKADETIANEQAMASKAIKDEC DADLAGALPILESALAALDTLTAQDITVVKSMKSP PAGVKLVMEAICILKGIKADKIPDPTGSGKKIEDF WGPAKRLLGDMRFLQSLHEYDKDNIPPAYMNIIR KNYIPNPDFVPEKIRNASTAAEGLCKWVIAMDSY DKVAKIVAPKKIKLAAAEGELKIAMDGLRKKQA ALKEVQDKLARLQDTLELNKQKKADLENQVDLC SKKLERAEQLIGGLGGEKTRWSHTALELGQLYIN LTGDILISSGVVAYLGAFTSTYRQNQTKEWTTLCK GRDIPCSDDCSLMGTLGEAVTIRTWNIAGLPSDSF SIDNGIIIMNARRWPLMIDPQSQANKWIKNMEKA NSLYVIKLSEPDYVRTLENCIQFGTPVLLENVGEE LDPILEPLLLKQTFKQGGSTCIRLGDSTIEYAPDFR FYITTKLRNPHYLPETSVKVTLLNFMITPEGMQDQ LLGIVVAQERPDLEEEKQALILQGAENKRQLKEIE DKILEVLSSSEGNILEDETAIKILSSSKALANEISQK QEVAEETEKKIDTTRMGYRPIAHSSILFFSLADLA NIEPMYQYSLTWFINLFILSIENSEKSEILAKRLQIL KDHFTYSLYVNVCRSLFEKDKLLFSFCLTINLLLH ERAINKAEWRFLLTGGIGLDNPYANPCTWLPQKS WDEICRLDDLPAFKTIRREFMRLKDGWKKVYDSL EPHHEVFPEEWEDKANEFQRMLIIRCLRPDKVIPM LQEFIINRLGRAFIEPPPFDLAKAFGDSNCCAPLIFV LSPGADPMAALLKFADDQGYGGSKLSSLSLGQGQ GPIAMKMLEKAVKEGTWVVLQNCHLATSWMPT LEKVCEELSPESTHDFRMWLTSYPSNFPVSVLQ NGVKMTNEAPKGLRANIIRSYLMDPISDPEFFGSC KKPEEFKKLLYGLCFFHALVQERRKFGPLWWNIP YEFNETDLRISVQQLHMFLNQYEELPYEALRYMT GECNYGGRVTDDWDRRTLRSILNKFFNPELVENS DYKFDSSGIYFVPPSGDHKSYIEYTKTLPLTPAPEI FGMNANADITKDQSETQLLFDNILLTQSRSAGAG AKSSDEVVNEVASDILGKLPNNFDIEAAMRRYPT TYTQSMNTVLVQEMGRFNKLLKTIRDSCVNIQKA IKGLAVMSTDLEEVVSSILNVKIPEMWMGKSYPS LKPLGSYVNDFLARLKFLQWYEVGPPPVFWLSG FFFTQAFLTGAQQNYARKYTIPIDLLGFDYEVMED KEYKHPPEDGVFIHGLFLDGASWNRKIKKLAESH PKILYDTVPVMWLKPCKRADIPKRPSYVAPLYKT



Predicted end

corresponding

nucleotide

location

WO 01/57190

Method

Predicted

beginning

nucleotide

location

SEQ

NO:

ID

5

PCT/US01/04098 Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine,

		first amino acid residue of peptide sequence	to last amino acid residue of peptide sequence	R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion
				SERRGVLSTTGHSTNFVIA\MTLPSDQPKEHWIGR GVALLCOLNS
3958	A	35	529	GADMAKSKNHTTHNQSRKWHRNVIKKPLSQRYK SLKGVDPKFLGNMCFTKKHKKKGLKKMQADSA KAVSTCAKAIEALVKPKEVKPKIPKGVSCELN*LA YIAYPKFWTCACACIAKGLRLCQPKAKAQDQTK AQVQIKAQAAAPASVPTQAPKGAQAPTKASG
3959	A	1883	763	LLVLLRTNLLIASSTRISRATLTCSPPGIPVDPRVR PRVRSHLVMYLGITTGSLHKAVVSGDSSAHLVEEI QLFPDPEPVRNLQLAPTQGAVFVGFSGGVWRVPR ANCSVYESCVDCVLARDPHCAWDPESRTCCLLSA PNLNSWKQDMERGNPEWACASGPMSRSLRPQSR PQIIKEVLAVPNSILELPCPHLSALASYYWSHGPAA VPEASSTVYNGSLLLIVQDGVGGLYQCWATENGF SYPVISYWVDSQDQTLALDPELAGIPREHVKVPLT RVSGGAALAAQQSYWPHFVTVTVLFALVLSGALI ILVASPLRALRARGKVQGCETLRPGEKAPLSREQH LQSPKECRTSASDVDADNNCLGTEVA
3960	A	1	481	SYAAPSLFVKSLYWALAFMAVLLAVSGVVIVVLA SRAGARCQQCPPGWVLSEEHCYYFSAEAQAWEA SQAFCSAYHATLPLLSHTQDFLGRYPVSRHSWVG AWRGPQGWHWIDEAPLPPQLLPEDGEDNLDINCG ALEEGTLVAANCSTPRPWVCAKGTQ

TABLE 9

SEQ ID NO:	Accession Number	Species	Description	Smith Waterman Score	% Idenity
3937	Y27700	Homo sapiens	Human secreted protein encoded by gene No. 12.	193	25
3938	AF093097	Homo sapiens	putative RNA-binding protein Q99	3881	84
3939	AB012308	Anthocidaris crassispina	в2НС	4169	74
3940	U10248	Homo sapiens	ribosomal protein L29	787	95
3941	Y99418	Homo sapiens	Human PRO1317 (UNQ783) amino acid sequence SEQ ID NO:277.	4031	100
3942	AL023516	Gallus gallus	B locus C type Lectin	198	35

SEQ ID NO:	Accession No.	Description	Results*
3937	PR00049	WILM'S TUMOUR PROTEIN SIGNATURE	PR00049D 0.00 9.168e-11 209- 224
3942	BL00615	C-type lectin domain proteins.	BL00615A 16.68 6.400e-11 37- 55

^{*} Results Include in order: accession number subtype; raw score; p-value; position of signature in amino acid sequence

TABLE 11

SEQ ID NO:	PFAM Name	Description	P-Value	PFAM Score
3938	Piwi	Piwi domain	2.6e-150	512.7
3940	Ribosomal_L29e	Ribosomal L29e protein family	2.3e-19	77.8
3941	Sema	Sema domain	4e-181	615.1
3942	lectin_c	Lectin C-type domain	0.086	-7.1

5

TABLE 12

SEQ ID NO:	Position of end of Signal in Amino Acid Sequence	MaxS (Maximum Score)	Means (Mean Score)
3941	31	0.985	0.926
3942	21	0.974	0.894

TABLE 13

10

SEQ ID NO: of full length nucleotide sequence	SEQ ID NO: of full length peptide sequence	SEQ ID NO: of contig nucleotide sequence	SEQ ID NO: of contig peptide sequence	Priority Docket number corresponding SEQ ID NO: in priority application	SEQ ID NO: in USSN 09/496,914
3937	3943	3949	3955	787CIP2G_1	787_3587
3938	3944	3950	3956	787CIP2G 2	787 3813
3939	3945	3951	3957	787CIP2G 3	787 4462
3940	3946	3952	3958	787CIP2G_4	787 4887
3941	3947	3953	3959	787CIP2G_5	787 5794
3942	3948	3954	3960	787CIP2G_6	787_8743

TISSUE ORIGIN	LIBRARY/	HYSEQ LIBRARY	SEQ ID NOS:
	RNA SOURCE	NAME	
adult brain	GIBCO	ABD003	3940
adult brain	Clontech	ABR006	3940
adult brain	Invitrogen	ABR014	3940
cultured preadipocytes	Strategene	ADP001	3937
adult heart	GIBCO	AHR001	3940
adult kidney	GIBCO	AKD001	3940
adult lung	GIBCO	ALG001	3940
young liver	GIBCO	ALV001	3940
adult ovary	Invitrogen	AOV001	3938, 3940-3941
adult spleen	GIBCO	ASP001	3940-3941
testis	GIBCO	ATS001	3940
bone marrow	Clontech	BMD001	3938, 3940
bone marrow	Clontech	BMD004	3940
adult cervix	BioChain	CVX001	3940
endothelial cells	Strategene	EDT001	3940
fetal brain	Clontech	FBR006	3940
fetal brain	Invitrogen	FBT002	3940-3941
fetal heart	Invitrogen	FHR001	3940
fetal kidney	Clontech	FKD001	3940
fetal kidney	Clontech	FKD002	3940



PCT/US01/04098

TISSUE ORIGIN	LIBRARY/ RNA SOURCE	HYSEQ LIBRARY NAME	SEQ ID NOS:
fetal liver-spleen	Columbia University	FLS001	3937, 3940
fetal liver-spleen	Columbia University	FLS002	3938, 3941
fetal liver-spleen	Columbia University	FLS003	3940
fetal liver	Clontech	FLV004	3940
fetal skin	Invitrogen	FSK001	3940-3942
fetal spleen	BioChain	FSP001	3940
fetal brain	GIBCO	HFB001	3937, 3940-3941
infant brain	Columbia University	IB2002	3937, 3939, 3941
leukocyte	GIBCO	LUC001	3940-3941
leukocyte	Clontech	LUC003	3940-3941
melanoma from cell line ATCC #CRL 1424	Clontech	MEL004	3940
mammary gland	Invitrogen	MMG001	3937, 3940-3941
neuronal cells	Strategene	NTU001	3937, 3942
prostate	Clontech	PRT001	3938
rectum	Invitrogen	REC001	3940
salivary gland	Clontech	SALs03	3941
small intestine	Clontech	SIN001	3940
skeletal muscle	Clontech	SKM001	3940
spinal cord	Clontech	SPC001	3940
thymus	Clontech	THMc02	3938
thyroid gland	Clontech	THR001	3942
uterus	Clontech	UTR001	3940



WHAT IS CLAIMED IS:

- 1. An isolated polynucleotide comprising a nucleotide sequence selected from the group consisting of SEQ ID NO:1-984, 1969-2952, 3937-3942 or 3949-3954, a full length protein coding portion of SEQ ID NO:1-984, 1969-2952, 3937-3942 or 3949-3954, a mature protein coding portion of SEQ ID NO: 1-984, 1969-2952, 3937-3942 or 3949-3954, an active domain coding portion of SEQ ID NO: 1-984, 1969-2952, 3937-3942 or 3949-3954, and complementary sequences thereof.
- 2. An isolated polynucleotide encoding a polypeptide with biological activity, wherein said polynucleotide hybridizes to the polynucleotide of claim 1 under stringent hybridization conditions.
- 3. An isolated polynucleotide encoding a polypeptide with biological activity, wherein said polynucleotide has greater than about 90% sequence identity with the polynucleotide of claim 1.
- 4. The polynucleotide of claim 1 wherein said polynucleotide is DNA.
- 5. An isolated polynucleotide of claim 1 wherein said polynucleotide comprises the complementary sequences.
- 6. A vector comprising the polynucleotide of claim 1.
- 7. An expression vector comprising the polynucleotide of claim 1.
- 8. A host cell genetically engineered to comprise the polynucleotide of claim 1.
- 9. A host cell genetically engineered to comprise the polynucleotide of claim 1 operatively associated with a regulatory sequence that modulates expression of the polynucleotide in the host cell.
- 10. An isolated polypeptide, wherein the polypeptide is selected from the group consisting of:
 - (a) a polypeptide encoded by any one of the polynucleotides of claim 1; and
 - (b) a polypeptide encoded by a polynucleotide hybridizing under stringent conditions with any one of SEQ ID NO: 1-984, 1969-2952, 3937-3942 or 3949-3954.



- 11. A composition comprising the polypeptide of claim 10 and a carrier.
- 12. An antibody directed against the polypeptide of claim 10.
- 13. A method for detecting the polynucleotide of claim 1 in a sample, comprising:
- a) contacting the sample with a compound that binds to and forms a complex with the polynucleotide of claim 1 for a period sufficient to form the complex; and
- b) detecting the complex, so that if a complex is detected, the polynucleotide of claim 1 is detected.
- 14. A method for detecting the polynucleotide of claim 1 in a sample, comprising:
- a) contacting the sample under stringent hybridization conditions with nucleic acid primers that anneal to the polynucleotide of claim 1 under such conditions;
- b) amplifying a product comprising at least a portion of the polynucleotide of claim 1; and
- c) detecting said product and thereby the polynucleotide of claim 1 in the sample.
- 15. The method of claim 14, wherein the polynucleotide is an RNA molecule and the method further comprises reverse transcribing an annealed RNA molecule into a cDNA polynucleotide.
- 16. A method for detecting the polypeptide of claim 10 in a sample, comprising:
- a) contacting the sample with a compound that binds to and forms a complex with the polypeptide under conditions and for a period sufficient to form the complex; and
- b) detecting formation of the complex, so that if a complex formation is detected, the polypeptide of claim 10 is detected.
- 17. A method for identifying a compound that binds to the polypeptide of claim 10, comprising:
- a) contacting the compound with the polypeptide of claim 10 under conditions sufficient to form a polypeptide/compound complex; and
- b) detecting the complex, so that if the polypeptide/compound complex is detected, a compound that binds to the polypeptide of claim 10 is identified.



18. A method for identifying a compound that binds to the polypeptide of claim 10, comprising:

- a) contacting the compound with the polypeptide of claim 10, in a cell, under conditions sufficient to form a polypeptide/compound complex, wherein the complex drives expression of a reporter gene sequence in the cell; and
- b) detecting the complex by detecting reporter gene sequence expression, so that if the polypeptide/compound complex is detected, a compound that binds to the polypeptide of claim 10 is identified.
- 19. A method of producing the polypeptide of claim 10, comprising,
- a) culturing a host cell comprising a polynucleotide sequence selected fromm the group consisting of SEQ ID NO: 1-984, 1969-2952, 3937-3942 or 3949-3954, a mature protein coding portion of SEQ ID NO: 1-984, 1969-2952, 3937-3942 or 3949-3954, an active domain coding portion of SEQ ID NO: 1-984, 1969-2952, 3937-3942 or 3949-3954, complementary sequences thereof and a polynucleotide sequence hybridizing under stringent conditions to SEQ ID NO: 1-984, 1969-2952, 3937-3942 or 3949-3954, under conditions sufficient to express the polypeptide in said cell; and
 - b) isolating the polypeptide from the cell culture or cells of step (a).
- 20. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of any one of the polypeptides SEQ ID NO: 985-1968, 2953-3936, 3943-3948 or 3955-3960, the mature protein portion thereof, or the active domain thereof.
- 21. The polypeptide of claim 20 wherein the polypeptide is provided on a polypeptide array.
- 22. A collection of polynucleotides, wherein the collection comprising the sequence information of at least one of SEQ ID NO: 1-984, 1969-2952, 3937-3942 or 3949-3954.
- 23. The collection of claim 22, wherein the collection is provided on a nucleic acid array.
- 24. The collection of claim 23, wherein the array detects full-matches to any one of the polynucleotides in the collection.
- 25. The collection of claim 23, wherein the array detects mismatches to any one of the polynucleotides in the collection.



26. The collection of claim 22, wherein the collection is provided in a computer-readable format.

- 27. A method of treatment comprising administering to a mammalian subject in need thereof a therapeutic amount of a composition comprising a polypeptide of claim 10 or 20 and a pharmaceutically acceptable carrier.
- 28. A method of treatment comprising administering to a mammalian subject in need thereof a therapeutic amount of a composition comprising an antibody that specifically binds to a polypeptide of claim 10 or 20 and a pharmaceutically acceptable carrier.

PCT/US01/04098 WO 01/57190

SEQUENCE LISTING

<110> Hyseq, Inc. Tang, Y. Tom et al

<120> Novel Nucleic Acids and Polypeptides

<130> 21272-029

<140> Not Yet Assigned

<141> 2001-02-05

<150> Not Yet Assigned

<151> 2001-01-30

<150> 09/728,422

<151> 2000-11-30

<150> 09/693,325

<151> 2000-10-20

<150> 09/663,561

<151> 2000-09-15

<150> 09/654,936

<151> 2000-09-01

<150> 09/620,325

<151> 2000-07-19

<150> 09/598,075

<151> 2000-06-20

<150> 09/560,875

<151> 2000-04-27

<150> 09/496,914

<151> 2000-02-03

<160> 3960

<170> Custom

<210> 1

<211> 1867

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (416)..(814)

<400> 1

taccggtccg gaattcccgg gtcgacccac gcgtccggcc aaggttgcgg gtcatggagt 60 cccgaaccet cetcetgetg ttetegggag ccgtggccet gatecagace tgggcagatt 120 acaattacaa tcaaggcaga aatgatctca tttttacatt acaactctgg aaaaggcaat 180 agactgagat gcaagtgtgc ccccaagtga tgggcagaag gagagaaggt gttttggatg 240 cattctagaa cacaggtaat ctaaggagag ttgatcaagg ccgtggaaga gtcctccagc 300



cactattggc catcaaagga gtcctctgtg tcccaggaat	ggtcctgctt tggtgtccct 360
ggtgtgaccc atcacccgct gggaacagcc tgagagaagt	agggectetg cacca atg 418 Met 1
ctg ctg agg atg tca gag cac agg aac gag gcc Leu Leu Arg Met Ser Glu His Arg Asn Glu Ala 5	
gaa atg cga ctg aaa tct tcc ttc ctg agg ggt Glu Met Arg Leu Lys Ser Ser Phe Leu Arg Gly 20 25	
tca aac cet etc agg ttg ggt gge tgg acg att Ser Asn Pro Leu Arg Leu Gly Gly Trp Thr Ile 35 40	
atg gga caa ggg gaa cca gga ggc ccc caa ggg Met Gly Gln Gly Glu Pro Gly Gly Pro Gln Gly 50 55	Asp Pro Trp Val Pro
cac gaa ctc ctc cta ccc tca ttg tgt gac ago His Glu Leu Leu Pro Ser Leu Cys Asp Ser 70 75	-
tgg gga tca gga tct att acc tgt gcc tgg aga Trp Gly Ser Gly Ser Ile Thr Cys Ala Trp Arg 85 90	
tct cac ccg ctg gtc tct gga cac ata ctg tcc Ser His Pro Leu Val Ser Gly His Ile Leu Ser 100	
gct gta atg tgt agt tca atg ggc act cat ttg Ala Val Met Cys Ser Ser Met Gly Thr His Leu 115	
acc ctc ctt tag aat ccaggacctt ctaccctgca g Thr Leu Leu * 130	agtgtggtt ttgggagaga 857
agtgcaaaat cccacgacag gtgagttgaa ggaatgggat	atggagccac atccacttcc 917
acceptiggt atotggacee acgtgttett cetactgaga	ttacagaact gtagagatgt 977
ctttgatttt taaaatgcac catgtcctga aagatggcac	cctcccaccc gcagagtgct 1037
tcctgcaagc tggcgttgag ctgtgcctat agaagctctt	ttcaacattc tttatggcca 1097
gcagcccttg gttggtgcag atggtgatag gaccagtggg	teccacagea tggecacaet 1157
gcacctcctt cgctgtcaag tgggtccccc acgaagatac	
gcctgtggat caggaatatc aacagccccc agagagtggt	·
caggacagga aaacccacct atggaatagg tgcctatccc	
ccttccagga tggaaggagt gcaatgtagt caactcctca	
ctaaagaaat agagccctac cagggaagat cattgggttc	- -
tttagaggtg gcagtgtctg gatctacctt ggtaggaggg	agtcagtact gttggaccca 1517



	taggtagcct	catccctgcc	actgtgtttg	ctccatttat	gtacccatcc	tacccggcct	1577
•	gggctgaccc	atggggaagg	ctggctaatt	tcagtgcttc	tgcttggttg	ttcagggcca	1637
	tttcaggttt	gggtgtttc	tggggatgtt	aacatgggat	tcaggctcaa	ctcacaagaa	1697
,	acttttccat	ctcatgatgg	gatgctgttg	ggcatgtcca	atgtatgact	tcatgagtta	1757
	cacaggtgct	aattcgtagg	ggcacttggg	atcacatggg	tgttttttgt	ccatggtcaa	1817
•	gcatctatct	tatcagggct	acagtaacat	gcaaaagtgc	ttccacattt		1867

<210> 2 <211> 2586 <212> DNA <213> Homo sapiens <220> <221> CDS <222> (1)..(2553) <400> 2 aaa gca ata agg atg ttt aag tgc tgg tca gtt gtc ttg gtt ctc gga 48 Lys Ala Ile Arg Met Phe Lys Cys Trp Ser Val Val Leu Val Leu Gly ttc att ttt ctg gag tcg gaa gga agg cca acc aaa gaa gga gga tat 96 Phe Ile Phe Leu Glu Ser Glu Gly Arg Pro Thr Lys Glu Gly Gly Tyr ggc ctt aaa tcc tat cag cct cta atg aga ttg cga cat aag cag gaa 144 Gly Leu Lys Ser Tyr Gln Pro Leu Met Arg Leu Arg His Lys Gln Glu 40 aaa aat caa gaa agt tca aga gtc aaa gga ttt atg att cag gat ggc 192 Lys Asn Gln Glu Ser Ser Arg Val Lys Gly Phe Met Ile Gln Asp Gly cct ttg gga tct tgt gaa aat aag tac tgt ggt ttg gga aga cac tgt 240 Pro Leu Gly Ser Cys Glu Asn Lys Tyr Cys Gly Leu Gly Arg His Cys 70 gtt gcc agc aga gag aca ggg caa gca gaa tgt gcc tgt atg gac ctt 288 Val Ala Ser Arg Glu Thr Gly Gln Ala Glu Cys Ala Cys Met Asp Leu tgc aaa cgt cac tac aga cct gtg tgt gga tct gac gga gaa ttc tat 336 Cys Lys Arg His Tyr Arg Pro Val Cys Gly Ser Asp Gly Glu Phe Tyr 100 105 gaa aac cac tgt gaa gtg cac aga gct gct tgc ctg aaa aaa caa aag 384 Glu Asn His Cys Glu Val His Arg Ala Ala Cys Leu Lys Lys Gln Lys att acc att gtt cac aat gaa gac tgc ttc ttt aaa gga gat aag tgc 432 Ile Thr Ile Val His Asn Glu Asp Cys Phe Phe Lys Gly Asp Lys Cys aag act act gaa tac agc aag atg aaa aat atg cta tta gat tta caa 480 Lys Thr Thr Glu Tyr Ser Lys Met Lys Asn Met Leu Leu Asp Leu Gln



145					150			•		155					160	
					atg Met											528
					cta Leu											576
gca Ala	gac Asp	agt Ser 195	aat Asn	gga Gly	ctt Leu	gta Val	gat Asp 200	att Ile	aat Asn	gaa Glu	cta Leu	act Thr 205	cag Gln	gtg Val	ata Ile	624
					ggc Gly											672
					gat Asp 230											72 <u>,</u> 0
					ttc Phe											768
					act Thr											816
					gga Gly											864
					aat Asn											912
					ttg Leu 310											960
_					tat Tyr	_	_			_		_		_		1008
					aat Asn											1056
					cct Pro											1104
gag Glu	ggc Gly 370	ata Ile	cca Pro	aag Lys	cct Pro	cag Gln 375	ctt Leu	Gly	tgg Trp	ttg Leu	aag Lys 380	aat Asn	gga Gly	att Ile	gat Asp	1152
					tcc Ser 390											1200
					aat Asn											1248



405 410 415 tgt atc gca aag aat gaa gca gga gtg tat gaa gac atc tct tct ctt 1296 Cys Ile Ala Lys Asn Glu Ala Gly Val Tyr Glu Asp Ile Ser Ser Leu 420 425 ttt gtg gaa gac tct gct aga aag acc cta gct aac ata tta tgg aga 1344 Phe Val Glu Asp Ser Ala Arg Lys Thr Leu Ala Asn Ile Leu Trp Arg 435 gaa gaa ggt ctg gga att ggg aac atg ttc tat gtt ttt tat gaa gat 1392 Glu Glu Gly Leu Gly Ile Gly Asn Met Phe Tyr Val Phe Tyr Glu Asp 450 gga atc aaa gtg ata caa ccc ata gaa tgt gaa ttt cag agg cac att 1440 Gly Ile Lys Val Ile Gln Pro Ile Glu Cys Glu Phe Gln Arg His Ile 465 470 aag oot agt gaa aag oto ott gga tit oag gat gaa gto tgt ooc aaa 1488 Lys Pro Ser Glu Lys Leu Leu Gly Phe Gln Asp Glu Val Cys Pro Lys 485 490 get gag gga gat gaa gtt cag agg tgt gtg tgg gca tea get gtt aat 1536 Ala Glu Gly Asp Glu Val Gln Arg Cys Val Trp Ala Ser Ala Val Asn 500 505 gtc aaa gac aag ttc att tat gtt gca cag cca act ttg gac aga gtc 1584 Val Lys Asp Lys Phe Ile Tyr Val Ala Gln Pro Thr Leu Asp Arg Val 520 ctt att gtt gat gtg cag tcc caa aaa gtt gtt cag gca gtg agc aca 1632 Leu Ile Val Asp Val Gln Ser Gln Lys Val Val Gln Ala Val Ser Thr 530 535 gac cct gtc cca gtt aaa tta cac tat gac aaa tca cat gat cag gtc 1680 Asp Pro Val Pro Val Lys Leu His Tyr Asp Lys Ser His Asp Gln Val 550 tgg gtg cta agc tgg ggt acc ttg gag aag aca tca cca aca cta cag 1728 Trp Val Leu Ser Trp Gly Thr Leu Glu Lys Thr Ser Pro Thr Leu Gln 570 gta att acc ctg gcc agt ggg aat gtg cct cac cac acg atc cac acc 1776 Val Ile Thr Leu Ala Ser Gly Asn Val Pro His His Thr Ile His Thr caa cca gtg gga aag caa ttt gac aga gtg gat gat ttt ttc att ccc 1824 Gln Pro Val Gly Lys Gln Phe Asp Arg Val Asp Asp Phe Phe Ile Pro 600 acc aca aca ctc att atc acc cat atg agg ttt gga ttt att ctt cat 1872 Thr Thr Leu Ile Ile Thr His Met Arg Phe Gly Phe Ile Leu His aaa gat gaa gct gca cta caa aaa att gat ctt gaa acc atg tca tac 1920 Lys Asp Glu Ala Ala Leu Gln Lys Ile Asp Leu Glu Thr Met Ser Tyr 630 635 atc aag aca att aac ttg aag gac tat aag tgc gtt cct cag tca ttg 1968 Ile Lys Thr Ile Asn Leu Lys Asp Tyr Lys Cys Val Pro Gln Ser Leu 645 gca tat aca cac ttg gga ggc tac tac ttc att ggc tgc aaa cct gac 2016 Ala Tyr Thr His Leu Gly Gly Tyr Tyr Phe Ile Gly Cys Lys Pro Asp



	660	665		670	
			atg gtg gac ggt Met Val Asp Gly 685		064
	Gly Phe Asn		acg ggc act cca Thr Gly Thr Pro 700		112
		-	aat gat gtg aaa Asn Asp Val Lys 715		160
			gaa ata cag gag Glu Ile Gln Glu 730		208
	•	_	ctg gca ttt caa Leu Ala Phe Gln		256
			ggt agt tca agc Gly Ser Ser Ser 765		304
	Phe Val Glu		ggg aag gtc aag Gly Lys Val Lys 780	_	352
			gaa tgg cct tgg Glu Trp Pro Trp 795		400
			ttt ggt caa tac Phe Gly Gln Tyr 810		448
-	_		gat gga cga ctc Asp Gly Arg Leu		496
	Ile Thr Glu		gga aat aca gtc Gly Asn Thr Val 845		544
gga gat gcc Gly Asp Ala 850	taaaaaccct a	gggtacaat ta	attgaatga agg	2.	586

<210> 3
<211> 2856
<212> DNA
<213> Homo sapiens

<220>
<221> CDS
<222> (182)..(2593)

<400> 3

WO 01/57190 PCT/US01/04099	8
aaattggtat agcagtaccc agctggctag cgtttaaact taagcttggt accgagctcg	60
gatecactag tecagtgtgg tggaatteeg eggetggagg tgtgaggate egaaceeagg 12	20
ggtggggggt ggaggegget cetgegateg aaggggaett gagaeteace ggeegeaege 18	80
c atg agg gcc ctg tgg gtg ctg ggc ctc tgc tgc gtc ctg ctg	26
ttc ggg tcg gtc aga gct gac gat gaa gtt gat gtg gat ggt aca gta Phe Gly Ser Val Arg Ala Asp Asp Glu Val Asp Val Asp Gly Thr Val 20 25 30	74
gaa gag gat ctg ggt aaa agt aga gaa gga tca agg acg gat gat gaa 32 Glu Glu Asp Leu Gly Lys Ser Arg Glu Gly Ser Arg Thr Asp Asp Glu 35 40 45	22
gta gta cag aga gag gaa gaa gct att cag ttg gat gga tta aat gca Val Val Gln Arg Glu Glu Glu Ala Ile Gln Leu Asp Gly Leu Asn Ala 50 55 60	7 0
tca caa ata aga gaa ctt aga gag aag tcg gaa aag ttt gcc ttc caa Ser Gln Ile Arg Glu Leu Arg Glu Lys Ser Glu Lys Phe Ala Phe Gln 65 70 75	18
gcc gaa gtt aac aga atg atg aaa ctt atc atc aat tca ttg tat aaa Ala Glu Val Asn Arg Met Met Lys Leu Ile Ile Asn Ser Leu Tyr Lys 80 85 90 95	66
aat aaa gag att ttc ctg aga gaa ctg att tca aat gct tct gat gct Asn Lys Glu Ile Phe Leu Arg Glu Leu Ile Ser Asn Ala Ser Asp Ala 100 105 110	14
tta gat aag ata agg cta ata tca ctg act gat gaa aat gct ctt tct Leu Asp Lys Ile Arg Leu Ile Ser Leu Thr Asp Glu Asn Ala Leu Ser 115 120 125	62
gga aat gag gaa cta aca gtc aaa att aag tgt gat aag gag aag aac 61 Gly Asn Glu Glu Leu Thr Val Lys Ile Lys Cys Asp Lys Glu Lys Asn 130 135 140	10
ctg ctg cat gtc aca gac acc ggt gta gga atg acc aga gaa gag ttg Leu Leu His Val Thr Asp Thr Gly Val Gly Met Thr Arg Glu Glu Leu 145 150 155	58
gtt aaa aac ctt ggt acc ata gcc aaa tct ggg aca agc gag ttt tta Val Lys Asn Leu Gly Thr Ile Ala Lys Ser Gly Thr Ser Glu Phe Leu 160 170 175	06
aac aaa atg act gaa gca cag gaa gat ggc cag tca act tct gaa ttg Asn Lys Met Thr Glu Ala Gln Glu Asp Gly Gln Ser Thr Ser Glu Leu 180 185 190	54
att ggc cag ttt ggt gtc ggt ttc tat tcc gcc ttc ctt gta gca gat Ile Gly Gln Phe Gly Val Gly Phe Tyr Ser Ala Phe Leu Val Ala Asp 195 200 205	02
aag gtt att gtc act tca aaa cac aac aac gat acc cag cac atc tgg Lys Val Ile Val Thr Ser Lys His Asn Asn Asp Thr Gln His Ile Trp 210 215 220	50
gag tot gac toc aat gaa tit tot gta att got gac ooa aga gga aac 89 Glu Ser Asp Ser Asn Glu Phe Ser Val Ile Ala Asp Pro Arg Gly Asn	98



225 230 235 act cta gga cgg gga acg aca att acc ctt gtc tta aaa gaa gaa qca 946 Thr Leu Gly Arg Gly Thr Thr Ile Thr Leu Val Leu Lys Glu Glu Ala 245 240 250 tet gat tac ett gaa ttg gat aca att aaa aat ete gte aaa aaa tat 994 Ser Asp Tyr Leu Glu Leu Asp Thr Ile Lys Asn Leu Val Lys Lys Tyr 260 265 tca cag ttc ata aac ttt cct att tat gta tgg agc agc aag act gaa 1042 Ser Gln Phe Ile Asn Phe Pro Ile Tyr Val Trp Ser Ser Lys Thr Glu 275 280 act gtt gag gag ccc atg gag gaa gaa gaa gca gcc aaa gaa gag aaa 1090 Thr Val Glu Glu Pro Met Glu Glu Glu Glu Ala Ala Lys Glu Glu Lys 290 295 gaa gaa tot gat gat gaa got goa gta gag gaa gaa gaa gaa aag 1138 Glu Glu Ser Asp Asp Glu Ala Ala Val Glu Glu Glu Glu Glu Lys 305 aaa cca aag act aaa aaa gtt gaa aaa act gtc tgg gac tgg gaa ctt 1186 Lys Pro Lys Thr Lys Lys Val Glu Lys Thr Val Trp Asp Trp Glu Leu 320 325 330 atg aat gat atc aaa cca ata tgg cag aga cca tca aaa gaa gta gaa 1234 Met Asn Asp Ile Lys Pro Ile Trp Gln Arg Pro Ser Lys Glu Val Glu 340 345 gaa gat gaa tac aaa gct ttc tac aaa tca ttt tca aag gaa agt gat 1282 Glu Asp Glu Tyr Lys Ala Phe Tyr Lys Ser Phe Ser Lys Glu Ser Asp 360 355 gac ccc atg gct tat att cac ttt act gct gaa ggg gaa gtt acc ttc 1330 Asp Pro Met Ala Tyr Ile His Phe Thr Ala Glu Gly Glu Val Thr Phe 370 aaa tca att tta ttt gta ccc aca tct gct cca cgt ggt ctg ttt gac 1378 Lys Ser Ile Leu Phe Val Pro Thr Ser Ala Pro Arg Gly Leu Phe Asp 390 gaa tat gga tot aaa aag ago gat tac att aag oto tat gtg ogo ogt 1426 Glu Tyr Gly Ser Lys Lys Ser Asp Tyr Ile Lys Leu Tyr Val Arg Arg 405 gta ttc atc aca gac gac ttc cat gat atg atg cct aaa tac ctc aat 1474 Val Phe Ile Thr Asp Asp Phe His Asp Met Met Pro Lys Tyr Leu Asn 425 ttt gtc aag ggt gtg gtg gac tca gat gat ctc ccc ttg aat gtt tcc 1522 Phe Val Lys Gly Val Val Asp Ser Asp Asp Leu Pro Leu Asn Val Ser 440 cgc gag act ctt cag caa cat aaa ctg ctt aag gtg att agg aag aag 1570 Arg Glu Thr Leu Gln Gln His Lys Leu Leu Lys Val Ile Arg Lys Lys 455 ctt gtt cgt aaa acg ctg gac atg atc aag aag att get gat gat aaa 1618 Leu Val Arg Lys Thr Leu Asp Met Ile Lys Lys Ile Ala Asp Asp Lys 470 tac aat gat act ttt tgg aaa gaa ttt ggt acc aac atc aag ctt ggt 1666

Tyr Asn Asp Thr Phe Trp Lys Glu Phe Gly Thr Asn Ile Lys Leu Gly



WC	01/5	7190					•							P	CT/US	01/04098
480					485					490					495	
											gct Ala					1714
	-							_			agc Ser		_	_		1762
	_	_	_	_	_			_			tac Tyr		_	_		1810
	_	_			_	-					gtt Val 555		_		_	1858
	_			_	_					_	cct Pro		-	-		1906
-		_	_			_		_		_	agg Arg		_			1954
_	_	_			_		_	-	_	-	aaa Lys		-	_	_	2002
											ctg Leu					2050
Asp	Lys 625	Ala	Leu	Гàз	Asp	Lys 630	Ile	Glu	Lys	Ala	gtg Val 635	Val	Ser	Gln	Arg	2098
											cag Gln					2146
											tac Tyr					2194
											aaa Lys					2242
											cga Arg					2290
											gtg Val 715					2338
	_	_									gac Asp			_		2386
	_	_		_	-	_		_		-	ttg Leu			_		2434





	740	745	750
	Glu Glu Glu Pro (gaa gaa gaa cct gaa g Glu Glu Glu Pro Glu (760	
		caa gac gaa gat gaa g Gln Asp Glu Asp Glu (780	-
		aca gca aag gaa tct (Thr Ala Lys Glu Ser (795	
aaa gat gaa ttg Lys Asp Glu Leu 800		accatttgg atcctgtgtg	gagagggaat 2633
gtgaaattta catca	tttct ttttgggaga	gacttgtttt ggatgccc	cc taatcccctt 2693
ctcccctgca ctgta	aaatg tgggattatg	ggtcacagga aaaagtgg	gt tttttagttg 2753
aattttttt aacat	tcctc atgaatgtaa	atttgtacta tttaactg	ac tattcttgat 2813
gtaaaatctt gtcat	gtgta taaaaataaa	aaagatccca aat	2856

<210> 4 <211> 415 <212> DNA <213> Homo sapiens <220> <221> CDS <222> (1)..(249) ttg cgg aat tcg gca cga ggc cga cta caa cag att gga gcc atg gct 48 Leu Arg Asn Ser Ala Arg Gly Arg Leu Gln Gln Ile Gly Ala Met Ala ttg gaa cag aac cag tca aca gat tat tat tat gag gaa aat gaa atg 96 Leu Glu Gln Asn Gln Ser Thr Asp Tyr Tyr Tyr Glu Glu Asn Glu Met 20 aat ggc act tat gac tac agt caa tat gaa ctg atc tgt atc aaa gaa 144 Asn Gly Thr Tyr Asp Tyr Ser Gln Tyr Glu Leu Ile Cys Ile Lys Glu 35 gat gtc aga gaa ttt gca aaa gtt ttc ctc cct gta ttc ctc aca ata 192 Asp Val Arg Glu Phe Ala Lys Val Phe Leu Pro Val Phe Leu Thr Ile 50 55 gtt ttc gtc att gga ctt gca ggc aat tcc atg gta gtg gca att tat 240 Val Phe Val Ile Gly Leu Ala Gly Asn Ser Met Val Val Ala Ile Tyr 70 75 80

1

65

Ala Lys His

296

356

gcc aaa cat taaaata tctcgacccc taaaagttct gctcacagtc gttatagttt

teattgteac teaactgeet tataacattg teaagttetg cegagecata gacateatet



actecetgat caccagetge aacatgagea aacgeatgga categeeate caagteaca 415

<211> 3190 <212> DNA <213> Homo sapiens <220> <221> CDS <222> (653)..(1072)

<400> 5

tccttgaccg gtccggaatt cccgggtcga cgatttcgtg gcggtagctg ctttccccac 60 aaacccaaac tacatcccca aggtcagggc caggctctgt tgagtaatgc tccccatcac 120 agcacgcagc acaaggctgg ctgtttgaca aatacacaca taaccaaaag acatgtgaat 180 qtqqtttccc aactcacttt aaacaaatat tccgggacca acttcaagga cqttctacaa 240 cagaaactgg actgtactct tcacaaacat caatgtcatg aaagacagaa aggctgagga 300 cctgctccaa acgaaaggag gctgcagaga ggacaactaa aggcagcgct tgatcctgga 360 ttggatcctg gaccagaaaa acaacggctt tcaaaatcat tattgggaca gttggcaaat 420 ttgaaacagg aactacaaat tagcaactcc tgggctgatc agagaatatt acacatttcc 480 tgaatttgag aactgtacca tgggcatgtg agaggctgtc cctgttcttg ggaaatgttc 540 actaaaacat cttacggata aacgagcatg atgtatacaa ataatcctca aatggttcat 600 ggttcagaga ggataggaag aaacaggggt gagggagaag aggagggaac ga atg 655 Met aaa gag aaa atg tgg caa aat gtt ctt tgt tgt acc ctt caa act gct 703 Lys Glu Lys Met Trp Gln Asn Val Leu Cys Cys Thr Leu Gln Thr Ala gtg att ttg aaa tta ttt caa aat aaa gtt tta aat att tta aaa aat 751 Val Ile Leu Lys Leu Phe Gln Asn Lys Val Leu Asn Ile Leu Lys Asn 25 ttt ttt ctt tct ccc ctt gat acc agg aag aat aaa gtt ttt aaa aaa 799 Phe Phe Leu Ser Pro Leu Asp Thr Arg Lys Asn Lys Val Phe Lys Lys tgg gca ggt ggg cca ggc gcg gtg gct cac gcc tgt aat ccc agc act 847 Trp Ala Gly Gly Pro Gly Ala Val Ala His Ala Cys Asn Pro Ser Thr ttg gga ggc cga ggc ggg cgg atc aca aag tca gga gat cga gac cat 895 Leu Gly Gly Arg Gly Gly Arg Ile Thr Lys Ser Gly Asp Arg Asp His cct ggc caa cac ggt gaa acc cgg tct cta cta aaa gta caa aaa att 943 Pro Gly Gln His Gly Glu Thr Arg Ser Leu Leu Lys Val Gln Lys Ile

WO 01/57190	PCT/US01/04098
agc cag gtg tgg tgg cag atg act gta ggc cas Ser Gln Val Trp Trp Gln Met Thr Val Gly Gln 100	
gag gca gga gaa tgg tgc gaa ccc ggg gag ggc Glu Ala Gly Glu Trp Cys Glu Pro Gly Glu Gly 115	
cca aga tca ccc act gca ctc cag act ggg taa Pro Arg Ser Pro Thr Ala Leu Gln Thr Gly * 130 135 140	
caaaaaaaat aataagttac atttaaatgt catatacata	tttaagaaaa aaaaaaccaa 1150
gtacttctca tttaagacag agtagaaatt atttaaaatt	aggagttggt gtaaaggatg 1210
agctacatat tcaagtcaaa ttatagtaag tattcactat	tccactacca aagtaggtca 1270
attatactaa agagaagaaa tctatgtgaa ttgaggcatt	ttctcacttt gatatatgtg 1330
aataaatttc aggttgtcta aattcctagg gttatatagt	tagaaatata taattotott 1390
atagacaggt caactagggg aaataagtta gcacaatcat	ttgaattggt tgtctacata 1450
ctgggcaggg cttattcctt ttctttagct tctttgcaca	tgtaaagcag gccataagat 1510
gtcctgtttt gccatggaca atgcaaccat ttttaggtcg	accttgacaa atcacacaag 1570
gttcaatggc attaaggggc aaactagatt ccacactete	ttetttgtet tgggtttett 1630
ccctttcaaa ctctttcaca tcttcttggc tgctataaat	aatgctacta gaagttgatg 1690
gctgagaata gtcttcactt tcttgtgatt gtgaagcttg	tgtaatttta tcatcatttt 1750
cctcaacaca tgactctctg gaatcattca ctatagtttt	tttacaatca ggaacatcaa 1810
agccctcttc agcttgtgtt gagttttcca gtttggcttt	ctcagagatt tcccctttat 1870
ctttcccttt atcttcagga agccaattct cacgaagggo	ccaacatctg ttgcaatgtg 1930
atggaagggg gggattcatt tcattgcatg aagtgcattt	ccaatagtca gctaaggaaa 1990
tttcaggatc ttcttcaaat gaatctgtat cactctcccc	tgcctgatac acagtaactt 2050
gatatacete ateatettea tetgagagtt ettgteette	ttcactaagg ctataatctt 2110
ctgagtcgag agattcaact tcaaattcta cactaaactg	atctgaaact gaatcctgat 2170
ccaaccaatc acctgaatgt tcacttacac cagcatcaag	atceggatte gatggegtee 2230
ctgtagattc actgctactg cttctttcac aacatatctc	ccttattaca cacagageca 2290
ggctttcatc aaaggaaagg gaaatactat cagatttgtg	gegttttett tgtegtteae 2350
cagataattc atctgaattt tcttctgtct cactaattgc	totoottota gatgaggtag 2410
atggtctaga aaccaaatgt gaagatgaag gtttctcttc	ctgaagetet tgtacaaggt 2470
ccttttgatc actcccacct tcaaggtgac acctgttctc	actcacagat gtacctgagt 2530

2590

2650

ccgatgattc ctgctgattg actactacca agttcctgta gatcatggta tatattttcc

tgtgctcttt cacagagaag cttggcacgc caaacaaatc tcctagaaga tcatttgaac

WO 01/57190					PCT/US01/0	4098
aatatacaat	atgttgttgc	ttctcatcat	ataatcgttt	agtcataata	tactggccaa	2710
gataaaaaag	aacctctttc	atagtataag	tgtctttttg	tgcaccaaca	gactttaata	2770
acttcaaaag	caatggcttt	ggtctaacca	gggtctcttg	ttccgaagct	ggaatctgtg	2830
aggtggttac	agcaccatca	gtaggtacag	acatgttggt	attgcacatt	tgcctgctcc	2890
tcaccatccg	gggttttcgc	gcttggagtc	gggggtccct	caagactccc	cagtttcctt	2950
cacggggact	gactactgcg	gaagcacgac	gccctgggcc	tcggggatca	ttccactctc	3010

cgggccaggg cactgggcgc tcgtacgcac taatccgggg agggacggtg ctcctggctg

cgaaagcagc aggatetegg teagaggggt egeggeegee cetegggete ggettettge

tocatottte egacacacag ggccacacag gccccagaag cagccaaget egegeggtge

3070

3130

3190.

<210> 6
<211> 1343
<212> DNA
<213> Homo sapiens
<220>
<221> CDS

<222> (291)..(1109)

<400> 6 geggeegeee eggeggetee tggaaceeeg gttegeggeg atgceageea eeceagegaa gccgccgcag ttcagtgctt ggataatttg aaagtacaat agttggtttc cctgtccacc 120 egececaett egettgecat caeageaege etateggatg tgagaggaga agtecegetg 180 ctcgggcact gtctatatac gcctaacacc tacatatatt ttaaaaaacat taaatataat 240 taacaatcaa aagaaagagg agaaaggaag ggaagcatta ctgggttact atg cac 296 Met His 1 ttg cga ctg att tct tgg ctt ttt atc att ttg aac ttt atg gaa tac 344 Leu Arg Leu Ile Ser Trp Leu Phe Ile Ile Leu Asn Phe Met Glu Tyr ate gge age caa aac gee tee egg gga agg ege cag ega aga atg cat 392 Ile Gly Ser Gln Asn Ala Ser Arg Gly Arg Arg Gln Arg Arg Met His 20 cct aac gtt agt caa ggc tgc caa gga ggc tgt gca aca tgc tca gat 440 Pro Asn Val Ser Gln Gly Cys Gln Gly Gly Cys Ala Thr Cys Ser Asp 35 tac aat gga tgt ttg tca tgt aag ccc aga cta ttt ttt gct ctg gaa 488 Tyr Asn Gly Cys Leu Ser Cys Lys Pro Arg Leu Phe Phe Ala Leu Glu 55 aga att ggc atg aag cag att gga gta tgt ctc tct tca tgt cca agt Arg Ile Gly Met Lys Gln Ile Gly Val Cys Leu Ser Ser Cys Pro Ser 70 75 gga tat tat gga act cga tat cca gat ata aat aag tgt aca aaa tgc 584

w	01/5	7190												F	CT/US0	1/04098
Gly	Tyr	Tyr 85	Gly	Thr	Arg	Tyr	Pro 90	Asp	Ile	Asn	Lys	Сув 95	Thr	Lys	Cys	
	_	_	_	-	acc Thr	_						_			_	632
					tta Leu 120											680
_		_	_	_	aac Asn				_		_	_	_			728
	_		-	_	gaa Glu					_		_	_	_	_	776
					ttc Phe											824
		_			tca Ser	_	_				_					872
				-	aca Thr 200	_			_	_	_	_	-		_	920
_					agg Arg				_							968
					ata Ile											1016
_					cga Arg	Glu		Lys		_	_	-	_	_		1064
_		_		_	aaa Lys	_	_		_	_		-		_	agg	1112
gtt	ccato	gag a	attat	tgta	ag a	ctcat	gate	gcts	gctat	ctc	aaco	cagat	gc (ccagg	gacagg	1172
tgc	tctag	gcc a	attag	ggaco	ca ca	aaatg	ggaca	a tgt	cagt	tat	tgct	ctgt	ct a	aaaca	acatt	1232
CCC	agtag	gtt g	gctat	tatto	et to	catao	caago	c ata	gtta	aca	acaa	agag	jec a	aaaq	gatcaa	1292

<210> 7

<211> 973

<212> DNA

<213> Homo sapiens

<220>

1343

agaagggata ctttcagatg gttgtcttgt gtgcttctct gcatttttaa a



PCT/US01/04098

<221> CDS <222> (1)..(795)

WO 01/57190

atg gat		c atc tca r Ile Sea 5		_		r Glı	_	_			e Asn	48
		act ctt Thr Leu	_	_	_		_	_		_		96
		gtt tcc Val Ser		Gly								144
		ggc tgc Gly Cys										192
	_	gcc gca Ala Ala 70						_		_		240
	_	tta agc Leu Ser 85		_								288
		gtg atg Val Met	-				_	Gly	_	_	_	336
Leu Ser	Thr Ile	agc acc Ser Thr	Glu His	a Arg	Leu	Ser.	Val	Leu 125	Trp	Pro	Ile	384
Trp Tyr 130	Cys Cys	cac tgc His Cys	Pro Th	His	Leu	Ser	Ala 140	Val	Met	Cys	Val	432
Leu Leu 145	Trp Ala	ctg tcc Leu Ser 150	Leu Lei	i Gln	Ser	Ile 155	Leu	Glu	Trp	Met	Phe 160	480
Cys Ser	Phe Leu	ttt agt Phe Ser 165	Asp Val	Asp	Ser 170	Asp	Asn	Trp	Cys	Gln 175	Ile	528
Leu Asp	Phe Leu 180	aca gtc Thr Val	Ala Tr	185	Ile	Phe	Leu	Ile	Сув 190	Gly	Ser	576
Leu Trp	Val His 195	cct ggt Pro Gly	Pro Ala 200	Asp	Gln	Asp	His	Met 205	Trp	Ile	Pro	624
Glu Asp 210	Thr Ala	gac cag Asp Gln	Ala Val 215	. Cys	Ąsp	His	Pro 220	Āla	His	Arg	Ala	672
		ctg tgg Leu Trp 230	_		_			_				720

WO 01/57190 PCT/US01/04	1098
ata ctg gat cca cgt gga cag gga agt ctt att ttg tca tgt tca tct Ile Leu Asp Pro Arg Gly Gln Gly Ser Leu Ile Leu Ser Cys Ser Ser 245 250 255	768
agt ttc tat ttt cct gtc cgc tct taa cagca gtgccaaccc catcatttac Ser Phe Tyr Phe Pro Val Arg Ser * 260 265	820
ttettegtgg geteetttag geagegteaa aataggeaga acetgaaget ggtteteeag	880
agggctctgc aggacgcgtc tgaggtggat gaaggtggag ggcagcttcc tgaggaaatc	940
ctggagctgt cgggaagcag attggagcag tga	973
<211> 639 <212> DNA	•
<213> Homo sapiens	
<220> <221> CDS <222> (217)(453)	
<400> 8 atttggccct cgaggccaag aattcggcac gaggcgcttt tgcaaagccg cggaggtgaa	60
gtgaacttag aggttgtggg gccgaggggt cgtcttatag ctaccagccc acaggcattt	120
agtctacgtt ggaggtaaac aaatacgggt cctgcttagg agaaaagaaa	180
agccagtgtc taaactccaa acaacggaat gtatca atg aga cct tgt ata tgg Met Arg Pro Cys Ile Trp 1 5	234
ata cac gtg cat tta aaa ccg ccc tgc cgg ctt gta gag ctt ttg ccg Ile His Val His Leu Lys Pro Pro Cys Arg Leu Val Glu Leu Leu Pro 10 15 20	282
ttc tcc agc gct tta cag ggg tta tcg cac tta agc ctc gga aca act Phe Ser Ser Ala Leu Gln Gly Leu Ser His Leu Ser Leu Gly Thr Thr 25 30 35	330
tta cca gtg att cta cca gaa agg aat gaa gaa cag aac ctt cag gaa Leu Pro Val Ile Leu Pro Glu Arg Asn Glu Glu Gln Asn Leu Gln Glu 40 45 50	378
ttg agt cac aat gca gac aaa tat caa atg gga gat tgt tgc aag gaa Leu Ser His Asn Ala Asp Lys Tyr Gln Met Gly Asp Cys Cys Lys Glu 55 60 65 70	426
gag att gat gat agt att ttc tac tag ccatt gggaagataa aaggagacag Glu Ile Asp Asp Ser Ile Phe Tyr * 75	478
aagattgaag cetttgecag ecattettte eetttttget teeaaactee teaactggga	538
accttcatat gtgcagtatt tatattggat catactggtg attataaaag ttcctaggag	598
gctagaagag ccaaccaaca gagaagggaa agcagtctgt t	639

<210> <211> <212> <213>	3522					
<220> <221> <222>	CDS (416)(2353)				
<222>	misc_feature (1)(3522) n = a,t,c or	g				
<400> ccgagccgag	9 cgccgaggac c	gtgctaccc ca	ggcccggg	ctcgcccagc	gcaggeteet	60
ctctggcagc	ageggeggeg e	ggngacccc ng	tecetegg	cctccnnttc	ccateceace	120
tecegageet	teetetteee g	cagcacgcc cg	gcccggcc	cggccgtggc	cctcctcagt	180
gacggacgaè	atggcagagg c	gtccggcgc gg	ggaaaatc	tagcccgggg	atttcatgcg	240
gcctagctcg	gttccgcctc c	teetegege gg	rcccagcg	getgecegea	cccagcccc	300
actccgggcc	teegtgtete t	cctgtgatc go	actgacac	ggccgggggg	ttagaatgga	360
acaaactgaa	ggcccgatga g	agaaaggga aa	igttaagga	tgctggagca	gaaca atg Met 1	418
_	t ttc tct ttc r Phe Ser Phe 5		Ile Met		Ile Gln	466
	t caa ctc att o Gln Leu Ile O					514
	c aac agt gac n Asn Ser Asp					562
	t ttg cag caa r Leu Gln Gln 55	Gly Phe Glr				610
	a ctc aca aat o Leu Thr Asn 70					658
	c aaa tac cag r Lys Tyr Gln 85		Gln Tyr			706
	t ggt gca gtt e Gly Ala Val 0	-	_	_		754
•	t cca aac aca e Pro Asn Thr	_	_			802

		4	
•			
		•	

PCT/US01/04098

WO 01/57190

			cca Pro													850
			ggc Gly													898
			agg Arg 165													946
		_	cag Gln													994
	-	_	agg Arg													1042
	_	_	tca Ser							_			_			1090
			gag Glu													1138
cca Pro	gta Val	cta Leu	aaa Lys 245	gag Glu	gaa Glu	gcc Ala	cca Pro	gtt Val 250	cag Gln	cca Pro	ata Ile	cta Leu	tct Ser 255	tct Ser	gtt Val	1186
		_	gaa Glu					_	_		_	_		-		1234
			aag Lys									_	_	_		1282
_	~		cag Gln	Leu	-	_			Lys		Asn		_		_	1330
-	_		cat His	_	_			-		-						1378
			aaa Lys 325													1426
			gct Ala													1474
	_		cgg Arg			-		-	_	_	_	_	_		_	1522
			gcc Ala													1570

	PCT/US01/04098

WO 01/57190

_		_	-	tat Tyr 390						_		_		_		1618
				gca Ala												1666
				cca Pro												1714
aat Asn	gca Ala 435	gjà aaa	gag Glu	gtg Val	gcc Ala	tcc Ser 440	tca Ser	ctc Leu	tca Ser	agt Ser	act Thr 445	gaa Glu	att Ile	cgg Arg	aga Arg	1762
	_	_		cgg Arg			_		_		-	_				1810
				tgg Trp 470												1858
				cac His												1906
		-		aaa Lys		_				_		_		_		1954
	_			ttt Phe		_			_				_			2002
				gaa Glu			_				-					2050
				cag Gln 550	-		_	_		_	-	_	_			2098
	_	_		tct Ser						_	_	_	_		_	2146
_	_			aga Arg		_		_							_	2194
		_	_	aag Lys		-	-		-	_	_		-		_	2242
_			-	act Thr			_			_		_				2290
				aga Arg 630												2338



qua act qtq que tqu quttectqtu cauttteate ceaquaacte cagacttgtu 2393 Glu Thr Val Asp 645 gtctccatgc aagatttctt tgtcggcggc ttgataaaca gtttctttgt tttcgatttt 2453 gatttcgcca atcatcatta ttggcatttt cctgcctggt ttcttcttca agactctgaa 2513 caattgettt aacagteaaa tgattttttt tttteggttt gagetggatg ggtacagett 2573 aaatcatggg tccagcctaa aaaccaccat ttaacttaca ctgatcaatt tcaacatgga 2633 ctgtttttgg ttttttgttt ttaaataaag catcattaat gcacatctgc aggggtttgc 2693 caaacagccc aaactgtata cattacaatc attaaaagtt cttattttt ttaatattag 2753 tgccgttatc atggagaaca gcatgacagc tgtctttggc agtctgtcat ttttctagca 2813 ttttcagaaa ctcatcggaa atggcggtac ctgtgtttcc cttcgaaagc ctctcagtac 2873 agcactectg tteetetgtt aaaacteett gttaateeag tgatetttta ggecaaggaa 2933 atattttgtg atggtgttct gggtccatac accagcaatg aaggagatag atttgtgtac 2993 ttgtgttttt taatcagcat taacatgggc aggcacctc atttatagat gtcaggaaac 3053 attcagtgaa aaacttgtag aatgggatgt gataacgagg ttccagtaat ctgagcagtc 3113 taacqaqqcc cacctcctcc accacaqaac gtggctatgt tccaagtgct actctcactc 3173 agectgttge ggatetteat ggeeteagga gaettgttte tecatggget ettetggaet 3233 3293 gcacacttcc accatagett gctgggttga tctagatgtc tgtttgttgt atggaaattt tgggggaaaa aatccaaaac acaaactgtg ggttgaaata ttaaccgtct ccttggttcc 3353 ttggtattca ccgtgcctga tctgcacatt tcatcgtggc tgtttctgta tagcctatac 3413 tgcattagcc caagagattg ttgctttgta actttttgca ctattgtttt ggctggattt 3473 gtattacaca cagttttaaa aaaaacaatt ccacactaaa aaaaaaaaa 3522

<210> 10 <211> 2366 <212> DNA <213> Homo sapiens <220> <221> CDS

<222> (174)..(1541)

WO 01/57190

<400> 10
cctcagcete cccgccgcg ccgccgccgc cgccgccgag ccggtttcct ttttccggcg 60
ctccgggtgc gagagacagg tcgggccccc taggcagcga gccgcagcgc aatcccggcg 120
ctcgcccaag gaccctggaa gctaccgtta ccccgccggg cagcgtgggc gcc atg Met
1

WO	01/5	7190												P	CT/US	01/04098
			gga Gly 5													224
			gac Asp		-		-		_	_		_				272
	-	_	ctg Leu	-		_	_	_		_	_		_	_		320
			ttc Phe													368
			agc Ser		_	_	-								-	416
			cca Pro 85		_		-				-	-				464
			tac Tyr													512
		_	gct Ala			-		_		-	-				-	560
			gtg Val	_				_			_		_			608
		_	atg Met		-			_	_				_			656
			ttc Phe 165													704
	_		ctg Leu				_	_	_		-		_	_		752
			cac His													800
			atg Met													848
			gag Glu													896
	_		att Ile 245						_					_		944

WO 01/5719	90										F	CT/US	501/04098
gtc aag co Val Lys P: 20				_	_	_		-				-	992
cct agg co Pro Arg Pr 275	_								_	_			1040
agc aat a Ser Asn Me 290			Arg										1088
gac ttc co	_			_	_				_			_	1136
gtg tgg t Val Trp P													1184
ctc agt ga Leu Ser A	_			_				_			_		1232
ttg aag a Leu Lys A 355													1280
atg acc co Met Thr H 370			r Phe										1328
gat ggt g Asp Gly A				_							_	_	1376
cat ggc cat His Gly H			-	_	_		_						1424
tat gtc to Tyr Val Tyr 4						_	_						1472
cta gct g Leu Ala V 435													1520
atg gga g Met Gly A 450	_		1 *	ta (ctgc	cctco	ca go	eteti	tcct	. aai	tcca	atgg	1573
aacctgacg	t agcts	gcaaag g	gacag	atcca	a ggg	gacto	gaag	ccaa	agtt	at g	gcaag	ggac	t 1633
gtgtgttgc	c acago	gacaca 🤉	gtcag	attt	c cag	gtata	ccac	cago	gaaco	etc i	tcag	gaaagi	1693
gtgctttate	g ctgaa	aacaga a	atact	gttaa	a agg	gaaaa	aaa	agag	19999	ga a	agato	aggt	1753
atactatct	a ctct	cctcat (ctcta	acago	c tca	aggat	ctc	ttag	gcatt	tt a	aatta	aga tg	1813
aattgtttg	t cttta	actgt (caaaa	agtti	t ggt	tcts	gtgt	ctgt	gttt	ta a	ataag	gacga	1873
aggacgagc	g attga	aggtgt a	atgga	gagaa	a aad	agad	cta	atgo	etect	tg t	tcct	agag	1933

WO 01/57	190										I	PCT/US0	1/04098
agagtggag	gg gaggg	gtggcc	taagag	gttga	gct	ctcg	gaa	ctg	atgo	etg	ctgga	acagta	1993
tcactgtct	tt toota	agatgg	cagtca	actga	att	ccat	ttt	ttca	aggt	aa	tttct	tgtgc	2053
ctctaatag	gc ccaa	gaatgg	gaggtt	tgatc	aga	atctg	raca	tgat	tcct	tc	ctgt	tctgaa	2113
ctgtggggt	tg cacat	tctctg	cttgag	gtcag	gtt	tgag	rtag	aggo	ettag	Jag	acagt	tgggt	2173
gagaacaad	cc aaaat	tcttat	catggt	tctca	gto	cataa	tca	ttag	13333	gaa	ctcta	agccaa	2233
atggtttaa	ac ttcts	gcctgt	ggaact	tgggg	att	gggt	999	cago	gaaaa	ıgg	tgata	atccat	2293
tetttetga	at aacta	agatgg	tgctga	agaag	ctt	ttga	ata	aaaa	acttt	gc	taaat	cgagaa	2353
taagetgaa	aa aaa										•		2366
<21: <21: <21:	0> 11 1> 1732 2> DNA 3> Homo	sapie	ns										
	1> CDS		-\		÷								
	2> (241)) (49)	5)										
gatgcctg	0> 11 at ctcat	tcaatc	tagcgg	ggaga	gad	cagga	taa	ccts	gtccg	gag	agtai	tagcgc	60
cacttatga	ac teeg	ccggaa	aaatta	acttt	aaa	aaato	gcc	aaaa	aatta	ct	tgga	gcaaag	120
ggcagtcc	gg cggc	gttege	caagg	tggcg	cag	gtegg	ttt	tgad	cctgt	ag	caga	gaacca	180
attctggag	ga acago	cctcac	ttett	tgatt	gaa	atact	tac	ataa	atgca	tt	ggaa	catgac	240
atg aga i Met Arg l				_	_	_	_						288
acc aca a		-	_								Leu	_	336
aag atg l Lys Met s													384
tct ccc s Ser Pro 1													432
aag ttt 1 Lys Phe 5		Lys C	_			_					_	_	480
aaa aaa a Lys Lys I	_	taa a * 85	cttttga	aga t	agat	ttgg	re to	etagt	aagt:	: at	ttagt	tat	535
atcacttgo	ca tatc	tgggag	aagaaa	ataag	aga	actat	cat	cagt	acat	tc	ccato	ctacta	595

aaaaaattta ttttacacat gtcaagggat tacttataac ttccatttta ttactaatag



PCT/US01/04098

cttgaaccct tttaatgaag acctaactcc tccaccagaa atttaagttt atgttcttac 715 tttqtttact tataaaatac atctcaqqta tttcggatgt ctttttttt tctaagccta 775 tatgaaatga aaaatatatt ggcaaagtaa atgtttaaac cttttacgtt aaaattactt 835 tgaaagatga aaagttagtg ctgtttttgt cacgttatac tgaaattaaa tgtttataat 895 ttatattttg ggtttatgta taaatcatgg aatttatgca aaaatatgag tagtacagat 955 tetectetaa teetgtagga etttgaataa tgtgatattt ttettataat tggaceettg 1015 tgttttgaag aaatgccaac tgcttgaaga atctccttgt tatttgtatt atttgctata 1075 gggttagatg ttgagaaatt ctgctgacaa aaaattttaa gccagtttta cactaaatgt 1135 tecteagtet gattaatttg ttattggatg tattetgtat etttettttg taatttgtaa 1195 cttttatcca cttagcacga atgattctat taaagaaaat cattaggaag tggtagaaac 1255 tttaaatcgc cccagagttt gcctgtttcc atattttatt atcttataat cttcgggagt 1315 gcttacactt atggagctaa cattttcaga gatacagctt cttatagtaa cactaaaact 1375 ttcttcctct ttggactgaa tacctataat tataactata tggtagttta agtttccttg 1435 tgattagtca aaaataccat tttagtatga agcaatgaag tctattattt gttgtcccat 1495 aattgagaaa gcttaaatac accttttatt aagagtttgt aaattctagc ttagtctaca 1555 cagattttta tatcaatttg tttatatttt tattaatgtc atttctggaa gtgtgaaaat 1615 qttaatqttc aacaaqcaac attaaaaata gatttgaaac atttatatat agagaggtac 1675 acatttattt actgtttagg tactgaagat tatcacttaa taaaaaatat atatccc 1732

<210> 12 <211> 2913 <212> DNA

<213> Homo sapiens

<220> <221> CDS

WO 01/57190

<222> (511) .. (2913)

atgaatatgg acatcaatga ttggtacttc gctactcatc atggtgatat tageggttct 60
agacatatcc tggatttggg actactaaaa gcgcaaaaga aggcccagag aagggagcac 120
atgctaaaac ttgaggctga gaagaaaaag cttcgaacta tacttcaagt tcagtatgta 180
ttgcagaact tgacacagga gcacgtacaa aaagacttca aagggggttt gaatggtgca 240
gtgtatttgc cttcaaaaga acttgactac ctcattaagt tttcaaaact gacctgccct 300
gaaagaaatg aaagtctgag tgttgaagac cagatggagc agtcatcctt gtacttttgg 360
gacctttttgg aaggtagtga gaaagcagtg gtaggaacga catacaaaca cttgaaggat 420